
E SUNDRY Do not use th	UNITED STATES UCL DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter at			OM Exp 5. Lease Serial No NMNM0924		IM0924 ian, Allottee or Tribe Name it or CA/Agreement, Name and/or No.	
abandoned well. Use form 3160-3 (APD) for such pr SUBMIT IN TRIPLICATE - Other instructions on reve			7. If Unit				
1. Type of Well		8	8. Well Name and No. S LOCO HILLS 27				
Oil Well □ Gas Well ⊠ O     O	VART	9	9. API Well No. 30-015-03478-00-S1				
<ul> <li>3a. Address</li> <li>5 GREENWAY PLAZA STE HOUSTON, TX 77046-0521</li> </ul>	3b. Phone No. Ph: 432-68 Fx: 432-685		1	10. Field and Pool, or Exploratory LOCO HILLS			
4. Location of Well <i>(Footage, Sec.,</i> Sec 29 T18S R29E NENW 6		11. County or Parish, and State EDDY COUNTY, NM					
12. CHECK API	ROPRIATE BOX(ES) T	O INDICATE	NATURE OF N	IOTICE, REP	ORT, OR OTHE	R DATA	
TYPE OF SUBMISSION	TYPE OF ACTION						
<ul> <li>Notice of Intent</li> <li>Subsequent Report</li> <li>Final Abandonment Notice</li> </ul>	<ul> <li>Acidize</li> <li>Alter Casing</li> <li>Casing Repair</li> <li>Change Plans</li> <li>Convert to Injection</li> </ul>	. D New	ture Treat Construction and Abandon	<ul> <li>Production</li> <li>Reclamation</li> <li>Recomple</li> <li>Temporarion</li> <li>Water Discontinue</li> </ul>	<ul> <li>Water Shut-Off</li> <li>Well Integrity</li> <li>Other</li> </ul>		
<ol> <li>Describe Proposed or Completed O If the proposal is to deepen directio Attach the Bond under which the w following completion of the involv testing has been completed. Final A determined that the site is ready for TD-2460' PBTD-2444' Perfs</li> </ol>	hally or recomplete horizontally ork will be performed or provid d operations. If the operation r bandonment Notices shall be f final inspection.)	y, give subsurface l le the Bond No. on results in a multiple	ocations and measu file with BLM/BIA completion or reco	red and true verti- Required subse mpletion in a new	cal depths of all perti quent reports shall be v interval, a Form 31 have been completed,	nent markers and zones. e filed within 30 days 50-4 shall be filed once	
OXY USA Inc. respectfully re currently being evaluated for injection program. It will be n water injection. Probably will additional layers with good s	water injection performane ecessary to identify what need to run Saturation lo aturation, in order to optir	nce before we o sandstones lay gs to isolate wa nize the produc	continue with the vers are respond atered layers or	water ing to the		NMOCD OIL CONSERVATIN ARTESIA DISTRICT JAN 20 2015	
1. RIH & set CIBP @ +/-236 2. Notify BLM/NMOCD of ca 3. RU pump truck, circulate	ing to 500# for 3	0 min.		RECEIVED			
) enjecto ene to	Nor to P	&A su	mitted	and	22A100	20 1-12-15	
14. I hereby certify that the foregoing	Electronic Submission For OXY US	SA INCORPORA	TED, sent to the	Carlsbad		: Com	
Committed to AFMSS for processing by J Name (Printed/Typed) DAVID STEWART				GULATORY A			
Signature (Electronic Submission)			Date 08/25/2	014	•••	ι.	
	THIS SPACE F	OR FEDERA	L OR STATE	OFFICE USE			
			JAMES A TitleSUPERVIS	JAMES A AMOS TitleSUPERVISORY PET Date 01/12		Date 01/12/2015	
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			Office Carlsbad				
Title 18 U.S.C. Section 1001 and Title 4 States any false, fictitious or fraudulen	3 U.S.C. Section 1212, make it	a crime for any pe	rson knowingly and	willfully to make	to any department o	r agency of the United	

\*\* BLM REVISED \*\*

## 32. Additional remarks, continued


Above ground steel tanks will be utilized.



8-1/2" hole @ 423' 7".csg @ 423' w/ 100sx-TOC-Surf-Circ

6-1/4" hole @ 2460' 4-1/2" csg @ 2457' w/ 100sx-TOC-1345'-Calc

CIBP @ 2364' w/ 35' cmt



TD-2460'

OXY USA Inc. - Current South Loco Hills Unit #27 API No. 30-015-03478

2-3/8" tbg & pkr @ 2316'

8-1/2" hole @ 423' 7" csg @ 423' w/ 100sx-TOC-Surf-Circ

6-1/4" hole @ 2460' 4-1/2" csg @ 2457' w/ 100sx-TOC-1345'-Calc

Perfs @ 2414-2421'

TD-2460'