Submit 1 Copy To Appropriate District State of New Mexico Office NM OIL CONSERVATION State of New Mexico <u>District 1</u> – (575) 393-6161 ARTESIA DISTRICT 1625 N. French Dr., Hobbs, NM 88240 District II = (575) 748-1283 EED 2 0 2015 A GOLDER DE VIGLOUX	Form C-103 Revised July 18, 2013	
District 1 – (575) 393-6161 ARTESIA DISTRICT By, Winter and Water and W	WELL API NO.	
District II - (575) 748-1283 FEB 2 0 2015 IL CONSERVATION DIVISION	30-015-42754	
District III – (505) 334-6178 1220 South St. Francis Dr.	5. Indicate Type of Lease STATE SFEE	
1000 Rio Brazos Rd., Aztec, NM 87410 RECEIVED Santa Fe, NM 87505	6. State Oil & Gas Lease No.	
1220 S. St. Francis Dr., Santa Fe, NM 87505	VO-5866	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH	7. Lease Name or Unit Agreement Name Humidor BMO State Com	
PROPOSALS.) 1. Type of Well: Oil Well 🛛 Gas Well 🗌 Other	8. Well Number 2H	
2. Name of Operator	9. OGRID Number	
Yates Petroleum Corporation	025575 10. Pool name or Wildcat	
3. Address of Operator 105 South Fourth Street, Artesia, NM 88210	Willow Lake; Bone Spring, West	
4. Well Location		
	400 feet from the West line 660 feet from the West line	
Section 23 Township $24S$ Range $27E$	NMPM Eddy County	
Section <u>14</u> Township <u>24S</u> Range <u>27E</u>	NMPM Eddy County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,219' GR		
12. Charl Annual state Dara to Indiante Mathema of Matica	Device of an Other Dete	
12. Check Appropriate Box to Indicate Nature of Notice,		
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS P AND A		
CLOSED-LOOP SYSTEM		
13. Describe proposed or completed operations. (Clearly state all pertinent details, and	d give pertinent dates, including estimated date	
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Cor proposed completion or recompletion.	npletions. Attach wellbore diagram of	
proposed completion of recompletion.		
2/16/15 – Made 5' new hole. TD 35'. Hole size 20".		
	·	
Note: 30" culvert with locking lid was set and cemented in place with 1.9 yards redi-mix o	n 11/14/14	
There. 50° curvert with locking he was set and cemence in place with 1.9 yards redi-hink o	11 1 1/14/14.	
······	-	
Spud Date:10/28/14Rig Release Date:	l l	
	·	
I hereby certify that the information above is true and complete to the best of my knowledg	e and helief	
Thereby certify that the information above is the and complete to the best on my knowledg		
SIGNATURE forme Watter TITLE Regulatory Reporting T	echnician DATE _ February 18, 2015	
SIGNATORE / COCCOCC ITTLE Regulatory Reporting T	ecunician DATE <u>February 18, 2015</u>	
Type or print name <u>Laura Watts</u> E-mail address: <u>laura@yatespetroleur</u>	<u>n.com</u> PHONE: <u>575-748-4272</u>	
For State Use Only Accessed for record		
APPROVED BY:	DATE2/24/2015	
Conditions of Approval (if any): $(1)_{\alpha} (1)_{\alpha} (1)$	an a	
Dee Attecher WA		

Permit Conditions of Approval

1-

. 1.

API: 30-0/5-42754

;	OCD Reviewer	Condition
\rightarrow	CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection strong.