UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD.	- A	R	T	E	SI	A
1 24 / 12'	- 1 b				~ .	

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

SUNDRY N	IOTICES A	AND REP	ORTS ON	WELLS
o not use this				

	NOTICES AND REPO					1 "	NIVINIVIU547UC				
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.						6. I	6. If Indian, Allottee or Tribe Name				
SUBMIT IN TRIPLICATE - Other instructions on reverse side.						f Unit or CA/Agr		d/or No).		
1. Type of Well Gas Well Other					8. W	ell Name and No CAPELLA 14 FE	D COM 2H				
Name of Operator					9. API Well No. 30-015-39413						
3a. Address PO BOX 250 ARTESIA, NM 88211						10. Field and Pool, or Exploratory LUSK, BONE SPRING					
4. Location of Well (Footage, Sec., 7	., R., M., or Survey Description) .				11.	County or Parish,	, and State			
Sec 14 T19S R31E NWNE 33 32.666839 N Lat, 103.839523						 	EDDY COUNT	Y, NM		•	
12. CHECK APPI	ROPRIATE BOX(ES) TO	D INDICA	TE NATU	RE OF N	OTICE, R	REPOF	RT, OR OTHE	R DATA			
TYPE OF SUBMISSION				TYPE OF	ACTION						
□ Notice of Intent	otice of Intent		Deepen		☐ Produc	action (Start/Resume)				f	
•			racture Tre	at	□ Reclan	nation		■ Well Inte	egrity		
Subsequent Report	uent Report			iction.	□ Recom	mplete Other					
☐ Final Abandonment Notice ☐ Change Plans ☐ I			lug and Ab	andon	□ Tempo	orarily Abandon					
	☐ Convert to Injection ☐ Plug Back			■ Water	Water Disposal						
Attach the Bond under which the worfollowing completion of the involved testing has been completed. Final At determined that the site is ready for final. This well is producing from 2. Water produced is approximately approxima	operations. If the operation re- bandonment Notices shall be fil- inal inspection.) the Lusk, Bone Spring.	sults in a mul	tiple comple	tion or recor	npletion in a	new int	terval, a Form 316 been completed,	60-4 shall be filed and the operator	d once has		
3. There is one 500bbls tanks	located at the Capella 14	4 Fed Com	1H.				ART	ESIA DISTRIC	АПО Т	M	
 Water will be piped to the a 30-015-05819 and b) 30-015-2 a) SE4SE4, Sec 3, T20S, F b) NW4NE4, Sec 35, T17S, R 	26969. R31E	ne b) Ceda	r Lake 35 I	Federal 1	a) API #'s	:	SEE AT	B 1 2 2015 TACHED FOR IS OF APPRO	2		
		^ 	CCOPIC	d for nex 1000							
14. I hereby certify that the foregoing is Name(<i>Printed/Typed</i>) SHEILA A	Electronic Submission #2 For DEVON ENE Committed to AFMSS for	RGY CORF	ORATION,	sent to th	e Carlsbac	i 13/2015	5 ()				
Signature (Electronic S	(ubmission)		Date	11/14/20	14	<u> </u>	APPR	OVED		1	
v	THIS SPACE FO	R FEDE			``	SE		W from the		 	
		<u> </u>					FEB	4 2015			
Approved By Conditions of approval, if any, are attached settify that the applicant holds legal or equivalent would entitle the applicant to conduction.	itable title to those rights in the					A C	↑ JAMES A SUPERVI	Date A. AMOS		*	
and approximate contact	r					10	. OUI LIXVI	JOIN-FLO .			

Additional data for EC transaction #279362 that would not fit on the form

32. Additional remarks, continued

6. a) SWD-1186 (attached) b) SWD-1274 (attached)

WATER PRODUCTION & DISPOSAL INFORMATION

In order to process your disposal request, the following information must be completed in full

Site Name: Capella 14 Fed Com 2H
1. Name(s) of formation(s) producing water on the lease: Lusk, Bone Spring
2. Amount of water produced from all formations in barrels per day: 85bbls
4. How water is stored on lease: 1 500bbl tank at the Capella 14 Fed Com 1H
5. How water is moved to the disposal facility: piped
6. Identify the Disposal Facility by: A. Facility Operators Name: a) Mesquite SWD, Inc. b) Mesquite SWD, Inc.
B. Facility or well name/number: a) Big Eddy SWD 1 b) Cedar Lake 35 Fed 1
C. Type of Facility or well (WDW) (WIW): a) WDW b) WIW
D.1) Location by ¼ ¼ SE4SE4 Section 3 Township 20S Range 31E
D.2) Location by ¼ ¼ NW4NE4 Section 35 Township 17S Range 30E

Submit to this office, 620 EAST GREENE ST, CARLSBAD NM, 88220, the above required information on a Sundry Notice 3160-5. Submit 1 original and 5 copies, within abatement period. (This form may be used as an attachment to the Sundry Notice.)

New Mexico Energy, Minerals and Natural Resources Department

Bill Richardson

Governor

Joanna Prukop Cabinet Secretary Mark Fesmire Division Director Oil Conservation Division



Administrative Order SWD-1186

August 14, 2009

Mr. Kay Havenor, PHD, Agent for Mesquite SWD, Inc. PO Box 1479 Carlsbad, NM 87221

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of Division Rule 26.8B., Mesquite SWD, Inc. seeks an administrative order to re-enter and utilize its Big Eddy SWD Well No. 1 (API 30-015-05819) located 660 feet from the South line and 660 feet from the East line, Unit P of Section 3, Township 20 South, Range 31 East, NMPM, Eddy County, New Mexico, for produced water disposal purposes.

THE DIVISION DIRECTOR FINDS THAT:

The application has been duly filed under the provisions of Division Rule 26.8B. Satisfactory information has been provided that affected parties as defined in Rule 26.8B.(2) have been notified and no objections have been received within the prescribed waiting period. The applicant has presented satisfactory evidence that all requirements prescribed in Rule 26.8 will be met and the operator is in compliance with Division Rule 5.9.

IT IS THEREFORE ORDERED THAT:

The applicant, Mesquite SWD, Inc., is hereby authorized to re-enter and utilize its Big Eddy SWD Well No. I (API 30-015-05819) located 660 feet from the South line and 660 feet from the East line, Unit P of Section 3, Township 20 South, Range 31 East, NMPM, Eddy County, New Mexico, for disposal of produced water into the Mississippian and Siluro-Devonian formations through an open hole interval from approximately 12950 feet to 14205 feet through 3-1/2 inch or smaller diameter, plastic-lined tubing set within 100 feet of the disposal interval.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the disposed water enters only the proposed disposal interval and is not permitted to escape to other formations or onto the surface.



After installing tubing, the casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge or an approved leak detection device in order to determine leakage in the casing, tubing, or packer. The casing shall be pressure tested from the surface to the packer setting depth to assure casing integrity.

The wellhead injection pressure on the well shall be limited to **no more than 2590 psi**. In addition, the disposal well or system shall be equipped with a pressure limiting device in workable condition which shall, at all times, limit surface tubing pressure to the maximum allowable pressure for this well.

The Director of the Division may authorize an increase in tubing pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the disposed fluid from the target formation. Such proper showing shall be demonstrated by an acceptable Step-Rate-Test.

The operator shall notify the supervisor of the Division's district II office in Artesia of the date and time of the installation of disposal equipment and of any mechanical integrity test so that the same may be inspected and witnessed. The operator shall provide written notice of the date of commencement of disposal to the Division's district II office. The operator shall submit monthly reports of the disposal operations on Division Form C-115, in accordance with Division Rules 26.13 and 7.24.

Without limitation on the duties of the operator as provided in Division Rules 30 and 29, or otherwise, the operator shall immediately notify the Division's district office of any failure of the tubing, casing or packer in the well, or of any leakage or release of water, oil or gas from around any produced or plugged and abandoned well in the area, and shall take such measures as may be timely and necessary to correct such failure or leakage.

In accordance with Division Rule No 26.12.C., the disposal authority granted herein shall terminate one year after the effective date of this order if the operator has not commenced injection operations into the subject well, provided however, the Division, upon written request, mailed by the operator prior to the termination date, may grant an extension thereof for good cause. One year after disposal into the well has ceased, the authority to dispose will terminate ipso facto.

Compliance with this order does not relieve the operator of the obligation to comply with other applicable federal, state or local laws or rules, or to exercise due care for the protection of fresh water, public health and safety and the environment.

Jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the operator to conduct operations (1) to protect fresh or protectable waters or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the disposal authority granted herein.

MARK E. FESMIRE, P.E.

Director

MEF/wvjj

cc: Oil Conservation Division – Artesia
Bureau of Land Management - Carlsbad

equipped with a pressure gauge or an approved leak detection device in order to determine leakage in the casing, tubing, or packer. The casing shall be pressure tested from the surface to the packer setting depth to assure casing integrity.

The wellhead injection pressure on the well shall be limited to **no more than 1642 psi**. In addition, the disposal well or system shall be equipped with a pressure limiting device in workable condition which shall, at all times, limit surface tubing pressure to the maximum allowable pressure for this well.

The Director of the Division may authorize an increase in tubing pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the disposed fluid from the target formation. Such proper showing shall be demonstrated by sufficient evidence including but not limited to an acceptable Step-Rate-Test.

The operator shall notify the supervisor of the Division's district office of the date and time of the installation of disposal equipment and of any mechanical integrity test so that the same may be inspected and witnessed. The operator shall provide written notice of the date of commencement of disposal to the Division's district office. The operator shall submit monthly reports of the disposal operations on Division Form C-115, in accordance with rules 19.15.26.13 NMAC and 19.15.7.24 NMAC.

Without limitation on the duties of the operator as provided in 19.15.29 NMAC and 19.15.30 NMAC, or otherwise, the operator shall immediately notify the Division's district office of any failure of the tubing, casing or packer in the well, or of any leakage or release of water, oil or gas from around any produced or plugged and abandoned well in the area, and shall take such measures as may be timely and necessary to correct such failure or leakage.

The injection authority granted under this order is not transferable except upon division approval. The division may require the operator to demonstrate mechanical integrity of any injection well that will be transferred prior to approving transfer of authority to inject.

The division may revoke this injection permit after notice and hearing if the operator is in violation of 19.15.5.9 NMAC.

The disposal authority granted herein shall terminate two years after the effective date of this order if the operator has not commenced injection operations into the subject well. One year after the last date of reported disposal into this well, the authority to dispose will terminate *ipso facto*. The Division, upon written request, mailed by the operator prior to the termination date, may grant an extension thereof for good cause.

Compliance with this order does not relieve the operator of the obligation to comply with other applicable federal, state or local laws or rules, or to exercise due care for the protection of fresh water, public health and safety and the environment.

Jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the

Susana Martinez Governor

John H. Bemis
Cabinet Secretary-Designate

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey
Division Director
Oil Conservation Division



Administrative Order SWD-1274 May 19, 2011

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of Division Rule 26.8B., Mesquite SWD, Inc. seeks an administrative order to utilize its Cedar Lake 35 Federal Well No. 1 (API 30-015-26969) located 1240 feet from the North line and 1980 feet from the East line, Unit Letter B of Section 35, Township 17 South, Range 30 East, NMPM, Eddy County, New Mexico, for produced water disposal purposes.

THE DIVISION DIRECTOR FINDS THAT:

The application has been duly filed under the provisions of 19.15.26.8B NMAC. Satisfactory information has been provided that affected parties have been notified and no objections have been received within the prescribed waiting period. The applicant has presented satisfactory evidence that all requirements prescribed in 19.15.26.8 NMAC have been met and the operator is in compliance with 19.15.5.9 NMAC.

IT IS THEREFORE ORDERED THAT:

The applicant, Mesquite SWD, Inc., is hereby authorized to utilize its Cedar Lake 35 Federal Well No. 1 (API 30-015-26969) located 1240 feet from the North line and 1980 feet from the East line, Unit Letter B of Section 35, Township 17 South, Range 30 East, NMPM, Eddy County, New Mexico, for disposal of oil field produced water (UIC Class II only) into the Wolfcamp formation through perforations from approximately 8210 feet to 8975 feet through lined tubing and a packer set within 100 feet above the permitted disposal interval.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the disposed water enters only the proposed disposal interval and is not permitted to escape to other formations or onto the surface.

After installing tubing, the casing-tubing annulus shall be loaded with an inert fluid and



operator to conduct operations (1) to protect fresh or protectable waters or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the disposal authority granted herein.

JAMI BAILEY

Director

JB/wvjj

cc: Oil Conservation Division – Artesia

Bureau of Land Management - Carlsbad

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Disposal of Produced Water From Federal Wells Conditions of Approval

Approval of the produced water disposal methodology is subject to the following conditions of approval:

- 1. This agency shall be notified of any change in your method or location of disposal.
- 2. Compliance with all provisions of Onshore Order No. 7.
- 3. This agency shall be notified of any spill or discharge as required by NTL-3A.
- 4. This agency reserves the right to modify or rescind approval whenever it determines continued use of the approved method may adversely affect the surface or subsurface environments.
- 5. Any on-lease open top storage tanks shall be covered with a protective cover to prevent entry by birds and other wildlife.
- 6. This approval should not constitute the granting of any right-of-way or construction rights not granted by the lease instrument.
- 7. If water is transported via a pipeline that extends beyond the lease boundary, then you need to submit within 30 days an application for right-of-way approval to the Realty Section in this office if you have not already done so.
- 8. Disposal at any other site will require prior approval.
- 9. Subject to like approval by NMOCD.

7/10/14