Horm 3160-5 (August 2007) UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENTOCD-ARTESIA SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010 5. Lease Serial No. NMNM101599 6. If Indian, Allottee or Tribe Name			
SUBMIT IN TRIPLICATE - Other instructions on reverse side.					7. If Unit or CA/Agreement, Name and/or No. NM \30543			
1. Type of Well S Oil Well Gas Well Other					8. Well Name and No. CAPELLA 14 FED COM 4H			
2. Name of Operator. DEVON ENERGY CORPORATION E-Mail: Sheila Fisher@dvn.com					9. API Well No. 30-015-39418			
			ude area code) 29		10. Field and Pool, or Exploratory LUSK, BONE SPRING			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 14 T19S R31E NWNW 330FNL 400FWL 32.666828 N Lat, 103.847298 W Lon					1. County or Parish, and State EDDY COUNTY, NM			
12. CHECK APP	ROPRIATE BOX(ES) TO	INDICATE NAT	FURE OF N	OTICE, REF	PORT, OR OTHE	ER DATA		
TYPE OF SUBMISSION			TYPE OF ACTION					
 Notice of Intent Subsequent Report Final Abandonment Notice 	 Acidize Alter Casing Casing Repair Change Plans Convert to Injection 	 Deepen Fracture 7 New Const Plug and 2 Plug Back 	struction Abandon	 Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal 		 Water Shut-O: Well Integrity Other 		
13. Describe Proposed or Completed Op If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f	ally or recomplete horizontally, gi rk will be performed or provide th d operations. If the operation resu bandonment Notices shall be filed final inspection.)	ive subsurface location the Bond No. on file was the in a multiple comp	ons and measur with BLM/BIA. pletion or record	ed and true verti Required subsempletion in a new	cal depths of all perti equent reports shall be w interval, a Form 31	nent markers and zones e filed within 30 days 60-4 shall be filed once	i.	
1. This well is producing from the Lusk, Bone Spring.					NR			
 Water produced is approximately 30 BWPD. There is one 500bbls tanks located at the Capella 14 Fed Com 1H. 					•	1 OIL CONSER ARTESIA DISTRIA FEB 1 2 2010	VATION	
4. Water will be piped to the a 30-015-05819 and b) 30-015-	a) Big Eddy SWD 1 and the		5 Federal 1	a) API #'s:		FEB 1 2 2015		
5. a) SE4SE4, Sec 3, T20S, I b) NW4NE4, Sec 35, T17S, R	30F	Celefed for re NMOCD			SEE ATTAC CONDITIONS O	HEDEFOR FAPPROVAED		
14. I hereby certify that the foregoing is	Electronic Submission #27 For DEVON ENER Committed to AFMSS for p	GY CORPORATIO processing by LIN	N, sent to th DA DENNIST	e Carlsbad ON on 01/13/2	2015 ()			
Name(Printed/Typed) SHEILA A	HISHER	Title	FIELD A					
Signature (Electronic S	Submission)	Date	11/14/20	14	APPRO			
	THIS SPACE FOR	R FEDERAL OF	R STATE C	FFICE USE		-2015		
Approved By Conditions of approval, if any, are attache	itable title to those rights in the su	ubject lease		- A	JAMES A. SUPERVISI			
which would entitle the applicant to condu	ct operations thereon.	Offi	ce	· · · · · · · · · · · · · · · · · · ·				

,

.

١

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

Additional data for EC transaction #279373 that would not fit on the form

32. Additional remarks, continued

6. a) SWD-1186 (attached) b) SWD-1274 (attached)

ŗ

WATER PRODUCTION & DISPOSAL INFORMATION

In order to process your disposal request, the following information must be completed in full

Site Name: Capella 14 Fed Com 4H

1. Name(s) of formation(s) producing water on the lease: Lusk, Bone Spring

2. Amount of water produced from all formations in barrels per day: 30bbls

4. How water is stored on lease: 1 500bbl tank at the Capella 14 Fed Com 1H

5. How water is moved to the disposal facility: piped

6. Identify the Disposal Facility by:

A. Facility Operators Name: a) Mesquite SWD, Inc. b) Mesquite SWD, Inc.

B. Facility or well name/number: a) Big Eddy SWD 1 b) Cedar Lake 35 Fed 1

C. Type of Facility or well (WDW) (WIW): a) WDW b) WIW

D.1) Location by ¼¼ SE4SE4	Section 3	Township 20S	Range 31E
D.2) Location by ¼ ¼ NW4NE4	Section 35	Township 17S	Range 30E

Submit to this office, 620 EAST GREENE ST, CARLSBAD NM, 88220, the above required information on a Sundry Notice 3160-5. Submit 1 original and 5 copies, within abatement period. (This form may be used as an attachment to the Sundry Notice.)

Created by Neevia Document Converter trial version http://www.neevia.com

New Mexico Energy, Minerals and Natural Resources Department

Bill Richardson Governor

Joanna Prukop Cabinet Secretary Mark Fesmire Division Director Oil Conservation Division



Administrative Order SWD-1186

August 14, 2009

Mr. Kay Havenor, PHD, Agent for Mesquite SWD, Inc. PO Box 1479 Carlsbad, NM 87221

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of Division Rule 26.8B., Mesquite SWD, Inc. seeks an administrative order to re-enter and utilize its Big Eddy SWD Well No. 1 (API 30-015-05819) located 660 feet from the South line and 660 feet from the East line, Unit P of Section 3, Township 20 South, Range 31 East, NMPM, Eddy County, New Mexico, for produced water disposal purposes.

THE DIVISION DIRECTOR FINDS THAT:

The application has been duly filed under the provisions of Division Rule 26.8B. Satisfactory information has been provided that affected parties as defined in Rule 26.8B.(2) have been notified and no objections have been received within the prescribed waiting period. The applicant has presented satisfactory evidence that all requirements prescribed in Rule 26.8 will be met and the operator is in compliance with Division Rule 5.9.

IT IS THEREFORE ORDERED THAT:

The applicant, Mesquite SWD, Inc., is hereby authorized to re-enter and utilize its Big Eddy SWD Well No. 1 (API 30-015-05819) located 660 feet from the South line and 660 feet from the East line, Unit P of Section 3, Township 20 South, Range 31 East, NMPM, Eddy County, New Mexico, for disposal of produced water into the Mississippian and Siluro-Devonian formations through an open hole interval from approximately 12950 feet to 14205 feet through 3-1/2 inch or smaller diameter, plastic-lined tubing set within 100 feet of the disposal interval.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the disposed water enters only the proposed disposal interval and is not permitted to escape to other formations or onto the surface.



Administrative Order SWD-1186 Mesquite SWD, Inc. August 14, 2009 Page 2 of 3

After installing tubing, the casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge or an approved leak detection device in order to determine leakage in the casing, tubing, or packer. The casing shall be pressure tested from the surface to the packer setting depth to assure casing integrity.

The wellhead injection pressure on the well shall be limited to **no more than 2590 psi**. In addition, the disposal well or system shall be equipped with a pressure limiting device in workable condition which shall, at all times, limit surface tubing pressure to the maximum allowable pressure for this well.

The Director of the Division may authorize an increase in tubing pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the disposed fluid from the target formation. Such proper showing shall be demonstrated by an acceptable Step-Rate-Test.

The operator shall notify the supervisor of the Division's district II office in Artesia of the date and time of the installation of disposal equipment and of any mechanical integrity test so that the same may be inspected and witnessed. The operator shall provide written notice of the date of commencement of disposal to the Division's district II office. The operator shall submit monthly reports of the disposal operations on Division Form C-115, in accordance with Division Rules 26.13 and 7.24.

Without limitation on the duties of the operator as provided in Division Rules 30 and 29, or otherwise, the operator shall immediately notify the Division's district office of any failure of the tubing, casing or packer in the well, or of any leakage or release of water, oil or gas from around any produced or plugged and abandoned well in the area, and shall take such measures as may be timely and necessary to correct such failure or leakage.

In accordance with Division Rule No 26.12.C., the disposal authority granted herein shall terminate one year after the effective date of this order if the operator has not commenced injection operations into the subject well, provided however, the Division, upon written request, mailed by the operator prior to the termination date, may grant an extension thereof for good cause. One year after disposal into the well has ceased, the authority to dispose will terminate *ipso facto.*

Compliance with this order does not relieve the operator of the obligation to comply with other applicable federal, state or local laws or rules, or to exercise due care for the protection of fresh water, public health and safety and the environment.

Administrative Order SWD-1186 Mesquite SWD, Inc. August 14, 2009 Page 3 of 3

Jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the operator to conduct operations (1) to protect fresh or protectable waters or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the disposal authority granted herein.

MARK E. FESMIRE, P.E. Director

MEF/wvjj

cc: Oil Conservation Division – Artesia Bureau of Land Management - Carlsbad New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

John H. Bemis Cabinet Secretary-Designate

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey Division Director Oil Conservation Division



Administrative Order SWD-1274 May 19, 2011

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of Division Rule 26.8B., Mesquite SWD, Inc. seeks an administrative order to utilize its Cedar Lake 35 Federal Well No. 1 (API 30-015-26969) located 1240 feet from the North line and 1980 feet from the East line, Unit Letter B of Section 35, Township 17 South, Range 30 East, NMPM, Eddy County, New Mexico, for produced water disposal purposes.

THE DIVISION DIRECTOR FINDS THAT:

The application has been duly filed under the provisions of 19.15.26.8B NMAC. Satisfactory information has been provided that affected parties have been notified and no objections have been received within the prescribed waiting period. The applicant has presented satisfactory evidence that all requirements prescribed in 19.15.26.8 NMAC have been met and the operator is in compliance with 19.15.5.9 NMAC.

IT IS THEREFORE ORDERED THAT:

The applicant, Mesquite SWD, Inc., is hereby authorized to utilize its Cedar Lake 35 Federal Well No. 1 (API 30-015-26969) located 1240 feet from the North line and 1980 feet from the East line, Unit Letter B of Section 35, Township 17 South, Range 30 East, NMPM, Eddy County, New Mexico, for disposal of oil field produced water (UIC Class II only) into the Wolfcamp formation through perforations from approximately 8210 feet to 8975 feet through lined tubing and a packer set within 100 feet above the permitted disposal interval.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the disposed water enters only the proposed disposal interval and is not permitted to escape to other formations or onto the surface.

After installing tubing, the casing-tubing annulus shall be loaded with an inert fluid and

Oil Conservation Division * 1220 South St. Francis Drive * Santa Fe, New Mexico 87505 * Phone: (505) 476-3440 * Fax (505) 476-3462* http://www.emnrd.state.nm.us

Administrative Order SWD-1274 Mesquite SWD, Inc. May 19, 2011 Page 2 of 3

equipped with a pressure gauge or an approved leak detection device in order to determine leakage in the casing, tubing, or packer. The casing shall be pressure tested from the surface to the packer setting depth to assure casing integrity.

The wellhead injection pressure on the well shall be limited to **no more than 1642 psi**. In addition, the disposal well or system shall be equipped with a pressure limiting device in workable condition which shall, at all times, limit surface tubing pressure to the maximum allowable pressure for this well.

The Director of the Division may authorize an increase in tubing pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the disposed fluid from the target formation. Such proper showing shall be demonstrated by sufficient evidence including but not limited to an acceptable Step-Rate-Test.

The operator shall notify the supervisor of the Division's district office of the date and time of the installation of disposal equipment and of any mechanical integrity test so that the same may be inspected and witnessed. The operator shall provide written notice of the date of commencement of disposal to the Division's district office. The operator shall submit monthly reports of the disposal operations on Division Form C-115, in accordance with rules 19.15.26.13 NMAC and 19.15.7.24 NMAC.

Without limitation on the duties of the operator as provided in 19.15.29 NMAC and 19.15.30 NMAC, or otherwise, the operator shall immediately notify the Division's district office of any failure of the tubing, casing or packer in the well, or of any leakage or release of water, oil or gas from around any produced or plugged and abandoned well in the area, and shall take such measures as may be timely and necessary to correct such failure or leakage.

The injection authority granted under this order is not transferable except upon division approval. The division may require the operator to demonstrate mechanical integrity of any injection well that will be transferred prior to approving transfer of authority to inject.

The division may revoke this injection permit after notice and hearing if the operator is in violation of 19.15.5.9 NMAC.

The disposal authority granted herein shall terminate two years after the effective date of this order if the operator has not commenced injection operations into the subject well. One year after the last date of reported disposal into this well, the authority to dispose will terminate *ipso facto*. The Division, upon written request, mailed by the operator prior to the termination date, may grant an extension thereof for good cause.

Compliance with this order does not relieve the operator of the obligation to comply with other applicable federal, state or local laws or rules, or to exercise due care for the protection of fresh water, public health and safety and the environment.

Jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the Administrative Order SWD-1274 Mesquite SWD, Inc. May 19, 2011 Page 3 of 3

operator to conduct operations (1) to protect fresh or protectable waters or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the disposal authority granted herein.

JAMI BAILEY

Director

JB/wvjj

cc: Oil Conservation Division – Artesia Bureau of Land Management - Carlsbad

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Disposal of Produced Water From Federal Wells Conditions of Approval

Approval of the produced water disposal methodology is subject to the following conditions of approval:

- 1. This agency shall be notified of any change in your method or location of disposal.
- 2. Compliance with all provisions of Onshore Order No. 7.
- 3. This agency shall be notified of any spill or discharge as required by NTL-3A.
- 4. This agency reserves the right to modify or rescind approval whenever it determines continued use of the approved method may adversely affect the surface or subsurface environments.
- 5. Any on-lease open top storage tanks shall be covered with a protective cover to prevent entry by birds and other wildlife.
- 6. This approval should not constitute the granting of any right-of-way or construction rights not granted by the lease instrument.
- 7. If water is transported via a pipeline that extends beyond the lease boundary, then you need to submit within 30 days an application for right-of-way approval to the Realty Section in this office if you have not already done so.
- 8. Disposal at any other site will require prior approval.
- 9. Subject to like approval by NMOCD.

7/10/14