Form 3160-5 (August 2007)

UNITED STATES

NM OIL CONSERVATION


FORM APPROVED

	PARTMENT OF THE I		SIA DISTRICT		July 31, 2010
SUNDRY Do not use thi	UREAU OF LAND MANA NOTICES AND REPO s form for proposals to II. Use form 3160-3 (AP	RTS ON WELLS E drill or to re-enter and D) for such proposals	s.	Lease Serial No. NMNM0144698 If Indian, Allottee or	
SUBMIT IN TRIPLICATE - Other instructions on reverse side.				7. If Unit or CA/Agree	ment, Name and/or No.
Type of Well Gas Well				8. Well Name and No. RUGER 6 FED COM 4H	
Name of Operator MEWBOURNE OIL COMPAN	9. API Well No. 30-015-39686				
3a. Address PO BOX 5270 HOBBS, NM 88241 3b. Phone No. (Ph: 575-393			rea code)	10. Field and Pool, or Exploratory BONE SPRING	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, and State	
Sec 6 T20S R29E Mer NMP N	EDDY COUNTY	, NM			
:					
12. CHECK APPI	ROPRIATE BOX(ES) TO	O INDICATE NATUR	E OF NOTICE, R	EPORT, OR OTHER	R DATA
TYPE OF SUBMISSION		. Т	YPE OF ACTION		
Notice of Intent☐ Subsequent Report	☐ Acidize☐ Alter Casing	☐ Deepen☐ Fracture Treat	. □ Reclan		☐ Water Shut-Off ☐ Well Integrity
	☐ Casing Repair	■ New Construc	_		☐ Other
☐ Final Abandonment Notice	Change Plans	Plug and Abar	-	orarily Abandon	
	☐ Convert to Injection	☐ Plug Back	☐ Water	Disposal	
13. Describe Proposed or Completed Opt If the proposal is to deepen direction: Attach the Bond under which the wor following completion of the involved testing has been completed. Final Attach the steep is ready for form MOC has an approved sundry pond is not large enough to he area. MOC would like to extee of pond extension. Please ca	ally or recomplete horizontally, it will be performed or provide i operations. If the operation repandoment Notices shall be fil inal inspection.) I notice for the frac pondold the amount of water the difference of the tothe ill Bradley Bishop with any	give subsurface locations a the Bond No. on file with I sults in a multiple completic ed only after all requiremen with dimensions of 250 nat MOC needs to frac west by 200'. Please	nd measured and true value of the state of t	vertical depths of all perting ubsequent reports shall be in new interval, a Form 316 on, have been completed, a	ent markers and zones. filed within 30 days 0-4 shall be filed once
OBel.	0		JU 3/2	9/15 12 2000	
14. I hereby certify that the foregoing is	Electronic Submission #	RNE OIL COMPANY, se	ent to the Carlsbad		:
Name(Printed/Typed) BRADLEY			REGULATORY	02,2014 ()	
		····			· · · · · · · · · · · · · · · · · · ·

(Electronic Submission) Signature Date .09/16/2014 THIS SPACE FOR FEDERAL OR STATE OFFICE USE OR FIELD MANAGER Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. CARLSBAD FIELD OFFICE Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


SECTION 6, TOWNSHIP 20 SOUTH, RANGE 29 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO.



LEGAL DESCRIPTION

A TRACT OF LAND LOCATED IN SECTION 6, TOWNSHIP 20 SOUTH, RANGE 29 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS.

BEGINNING AT A POINT WHICH LIES N89'48'15"W., 873.11 FEET AND SOO'11'37"W., 851.28 FEET FROM THE NORTHEAST CORNER OF SAID SECTION 6; THENCE SOI'11'26"E., 280.00 FEET; THENCE S88'48'17"W., 280.00 FEET; THENCE NOI'11'26"W., 280.00 FEET; THENCE N88'48'17"E., 280.00 FEET TO THE POINT OF BEGINNING. SAID TRACT OF LAND CONTAINING 1.7998 ACRES, MORE OR LESS.



BLM LEASE NUMBER: NMNM0144698

COMPANY NAME: Mewbourne

ASSOCIATED WELL NAME: Ruger 6 Federal Com 4H

FRAC POND CONDITIONS OF APPROVAL

A copy of the application (APD, Grant, or Sundry Notice) and attachments, including stipulations, survey plat and diagram, will be on location during construction. BLM personnel may request to see a copy of your permit during construction to ensure compliance with all conditions of approval.

Holder agrees to comply with the following conditions of approval to the satisfaction of the Authorized Officer:

- 1. The Holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this permit.
- 2. The Holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated.
- 3. Required Standard Conditions of Approval:

a. Notification

Contact the Supervisory Environmental Protection Specialist, Jim Amos, at 575-234-5909 at least 24 hours prior to starting construction.

b. Freshwater Only

The frac pond will only be authorized to contain freshwater and testing of water quality is required. Additives are not allowed without consent of the authorized officer in writing.

c. Contamination

If at any time the water in the frac pond becomes polluted with salts or other contaminants, use of the frac pond will cease and desist, and all liquids will be removed from the frac pond and disposed of properly. The operator will preclude releases of oil into open pits. The operator must remove any accumulation of oil, condensate, or contaminant in a pit within 48 hours of discovery.

d. Authorized Disturbance

Confine all construction and maintenance activity to the approved authorized area applied for in the application.

e. Facilities

Porto-johns and trash containers will be on-location during fracturing operations or any other crew-intensive operations. Grey-water, sewage, and trash shall be removed from the site and disposed of properly at a state approved facility.

f. Escape Ramps

The operator will construct and maintain frac ponds to prevent livestock, wildlife, and humans from becoming entrapped. At a minimum, the operator will construct and maintain escape ramps, ladders, or other methods of avian and terrestrial wildlife escape in frac ponds. Escape ramps must be installed at every corner of

the frac pond and in the center of each side if that side exceeds 100 feet in length. Escape ramps must be in contact with the side of the frac pond, bottom of the frac pond, and the top of the frac pond berm. Escape ramps <u>cannot</u> be made of metal and <u>cannot</u> be steeper than a 3:1 slope (Horizontal Distance: Vertical Distance) or 30% slope. (Examples of escape ramps: 12" wide wooden planks wrapped in matting, felt lining, etc.)

g. Frac Pond Pipelines

Temporary pipelines flowing from the frac pond to the target well will be laid along existing roadways unless an exception has been granted by the authorized officer in writing.

h. Mineral Material from Excavation

Mineral materials extracted during construction of the frac pond will be stored on-location and/or used for constructing the frac pond.

i. Frac Pond Liner

The frac pond will be lined with at least a 30 mil. plastic liner. The plastic lining will be removed prior to final abandonment.

j. Topsoil Stockpile

The operator shall strip at least the top 6 inches of soil (root zone) from the entire frac pond area and stockpile the topsoil approximately 25 feet outside the bermed perimeter of the pond in a low profile manner, reasonably protected from wind and water erosion. Topsoil shall not be used for constructing the frac pond. The topsoil will be used for final reclamation purposes only.

k. Frac Pond Fence

The operator will install and maintain exclosure fencing on all sides of the frac pond to prevent access to public, livestock, and large forms of wildlife. The fence shall be installed at the base of the berm and never on top of the berm. Construction of the fence shall consist of steel and/or wooden posts set firmly into natural ground. Hog panel or chain-link fencing must be used as the fence and tied securely to the fence posts. Barbed-wire fencing or electric fences shall not be used. The fence height shall not be shorter than six (6) feet. The erected fence shall be maintained in adequate condition until the frac pond is reclaimed.

I. Erosion Prevention

Install earthen erosion-control structures as are suitable for the specific terrain and soil conditions.

m. Reclamation Start

- I. Reclamation efforts will commence immediately after the frac pond is no longer needed for the purpose of completing wells.
- II. Within 3 months of completion of frac operations on associated wells, all earthwork and final reclamation must be completed. This includes reclaiming and/or removal of:
 - i. Any roads approved for use with the pond
 - ii. Surface water lines .
 - iii. Tanks, pumps, fencing etc.

Requirements for Operations and Final Reclamation:

4. If, during any phase of the construction, operation, maintenance, or termination of the frac pond, any pollutant should be released from the contaminated frac pond, the control and total removal, disposal, and cleaning up of such pollutant, wherever found, shall be the responsibility of holder, regardless of fault.

Upon failure of holder to control, dispose of, or clean up such discharge, or to repair all damages resulting there-from, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve holder of any responsibility as provided herein.

- 5. Any cultural and/or paleontological resources (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.
- 6. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes the roads, pads, associated pipeline corridor, and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.
- 7. After all disturbed areas have been satisfactorily contoured and prepared for seeding the location needs to be revegetated with the seed mixture provided. Seeding may need to be repeated until revegetation is successful. Operators shall contact Jim Amos, Supervisor, Environmental Protection (575)234-5909, **prior** to beginning surface reclamation operations.

() seed mixture 1	() seed mixture 3
() seed mixture 2	(X) seed mixture 4
() LPC mixture	() Aplomado Falcon mix

8. Seeding is required: Use the following seed mix.

EXHIBIT "B" BLM SERIAL NO.: NMNM0144698 COMPANY REFERENCE: Mewbourne

Seed Mixture 4, for Gypsum Sites

The holder shall seed all disturbed areas with the seed mixture listed below. The seed mixture shall be planted in the amounts specified in pounds of pure live seed (PLS)* per acre. There shall be <u>no</u> primary or secondary noxious weeds in the seed mixture. Seed will be tested and the viability testing of seed will be done in accordance with State law(s) and within nine (9) months prior to purchase. Commercial seed will be either certified or registered seed. The seed container will be tagged in accordance with State law(s) and available for inspection by the authorized officer.

Seed will be planted using a drill equipped with a depth regulator to ensure proper depth of planting where drilling is possible. The seed mixture will be evenly and uniformly planted over the disturbed area (smaller/heavier seeds have a tendency to drop the bottom of the drill and are planted first). The holder shall take appropriate measures to ensure this does not occur. Where drilling is not possible, seed will be broadcast and the area shall be raked or chained to cover the seed. When broadcasting the seed, the pounds per acre are to be doubled. The seeding will be repeated until a satisfactory stand is established as determined by the authorized officer. Evaluation of growth will not be made before completion of at least one full growing season after seeding.

Species to be planted in pounds of pure live seed* per acre:

Species	lb/acre
Alkali Sacaton (Sporobolus airoides) DWS Four-wing saltbush (Atriplex canescens)	1.0 5.0

DWS: DeWinged Seed

Pounds of seed x percent purity x percent germination = pounds pure live seed

^{*}Pounds of pure live seed: