Form 3160-5	UNITED STATES	OCD Artesin		ORM APPROVED	
(March 2012) DEPARTMENT OF THE INTERIOR		NTERIOR		OMB No. 1004-0137 Expires: October 31, 2014 5: Lease Serial No. NMNM05912	
BUR	GEMENT	5. Lease Scrial No. NMNM05912			
Do not use this		RTS ON WELLS drill or to re-enter an PD) for such proposals.	6. If Indian, Allottee o	r Tribe Name	
	T IN TRIPLICATE – Other i			ement, Name and/or No.	
🗹 Õil Well 🔲 Ĝas V		8. Well Name and No. Poker Lake Unit #44	12		
2. Name of Operator SOPCO, L.P.		· · · · · · · · · · · · · · · · · · ·	9. APJ Well No. 30-015-41195		
3a. Address \$22 W. Mermod, #704		3b. Phone No. (include area code, 575-887-7329	) 10. Field and Pool or 1 Nash Draw	Exploratory Area	
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) 820 FSL and 2290 FEL, Section: 19, T. 24S., R. 30E., NMPM			11. County of Parish, Eddy, NM	State	
12. CHE0	CK THE APPROPRIATE BOX	KES) TO INDICATE NATURE (	OF NOTICE, REPORT OR OTH	ER DATA	
TYPE OF SUBMISSION	l.		OF ACTION		
			Production (Start/Resume)	Water Shut-Off	
✓ Notice of Intent	Alter Casing	Fracture Treat	Reclamation	Well Integrity	
Subsequent Report	Casing Repair	New Construction	Recomplete	Other	
Final Abandonment Notice	Change Plans	Plug and Abandon Plug Back	Water Disposal	<del>~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~</del>	
Attach the Bond under which the following completion of the invol- testing has been completed. Final determined that the site is ready fo BOPCO, L.P. respectfully requests.	work will be performed or prov ved.operations. If the operation Abandonment Notices must be r final inspection;) approval of construction; for	ride the Bond No. on file with BLI n results in a multiple completion e filed only after all requirements, an 8-inch buried poly salt wate	M/BIA. Required subsequent rep or recompletion in a new interval including reclamation, have been in disposal pipeline to the into th	, a Form 3160-4 must be filed once completed and the operator has ne larger SWD system in the Poker	
Attach the Bond under which the following completion of the involu- testing has been completed. Final determined that the site is ready for BOPCO, L.P. respectfully requests Lake Unit. The line will begin at the The pipeline will follow and be cons	work will be performed or prov ved operations. If the operation Abandonment Notices must be or final inspection.) approval of construction for Poker'Lake Unit #442 well structed next to a powerline I	ride the Bond No. on file with BLI n results in a multiple completion e filed only after all requirements, an 8-inch buried poly salt wate in section 30, T. 24S., R. 30E., ROW. It will also utilize existing	M/BIA. Required subsequent rep or recompletion in a new interval including reclamation, have been in disposal pipeline to tie into the NMPM and end in section 19 g lease roads for a portion of t	orts must be filed within 30 days a Form 3160-4 must be filed once completed and the operator has he larger SWD system in the Poker , T. 24S., R. 30E., NMPM.	
Attach the Bond under which the following completion of the involu- testing has been completed. Final determined that the site is ready for BOPCO, L.P. respectfully requests Lake Unit. The line will begin at the The pipeline will follow and be cons	work will be performed or prov ved operations. If the operation Abandonment Notices must be or final inspection.) approval of construction for Poker'Lake Unit #442 well structed next to a powerline I	ride the Bond No. on file with BLI n results in a multiple completion e filed only after all requirements, an 8-inch buried poly salt wate in section 30, T. 24S., R. 30E., ROW. It will also utilize existing	M/BIA. Required subsequent rep or recompletion in a new interval including reclamation, have been in disposal pipeline to tie into the NMPM and end in section 19 g lease roads for a portion of t	orts must be filed within 30 days a Form 3160-4 must be filed once completed and the operator has he larger SWD system in the Poker , T. 24S., R. 30E., NMPM.	
Attach the Bond under which the following completion of the involu- testing has been completed. Final determined that the site is ready for BOPCO, L.P. respectfully requests Lake Unit. The line will begin at the The pipeline will follow and be cons	work will be performed or prov ved operations. If the operation Abandonment Notices must be or final inspection.) approval of construction for Poker'Lake Unit #442 well structed next to a powerline I	ride the Bond No. on file with BLI n results in a multiple completion e filed only after all requirements, an 8-inch buried poly salt wate in section 30, T. 24S., R. 30E., ROW. It will also utilize existing	M/BIA. Required subsequent report recompletion in a new interval including reclamation, have been in disposal pipeline to the into the into the section 19 glease roads for a portion of the acres.	onts must be filed within 30 days ,a Form 3160-4 must be filed once completed and the operator has ne larger SWD system in the Poker , T. 24S., R. 30E., NMPM. he route.	
Attach the Bond under which the following completion of the involu- testing has been completed. Final determined that the site is ready for BOPCO, L.P. respectfully requests Lake Unit. The line will begin at the The pipeline will follow and be cons	work will be performed or prov ved operations. If the operation Abandonment Notices must be or final inspection.) approval of construction for Poker'Lake Unit #442 well structed next to a powerline I	ride the Bond No. on file with BLI n results in a multiple completion e filed only after all requirements, an 8-inch buried poly salt wate in section 30, T. 24S., R. 30E., ROW. It will also utilize existing	M/BIA. Required subsequent report recompletion in a new interval including reclamation, have been in disposal pipeline to the into the into the MMPM and end in section 19 glease roads for a portion of the facters.	onts must be filed within 30 days a Form 3160-4 must be filed once completed and the operator has ne larger SWD system in the Poker , T. 24S., R. 30E., NMPM. he route.	
Attach the Bond under which the following completion of the involu- testing has been completed. Final determined that the site is ready for BOPCO, L.P. respectfully requests Lake Unit. The line will begin at the The pipeline will follow and be cons	work will be performed or prov ved operations. If the operation Abandonment Notices must be or final inspection.) approval of construction for Poker'Lake Unit #442 well structed next to a powerline I	ride the Bond No. on file with BLI n results in a multiple completion e filed only after all requirements, an 8-inch buried poly salt wate in section 30, T. 24S., R. 30E., ROW. It will also utilize existing	M/BIA. Required subsequent report recompletion in a new interval including reclamation, have been in disposal pipeline to the into the into the MMPM and end in section 19 glease roads for a portion of the facters.	onts must be filed within 30 days ,a Form 3160-4 must be filed once completed and the operator has ne larger SWD system in the Poker , T. 24S., R. 30E., NMPM. he route.	
Attach the Bond under which the following completion of the involu- testing has been completed. Final determined that the site is ready for BOPCO, L.P. respectfully requests Lake Unit. The line will begin at the The pipeline will follow and be cons	work will be performed or prov ved operations. If the operation Abandonment Notices must be or final inspection.) approval of construction for Poker'Lake Unit #442 well structed next to a powerline I	ride the Bond No. on file with BLI n results in a multiple completion e filed only after all requirements, an 8-inch buried poly salt wate in section 30, T. 24S., R. 30E., ROW. It will also utilize existing	M/BIA. Required subsequent rep or recompletion in a new interval including reclamation, have been or disposal pipeline to tie into the NMPM and end in section 19 g lease roads for a portion of t 6 acres.	onts must be filed within 30 days a Form 3160-4 must be filed once completed and the operator has ne larger SWD system in the Poker , T. 24S., R. 30E., NMPM. he route.	
Attach the Bond under which the following completion of the invol- testing has been completed. Final determined that the site is ready fo BOPCO, L.P. respectfully requests Lake Unit. The line will begin at the The pipeline will follow and be cons The line will 2,244,90 feet in length (4. Lhereby certify that the foregoing is	work will be performed or prov ved operations. If the operation Abandonment Notices must be or final inspection.) approval of construction for Poker'Lake Unit #442 well structed next to a powerline I and a 30' width is requested	ride the Bond No. on file with BLI n results in a multiple completion of filed only after all requirements, an 8-inch buried poly salt wate in section 30, T. 24S., R. 30E., ROW. It will also utilize existing of for a total disturbance of 1.54 3/3/15	M/BIA. Required subsequent report recompletion in a new interval including reclamation, have been in disposal pipeline to the into the MMPM and end in section 19 glease roads for a portion of the acres.	orts must be filed within 30 days a Form 3160-4 must be filed once completed and the operator has ne larger SWD system in the Poker , T. 24S., R. 30E., NMPM. he route. <b>CONSERVATION</b> SIA DISTRICT R <b>1 2</b> 2015	
Attach the Bond under which the following completion of the invol- testing has been completed. Final determined that the site is ready fo BOPCO, L.P. respectfully requests. Lake Unit. The line will begin at the The pipeline will follow and be cons The line will 2,244,90 feet in length	work will be performed or prov ved operations. If the operation Abandonment Notices must be or final inspection.) approval of construction for Poker'Lake Unit #442 well structed next to a powerline I and a 30' width is requested	ride the Bond No. on file with BLI n results in a multiple completion of filed only after all requirements, an 8-inch buried poly salt wate in section 30, T. 24S., R. 30E., ROW. It will also utilize existing of for a total disturbance of 1.54 3/3/15	M/BIA. Required subsequent rep or recompletion in a new interval including reclamation, have been or disposal pipeline to tie into the NMPM and end in section 19 g lease roads for a portion of t 6 acres.	orts must be filed within 30 days a Form 3160-4 must be filed once completed and the operator has ne larger SWD system in the Poker , T. 24S., R. 30E., NMPM. he route. <b>CONSERVATION</b> SIA DISTRICT R <b>1 2</b> 2015	
Attach the Bond under which the following completion of the invol- testing has been completed. Final determined that the site is ready fo BOPCO, L.P. respectfully requests Lake Unit. The line will begin at the The pipeline will follow and be cons The line will 2,244,90 feet in length (4. Lhereby certify that the foregoing is	work will be performed or prov ved operations. If the operation Abandonment Notices must be or final inspection.) approval of construction for Poker'Lake Unit #442 well structed next to a powerline I and a 30' width is requested	ride the Bond No. on file with BLI n results in a multiple completion of filed only after all requirements, an 8-inch buried poly salt wate in section 30, T. 24S., R. 30E., ROW. It will also utilize existing of for a total disturbance of 1.54 3/3/15	M/BIA. Required subsequent repor recompletion in a new interval including reclamation, have been in disposal pipeline to tie into the NMPM and end in section 19 glease roads for a portion of to a cres.	orts must be filed within 30 days a Form 3160-4 must be filed once completed and the operator has ne larger SWD system in the Poker , T. 24S., R. 30E., NMPM. he route. <b>CONSERVATION</b> SIA DISTRICT R <b>1 2</b> 2015	
Attach the Bond under which the following completion of the invol- testing has been completed. Final determined that the site is ready fo BOPCO, L.P. respectfully requests. Lake Unit. The line will begin at the The pipeline will follow and be cons The line will 2,244.90 feet in length The line will 2,244.90 feet in length (4. Thereby certify that the foregoing is to Casey Sowers)	work will be performed or proved operations. If the operation Abandonment Notices must be final inspection.) approval of construction for Poker Lake Unit #442 well bructed next to a powerline I and a 30' width is requested and a 30' width is requested with the requested of the powerline is requested of the powerline is requested with the requested of the powerline is requested with the powerline is requested with the powerline is requested with the powerline is requested of the powerline is requested with the powerlin	ride the Bond No. on file with BLI n results in a multiple completion a filed only after all requirements, an 8-inch buried poly salt water in section 30, T. 24S., R. 30E., ROW. It will also utilize existing a for a total disturbance of 1.54 3/(3/15) 3/(3/15) 3/(3/15) 3/(3/15) Title Production	M/BIA. Required subsequent report recompletion in a new interval including reclamation, have been in disposal pipeline to tie into the NMPM and end in section 19 glease roads for a portion of the acres.	orts must be filed within 30 days a Form 3160-4 must be filed once completed and the operator has ne larger SWD system in the Poker , T. 24S., R. 30E., NMPM. he route. <b>CONSERVATION</b> SIA DISTRICT R <b>1 2</b> 2015	
Attach the Bond under which the following completion of the involve testing has been completed. Final determined that the site is ready for BOPCO, L.P. respectfully requests. Lake Unit. The line will begin at the The pipeline will follow and be constant. The line will 2,244,90 feet in length the line will 2,244,90 feet in length Casey Sowers.	work will be performed or proved operations. If the operation Abandonment Notices must be final inspection.) approval of construction for Poker Lake Unit #442 well bructed next to a powerline I and a 30' width is requested and a 30' width is requested with the requested of the powerline is requested of the powerline is requested with the requested of the powerline is requested with the powerline is requested with the powerline is requested with the powerline is requested of the powerline is requested with the powerlin	ride the Bond No. on file with BLI n results in a multiple completion of a filed only after all requirements, an 8-inch buried poly salt water in section 30, T. 24S., R. 30E., ROW. It will also utilize existing a for a total disturbance of 1.54 3/3/15 3/3/15 3/3/15 Title Production Date 04/08/201 FOR FEDERAL OR STA	M/BIA. Required subsequent report recompletion in a new interval including reclamation, have been in disposal pipeline to tie into the NMPM and end in section 19 glease roads for a portion of the acres.	orts must be filed within 30 days a Form 3160-4 must be filed once completed and the operator has ne larger SWD system in the Poker , T. 24S., R. 30E., NMPM. he route. <b>CONSERVATION</b> SIA DISTRICT R <b>1 2</b> 2015	
Attach the Bond under which the following completion of the involvesting has been completed. Final determined that the site is ready for BOPCO, L.P. respectfully requests. Lake Unit. The line will begin at the The pipeline will follow and be constant. The line will 2,244.90 feet in length The line will 2,244.90 feet in length the foregoing is to Casey Sowers:	work will be performed or proved operations. If the operation Abandonment Notices must be final inspection.) approval of construction for Poker Lake Unit #442 well tructed next to a powerline I and a 30' width is requested with the requested of the second secon	ride the Bond No. on file with BLI n results in a multiple completion a filed only after all requirements, an 8-inch buried poly salt water in section 30, T. 24S., R. 30E., ROW. It will also utilize existing a for a total disturbance of 1.54 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	M/BIA. Required subsequent repor recompletion in a new interval including reclamation, have been in disposal pipeline to tie into the NMPM and end in section 19 glease roads for a portion of to 6 acres. <b>NMM OIL C</b> <b>ARTE</b> <b>NMM OIL C</b> ARTE MA RI NETEOFFICE USE	A Sorra Singer Sector S	
Attach the Bond under which the following completion of the involvesting has been completed. Final determined that the site is ready for BOPCO, L.P. respectfully requests. Lake Unit. The line will begin at the The pipeline will follow and be constant. The line will 2,244.90 feet in length the line will 2,244.90 feet in length [4. Thereby certify that the foregoing is casey Sowers]	work will be performed or proved operations. If the operation Abandonment Notices must be final inspection.) approval of construction for Poker Lake Unit #442 well tructed next to a powerline I and a 30' width is requested and a 30' width is requested with the sequested of the sequest of th	ride the Bond No. on file with BLI results in a multiple completion of a filed only after all requirements, an 8-inch buried poly salt water in section 30, T. 24S., R. 30E., ROW. It will also utilize existing a for a total disturbance of 1.54 <i>3/13/15</i> <i>3/13/15</i> <i>3/13/15</i> <i>3/13/15</i> <i>3/13/15</i> <i>3/13/15</i> <i>3/13/15</i> <i>3/13/15</i> <i>3/13/15</i> <i>3/13/15</i> <i>3/13/15</i> <i>3/13/15</i> <i>3/13/15</i> <i>3/13/15</i> <i>5/11</i> <i>11tle</i> Production Date 04/08/201 <b>FOR FEDERAL OR STA</b> <i>11tle</i> Fl not warrant or certify lease which would office C/ office C/	M/BIA. Required subsequent report recompletion in a new interval including reclamation, have been in disposal pipeline to the into the NMPM and end in section 19 glease roads for a portion of the factors. <b>NMM OIL C</b> <b>ARTE</b> MA <b>INTERVALUE</b> MA <b>INTE OFFICE USE</b> <b>ELD MANAGER</b> <b>ARLSBAD FIELD</b>	A Sorra Singer Superior Singer Superior Singer Superior Site Site Site Site Site Site Site Site	

.

## **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

## SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment.

#### NOTICES

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and grantingapproval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.


The Paperwork Reduction Act of 1995 requires us to inform you that:


The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240





# BLM LEASE NUMBER: NMNM05912 COMPANY NAME: BOPCO ASSOCIATED WELL NAME: Poker Lake Unit 442

## BURIED PIPELINE STIPULATIONS

A copy of the application (Grant, APD, or Sundry Notice) and attachments, including conditions of approval, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

1. The Holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.

2. The Holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 <u>et seq.</u> (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.

3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, <u>et seq</u>. or the Resource Conservation and Recovery Act, 42 U.S.C.6901, <u>et seq</u>.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.

4. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil or other pollutant, wherever found, shall be the responsibility of holder, regardless of fault. Upon failure of holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve holder of any responsibility as provided herein.

5. All construction and maintenance activity will be confined to the authorized right-of-way.

6. The pipeline will be buried with a minimum cover of 36 inches between the top of the pipe and ground level.

7. The maximum allowable disturbance for construction in this right-of-way will be  $\underline{30}$  feet:

- Blading of vegetation within the right-of-way will be allowed: maximum width of blading operations will not exceed **20** feet. The trench is included in this area. (*Blading is defined as the complete removal of brush and ground vegetation.*)
- Clearing of brush species within the right-of-way will be allowed: maximum width of clearing operations will not exceed <u>30</u> feet. The trench and bladed area are included in this area. (*Clearing is defined as the removal of brush while leaving ground vegetation (grasses, weeds, etc.) intact. Clearing is best accomplished by holding the blade 4 to 6 inches above the ground surface.*)
  - The remaining area of the right-of-way (if any) shall only be disturbed by compressing the vegetation. (*Compressing can be caused by vehicle tires, placement of equipment, etc.*)

8. The holder shall stockpile an adequate amount of topsoil where blading is allowed. The topsoil to be stripped is approximately  $\_\__6\_\_$  inches in depth. The topsoil will be segregated from other spoil piles from trench construction. The topsoil will be evenly distributed over the bladed area for the preparation of seeding.

9. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

10. Vegetation, soil, and rocks left as a result of construction or maintenance activity will be randomly scattered on this right-of-way and will not be left in rows, piles, or berms, unless otherwise approved by the Authorized Officer. The entire right-of-way shall be recontoured to match the surrounding landscape. The backfilled soil shall be compacted and a 6 inch berm will be left over the ditch line to allow for settling back to grade.

11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.

12. The holder will reseed all disturbed areas. Seeding will be done according to the attached seeding requirements, using the following seed mix.

() seed mixture 1	() seed mixture 3
(X) seed mixture 2	() seed mixture 4
( ) seed mixture 2/LPC	() Aplomado Falcon Mixture

13. All above-ground structures not subject to safety requirements shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be color which simulates "Standard Environmental Colors" – **Shale Green**, Munsell Soil Color No. 5Y 4/2.

14. The pipeline will be identified by signs at the point of origin and completion of the right-ofway and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. All signs and information thereon will be posted in a permanent, conspicuous manner, and will be maintained in a legible condition for the life of the pipeline.

15. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder before maintenance begins. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway. As determined necessary during the life of the pipeline, the Authorized Officer may ask the holder to construct temporary deterrence structures.

16. Any cultural and/or paleontological resources (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

17. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes associated roads, pipeline corridor and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.

18. <u>Escape Ramps</u> - The operator will construct and maintain pipeline/utility trenches that are not otherwise fenced, screened, or netted to prevent livestock, wildlife, and humans from becoming entrapped. At a minimum, the operator will construct and maintain escape ramps, ladders, or other methods of avian and terrestrial wildlife escape in the trenches according to the following criteria:

- a. Any trench left open for eight (8) hours or less is not required to have escape ramps; however, before the trench is backfilled, the contractor/operator shall inspect the trench for wildlife, remove all trapped wildlife, and release them at least 100 yards from the trench.
- b. For trenches left open for eight (8) hours or more, earthen escape ramps (built at no more than a 30 degree slope and spaced no more than 500 feet apart) shall be placed in the trench.