	UNITED STATES EPARTMENT OF THE IN	IERIOR) Artesła	OMB N	APPROVED NO. 1004-0135 : July 31, 2010
	BUREAU OF LAND MANAG			5. Lease Serial No. NMLC063622	
Do not use th	is form for proposals to d ell. Use form 3160-3 (APD)	Irill or to re-enter an		6. If Indian, Allottee	or Tribe Name
SUBMIT IN TR	IPLICATE - Other instructi	ions on reverse side.		7. If Unit or CA/Agre	eement, Name and/or No.
1. Type of Well Oil Well 🗖 Gas Well 🔲 Ot	her			8. Well Name and No VEGA 29 FEDEF	RAL 4H
2. Name of Operator DEVON ENERGY PRODUCT	Contact: D	AVID H COOK		9. API Well No. 30-015-42347-0	00-X1
3a. Address 333 WEST SHERIDAN AVE OKLAHOMA CITY, OK 7310		3b. Phone No. (include area code Ph: 405-552-7848)	10. Field and Pool, or HACKBERRY	Exploratory
4. Location of Well (Footage, Sec., 7		<u></u>		11. County or Parish,	and State
Sec 20 T19S R31E SESE 04 32.639917 N Lat, 103.885445				EDDY COUNT	Y, NM
12. CHECK APP	ROPRIATE BOX(ES) TO	INDICATE NATURE OF	NOTICE, RI	EPORT, OR OTHE	R DATA
TYPE OF SUBMISSION		TYPE O	F ACTION	······································	
Notice of Intent		🗖 Deepen	Product	ion (Start/Resume)	□ Water Shut-Off
—	Alter Casing	Fracture Treat	🗖 Reclam	ation	U Well Integrity
Subsequent Report	Casing Repair	New Construction	🗖 Recomp		🖸 Other
Final Abandonment Notice	Change Plans	Plug and Abandon		arily Abandon	
13. Describe Proposed or Completed Op If the proposal is to deepen direction: Attach the Bond under which the wo following completion of the involved	ally or recomplete horizontally, given rk will be performed or provide the the second s	ve subsurface locations and measu e Bond No. on file with BLM/BIA	red and true ve A. Required sul	roposed work and approx rtical depths of all pertin bsequent reports shall be	ent markers and zones. filed within 30 days
If the proposal is to deepen direction:	eration (clearly state all pertinent of ally or recomplete horizontally, given rk will be performed or provide the operations. If the operation resul- bandonment Notices shall be filed final inspection.)	details, including estimated startin ve subsurface locations and measu e Bond No. on file with BLM/BIA Its in a multiple completion or reco only after all requirements, includ	g date of any pr ired and true ve A. Required sub ompletion in a r	roposed work and approx critical depths of all pertin bsequent reports shall be new interval, a Form 316	filed within 30 days
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involvec testing has been completed. Final At determined that the site is ready for f	eration (clearly state all pertinent of ally or recomplete horizontally, given rk will be performed or provide the operations. If the operation resul- bandonment Notices shall be filed final inspection.)	details, including estimated startin ve subsurface locations and measu e Bond No. on file with BLM/BIA Its in a multiple completion or reco only after all requirements, includ	g date of any pr ired and true ve A. Required sub ompletion in a r	roposed work and approx critical depths of all pertin bsequent reports shall be new interval, a Form 316	filed within 30 days
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involvec testing has been completed. Final At determined that the site is ready for f	eration (clearly state all pertinent of ally or recomplete horizontally, given rk will be performed or provide the operations. If the operation resul- bandonment Notices shall be filed final inspection.)	details, including estimated startin ve subsurface locations and measu e Bond No. on file with BLM/BIA Its in a multiple completion or reco only after all requirements, includ a 29 Fed 4H.	g date of any pr ired and true ve A. Required sub ompletion in a r	roposed work and approx retrical depths of all pertin bsequent reports shall be new interval, a Form 316 n, have been completed,	ent markers and zones. filed within 30 days i0-4 shall be filed once and the operator has
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involvec testing has been completed. Final Al determined that the site is ready for f	eration (clearly state all pertinent of ally or recomplete horizontally, given rk will be performed or provide the operations. If the operation resul- bandonment Notices shall be filed final inspection.)	details, including estimated startin ve subsurface locations and measu e Bond No. on file with BLM/BIA Its in a multiple completion or reco only after all requirements, includ a 29 Fed 4H.	g date of any pr ired and true ve A. Required sub ompletion in a r	roposed work and approx- roposed work and approx- bacquent reports shall be new interval, a Form 316 n, have been completed, NMM OIL	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f	eration (clearly state all pertinent of ally or recomplete horizontally, giv rk will be performed or provide the d operations. If the operation result bandonment Notices shall be filed inal inspection.) t for the casing test on Vega	details, including estimated startin ve subsurface locations and measu e Bond No. on file with BLM/BIA Its in a multiple completion or reco only after all requirements, includ	g date of any pr ired and true ve A. Required sub ompletion in a r	roposed work and approx retrical depths of all pertin bsequent reports shall be new interval, a Form 316 n, have been completed, NM OIL AR	ent markers and zones. filed within 30 days 00-4 shall be filed once and the operator has CONSERVATIC TESIA DISTRICT
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f	eration (clearly state all pertinent of ally or recomplete horizontally, giv rk will be performed or provide the d operations. If the operation result bandonment Notices shall be filed inal inspection.) t for the casing test on Vega	details, including estimated startin ve subsurface locations and measu e Bond No. on file with BLM/BIA Its in a multiple completion or reco only after all requirements, includ a 29 Fed 4H. 3 Jay/15 Jaco Not 120011	g date of any pr ired and true ve A. Required sub ompletion in a r	roposed work and approx- roposed work and approx- background reports shall be new interval, a Form 316 n, have been completed, NM OIL AR MA	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has CONSERVATI TESIA DISTRICT AR 2 3 2015
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f	eration (clearly state all pertinent of ally or recomplete horizontally, giv rk will be performed or provide the d operations. If the operation result bandonment Notices shall be filed inal inspection.) t for the casing test on Vega	details, including estimated startin ve subsurface locations and measu e Bond No. on file with BLM/BIA Its in a multiple completion or reco only after all requirements, includ a 29 Fed 4H.	g date of any pr tred and true ve A. Required sub mpletion in a r ling reclamation	roposed work and approx rrtical depths of all pertin bsequent reports shall be new interval, a Form 316 n, have been completed, NM OIL AR M/ RE	ent markers and zones. filed within 30 days 00-4 shall be filed once and the operator has CONSERVATIC TESIA DISTRICT
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involvec testing has been completed. Final Al determined that the site is ready for f Please find attached the chart	eration (clearly state all pertinent of ally or recomplete horizontally, giv rk will be performed or provide the doperations. If the operation resul- bandonment Notices shall be filed inal inspection.) t for the casing test on Vega	details, including estimated startin ve subsurface locations and measu e Bond No. on file with BLM/BIA Its in a multiple completion or reco only after all requirements, includ a 29 Fed 4H.	g date of any pr tred and true ve A. Required sub- ompletion in a r ling reclamation Information to the Carlsba	roposed work and approx- roposed work and approx- backguent reports shall be new interval, a Form 316 n, have been completed, NM OIL AR MA RE	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has CONSERVATIONES TESIA DISTRICT AR 2 3 2015
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involvec testing has been completed. Final Al determined that the site is ready for f Please find attached the chart	eration (clearly state all pertinent of ally or recomplete horizontally, giv rk will be performed or provide the doperations. If the operation resul- bandonment Notices shall be filed inal inspection.) t for the casing test on Vega t for the casing test on Vega true and correct. Electronic Submission #288 For DEVON ENERGY mitted to AFMSS for processi	details, including estimated startin ve subsurface locations and measu e Bond No. on file with BLM/BIA Its in a multiple completion or reco only after all requirements, includ a 29 Fed 4H. 3 Jay/15 ABC NG NOCOLA BEACTOR 5965 verified by the BLM Wel PRODUCTION CO LP, sent fing by JEN NIFER MASON on	g date of any pr tred and true ve A. Required sub- ompletion in a r ling reclamation Information to the Carlsba	roposed work and appros- roposed work and appros- retrical depths of all pertin- bsequent reports shall be new interval, a Form 316 n, have been completed, NM OIL AR MA RE System ad 15JAM0238SE)	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has CONSERVATI TESIA DISTRICT AR 2 3 2015
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involvec testing has been completed. Final Al determined that the site is ready for f Please find attached the chart 14. I hereby certify that the foregoing is Comm	eration (clearly state all pertinent of ally or recomplete horizontally, giv rk will be performed or provide the doperations. If the operation resul- bandonment Notices shall be filed inal inspection.) t for the casing test on Vega t for the casing test on Vega t for the casing test on Vega Electronic Submission #288 For DEVON ENERGY mitted to AFMSS for processi COOK	details, including estimated startin ve subsurface locations and measu e Bond No. on file with BLM/BIA Its in a multiple completion or reco only after all requirements, includ a 29 Fed 4H. 3/2///2 5965 verified by the BLM Wel PRODUCT ON CO LP, sent fing by JENNIFER MASON on Title REGUL	g date of any pr ired and true ve A. Required sub- ompletion in a r ing reclamation I Information to the Carlsba 03/18/2015 (ATORY SPE	roposed work and approx rrtical depths of all pertin bsequent reports shall be new interval, a Form 316 n, have been completed, MM OIL AR MA RE System ad 15JAM0238SE) ECIALIST	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has CONSERVATI TESIA DISTRICT AR 2 3 2015
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involvec testing has been completed. Final Al determined that the site is ready for f Please find attached the chart Id. I hereby certify that the foregoing is Name (Printed/Typed) DAVID H (eration (clearly state all pertinent of ally or recomplete horizontally, giv rk will be performed or provide the doperations. If the operation result bandonment Notices shall be filed final inspection.) t for the casing test on Vega t for the casing test on Vega for the casing test on Vega For DEVON ENERGY mitted to AFMSS for processi COOK	details, including estimated startin ve subsurface locations and measu e Bond No. on file with BLM/BIA Its in a multiple completion or reco only after all requirements, includ a 29 Fed 4H. 3/2///2 3/2///2 5965 verified by the BLM Wel PRODUCTION CO LP, sent fing by JEN VIFER MASON on Title REGUL	g date of any pr red and true ve A. Required sub ompletion in a r ling reclamation ing reclamation of the Carlsba 03/18/2015 (ATORY SPE	roposed work and approx- roposed work and approx- retrical depths of all pertin- bsequent reports shall be new interval, a Form 316 n, have been completed, NM OIL AR M/ RE System ad 15JAM0238SE) ECIALIST PTED FOR F	ent markers and zones. filed within 30 days 10-4 shall be filed once and the operator has CONSERVATIONESS
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involvec testing has been completed. Final Al determined that the site is ready for f Please find attached the chart Id. I hereby certify that the foregoing is Name (Printed/Typed) DAVID H (eration (clearly state all pertinent of ally or recomplete horizontally, giv rk will be performed or provide the doperations. If the operation result bandonment Notices shall be filed final inspection.) t for the casing test on Vega t for the casing test on Vega for the casing test on Vega For DEVON ENERGY mitted to AFMSS for processi COOK	details, including estimated startin ve subsurface locations and measu e Bond No. on file with BLM/BIA Its in a multiple completion or reco only after all requirements, includ a 29 Fed 4H. 3/2///5 5965 verified by the BLM Wel PRODUCTION CO LP, sent t ing by JEN VIFER MASON on Title REGUL Date 12/22/20	g date of any pr red and true ve A. Required sub ompletion in a r ling reclamation ing reclamation of the Carlsba 03/18/2015 (ATORY SPE	roposed work and approx- roposed work and approx- recial depths of all pertin- bsequent reports shall be new interval, a Form 316 n, have been completed, MM OIL AR MAR System ad 15JAM0238SE) ECIALIST PTED FOR F SE MAR SE	ent markers and zones. filed within 30 days 10-4 shall be filed once and the operator has CONSERVATIONESSERVATIONS TESIA DISTRICT AR 2 3 2015 ECEIVED ECORD
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involvec testing has been completed. Final Al determined that the site is ready for f Please find attached the chart Id. I hereby certify that the foregoing is Comm Name (Printed/Typed) DAVID H (Signature (Electronic S	eration (clearly state all pertinent of ally or recomplete horizontally, giv rk will be performed or provide the doperations. If the operation resul- bandonment Notices shall be filed inal inspection.) t for the casing test on Vega to the casing test on Vega for the casing test on Vega For DEVON ENERGY mitted to AFMSS for processi COOK Submission) THIS SPACE FOR	details, including estimated startin ve subsurface locations and measu e Bond No. on file with BLM/BIA ts in a multiple completion or reco only after all requirements, includ a 29 Fed 4H. 3 by//15 1965 verified by the BLM Wel PRODUCTION CO LP, sent fing by JEN NIFER MASON on Title REGUL Date 12/22/20 FEDERAL OR STATE (Title Title	g date of any pr red and true ve A. Required sub- propertion in a r ling reclamation to the Carlsba 03/18/2015 (ATORY SPE 014 ACCE 014	roposed work and approx roposed work and approx retrical depths of all pertin bequent reports shall be new interval, a Form 316 n, have been completed, NM OIL AR MA RE System ad 15JAM0238SE) ECIALIST EPTED FOR F SE	CONSERVATION CONSERVATION TESIA DISTRICT AR 2 3 2015 ECEIVED

1

	R		NIPPLI		PLIFTS • TANDEM	•
		A MELDING SERVIC	ES Lo	MUD AND GAS SEF Dvington, NM © 5		Pg of
	Company	: DEVON			16 - 14	Invoice # 869250
	Lease: K	EGA 29 FEA 4H		Drilling Contra	ctor: SCAN 7	EZAS Rig #
	Plug Size	&Туре: 11 сля	Drill Pipe Si	ze 41/2 1F	Те	ster: J.W. TYSET
		BOP:		Installed BC		
		Casing Valve Must Be Open During BOP 1	fest '		* Chec	k Valve Must Be Open/Disabled To Test Kill Line Valves
•			#26 #2 #4 #3 #1 #25 Super Cl	#5 #6 #5 #8 #8B Mud Gauge Valve	Keily/ Top Drive #17 Manual BOP #16	Pump Valve #20 Pump Valve #20 Pump Valve #21
				• •		
4.477)	TEST #		TEST LENGTH	LOW PSI HIGH	PSI	REMARKS
*****	TEST #	Casing		LOW PSI HIGH		
		Casing ITEMS TESTED	TEST LENGTH	250 500	Passão	
		Casing ITEMS TESTED	TEST LENGTH		Passão	
		Casing ITEMS TESTED	TEST LENGTH	250 500	Passão	
		Casing ITEMS TESTED	TEST LENGTH	250 500	Passão	
		Casing ITEMS TESTED	TEST LENGTH	250 500	Passão	
		Casing ITEMS TESTED	TEST LENGTH	250 500	Passão	
*****		Casing ITEMS TESTED	TEST LENGTH	250 500	Passão	
		Casing ITEMS TESTED	TEST LENGTH	250 500	Passão	
2		Casing ITEMS TESTED	TEST LENGTH	250 500	Passão	
*****		Casing ITEMS TESTED	TEST LENGTH	250 500	Passão	
		Casing ITEMS TESTED	TEST LENGTH	250 500	Passão	
		Casing ITEMS TESTED	TEST LENGTH	250 500	Passão	
*****		Casing ITEMS TESTED	TEST LENGTH	250 500	Passão	
		Casing ITEMS TESTED	TEST LENGTH	250 500	Passão	
		Casing ITEMS TESTED	TEST LENGTH	250 500	Passão	
*****		Casing ITEMS TESTED	TEST LENGTH	250 500	Passão	
*****		Casing ITEMS TESTED	TEST LENGTH	250 500	Passão	
*****		Casing ITEMS TESTED	TEST LENGTH	250 500	Passão	

-

ł



