




# Tubing Summary

80-015-42553

|                                           |                                         |                                              |                                             |
|-------------------------------------------|-----------------------------------------|----------------------------------------------|---------------------------------------------|
| Well Name<br>HAYHURST 16-25-27 STATE 004H | Lease<br>Hayhurst 16 Federal            | Field Name<br>Bone Spring                    | Business Unit<br>Mid-Continent              |
| Ground Elevation (ft)<br>3,187.00         | Original RKB Elevation (ft)<br>3,218.00 | Current RKB Elevation<br>3,218.00, 8/27/2014 | Mud Line Elevation (ft)<br>Water Depth (ft) |
| Current KB to Ground (ft)<br>31.00        | Current KB to Mud Line (ft)             | Current KB to Csg Flange (ft)<br>36.00       | Current KB to Tubing Head (ft)<br>31.00     |




| Tubing Strings      |                  |                            |         |                       |       |                        |          |            |             |
|---------------------|------------------|----------------------------|---------|-----------------------|-------|------------------------|----------|------------|-------------|
| Tubing Description  |                  | Planned Run?               |         | Set Depth (MD) (ftKB) |       | Set Depth (TVD) (ftKB) |          |            |             |
| Tubing - Production |                  | N                          |         | 7,039.0               |       | 7,039.0                |          |            |             |
| Run Date            |                  | Run Job                    |         | Pull Date             |       | Pull Job               |          |            |             |
| 11/29/2014          |                  | Complete, 10/25/2014 08:00 |         |                       |       |                        |          |            |             |
| Jts                 | Item Des         | OD (in)                    | ID (in) | Wt (lb/ft)            | Grade | Top Thread             | Len (ft) | Top (ftKB) | Botm (ftKB) |
|                     | Depth Correction | 3.66                       |         |                       |       |                        | 26.00    | -1.6       | 24.4        |
| 1                   | Tubing Hanger    | 3.66                       |         |                       |       |                        | 0.65     | 24.4       | 25.0        |
| 1                   | Tubing           | 2 7/8                      | 2.437   | 6.50                  | L-80  |                        | 33.13    | 25.0       | 58.1        |
| 2                   | Tubing Pup Joint | 3.66                       |         |                       |       |                        | 20.30    | 58.1       | 78.4        |
| 52                  | Tubing           | 2 7/8                      | 2.437   | 6.50                  | L-80  |                        | 1,720.14 | 78.4       | 1,798.6     |
| 1                   | Gas Lift Mandrel | 3.66                       |         |                       |       |                        | 4.10     | 1,798.6    | 1,802.7     |
| 30                  | Tubing           | 2 7/8                      | 2.437   | 6.50                  | L-80  |                        | 992.47   | 1,802.7    | 2,795.1     |
| 1                   | Gas Lift Mandrel | 3.66                       |         |                       |       |                        | 4.10     | 2,795.1    | 2,799.2     |
| 21                  | Tubing           | 2 7/8                      | 2.437   | 6.50                  | L-80  |                        | 692.03   | 2,799.2    | 3,491.3     |
| 1                   | Gas Lift Mandrel | 3.66                       |         |                       |       |                        | 4.10     | 3,491.3    | 3,495.4     |
| 15                  | Tubing           | 2 7/8                      | 2.437   | 6.50                  | L-80  |                        | 489.32   | 3,495.4    | 3,984.7     |
| 1                   | Gas Lift Mandrel | 3.66                       |         |                       |       |                        | 4.10     | 3,984.7    | 3,988.8     |
| 15                  | Tubing           | 2 7/8                      | 2.437   | 6.50                  | L-80  |                        | 494.22   | 3,988.8    | 4,483.0     |
| 1                   | Gas Lift Mandrel | 3.66                       |         |                       |       |                        | 4.10     | 4,483.0    | 4,487.1     |
| 15                  | Tubing           | 2 7/8                      | 2.437   | 6.50                  | L-80  |                        | 492.07   | 4,487.1    | 4,979.2     |
| 1                   | Gas Lift Mandrel | 3.66                       |         |                       |       |                        | 4.10     | 4,979.2    | 4,983.3     |
| 15                  | Tubing           | 2 7/8                      | 2.437   | 6.50                  | L-80  |                        | 495.35   | 4,983.3    | 5,478.6     |
| 1                   | Gas Lift Mandrel | 3.66                       |         |                       |       |                        | 4.10     | 5,478.6    | 5,482.7     |
| 15                  | Tubing           | 2 7/8                      | 2.437   | 6.50                  | L-80  |                        | 495.56   | 5,482.7    | 5,978.3     |
| 1                   | Gas Lift Mandrel | 3.66                       |         |                       |       |                        | 4.10     | 5,978.3    | 5,982.4     |
| 15                  | Tubing           | 2 7/8                      | 2.437   | 6.50                  | L-80  |                        | 494.87   | 5,982.4    | 6,477.3     |
| 1                   | Gas Lift Mandrel | 3.66                       |         |                       |       |                        | 4.10     | 6,477.3    | 6,481.4     |
| 15                  | Tubing           | 2 7/8                      | 2.437   | 6.50                  | L-80  |                        | 494.86   | 6,481.4    | 6,976.2     |
| 1                   | Gas Lift Mandrel | 3.66                       |         |                       |       |                        | 4.10     | 6,976.2    | 6,980.3     |
| 1                   | Tubing           | 2 7/8                      | 2.437   | 6.50                  | L-80  |                        | 33.15    | 6,980.3    | 7,013.5     |
| 1                   | On-Off Tool      | 2 7/8                      |         |                       |       |                        | 1.50     | 7,013.5    | 7,015.0     |
| 1                   | Packer           | 4.6                        | 2.310   |                       |       |                        | 10.85    | 7,015.0    | 7,025.8     |



# Tubing Summary

|                                           |                                         |                                              |                                             |
|-------------------------------------------|-----------------------------------------|----------------------------------------------|---------------------------------------------|
| Well Name<br>HAYHURST 16-25-27 STATE 004H | Lease<br>Hayhurst 16 Federal            | Field Name<br>Bone Spring                    | Business Unit<br>Mid-Continent              |
| Ground Elevation (ft)<br>3,187.00         | Original RKB Elevation (ft)<br>3,218.00 | Current RKB Elevation<br>3,218.00, 8/27/2014 | Mud Line Elevation (ft)<br>Water Depth (ft) |
| Current KB to Ground (ft)<br>31.00        | Current KB to Mud Line (ft)             | Current KB to Csg Flange (ft)<br>36.00       | Current KB to Tubing Head (ft)<br>31.00     |



| Qts | Item Des         | OD (in) | ID (in) | Wt (lb/ft) | Grade | Top Thread | Len (ft) | Top (ftKB) | Btm (ftKB) |
|-----|------------------|---------|---------|------------|-------|------------|----------|------------|------------|
| 1   | Cross Over       | 3.15    | 2.370   |            |       |            | 0.96     | 7,025.8    | 7,026.8    |
| 1   | Tubing Pup Joint | 3.15    | 2.441   | 6.50       | L-80  |            | 6.07     | 7,026.8    | 7,032.9    |
| 1   | XN - Nipple      | 3.7     | 2.313   |            |       |            | 1.16     | 7,032.9    | 7,034.0    |
| 1   | Tubing Pup Joint | 3.15    | 2.441   | 6.50       | L-80  |            | 4.04     | 7,034.0    | 7,038.1    |
| 1   | Wireline Guide   | 3.66    | 2.441   |            |       |            | 0.95     | 7,038.1    | 7,039.0    |


| Rod Strings     |              |                  |                        |
|-----------------|--------------|------------------|------------------------|
| Rod Description | Planned Run? | Set Depth (ftKB) | Set Depth (TVD) (ftKB) |
| Run Date        | Run Job      | Pull Date        | Pull Job               |

| Rod Components |          |         |       |       |          |            |            |
|----------------|----------|---------|-------|-------|----------|------------|------------|
| Qts            | Item Des | OD (in) | Grade | Model | Len (ft) | Top (ftKB) | Btm (ftKB) |



# Wellbore Schematic

|                                           |                              |                           |                                |
|-------------------------------------------|------------------------------|---------------------------|--------------------------------|
| Well Name<br>HAYHURST 16-25-27 STATE 004H | Lease<br>Hayhurst 16 Federal | Field Name<br>Bone Spring | Business Unit<br>Mid-Continent |
|-------------------------------------------|------------------------------|---------------------------|--------------------------------|



| Job Details                                                |            |                |                         |                       |                            |            |
|------------------------------------------------------------|------------|----------------|-------------------------|-----------------------|----------------------------|------------|
| Job Category                                               |            |                | Start Date              | Release Date          |                            |            |
| Completion                                                 |            |                | 10/25/2014              | 11/18/2014            |                            |            |
| Completion                                                 |            |                | 11/18/2014              | 11/22/2014            |                            |            |
| Completion                                                 |            |                | 11/22/2014              | 11/26/2014            |                            |            |
| Completion                                                 |            |                | 11/26/2014              | 12/1/2014             |                            |            |
| Completion                                                 |            |                | 12/1/2014               | 12/2/2014             |                            |            |
| Casing Strings                                             |            |                |                         |                       |                            |            |
| Csg Des                                                    | OD (in)    | Wt/Len (lb/ft) | Grade                   | Top Thread            | Set Depth (MD) (ftKB)      |            |
| Conductor                                                  | 20         |                |                         |                       | 150                        |            |
| Surface                                                    | 9 5/8      | 40.00          | K-55                    |                       | 2,147                      |            |
| Production Casing                                          | 5 1/2      | 17.00          | P-110                   |                       | 12,325                     |            |
| Tubing Strings                                             |            |                |                         |                       |                            |            |
| Tubing - Production set at 7,039.0ftKB on 11/29/2014 16:00 |            |                |                         |                       |                            |            |
| Tubing Description                                         |            | Run Date       | String Length (ft)      | Set Depth (MD) (ftKB) |                            |            |
| Tubing - Production                                        |            | 11/29/2014     | 7,040.65                | 7,039.0               |                            |            |
| Item Des                                                   | Jts        | OD (in)        | Wt (lb/ft)              | Grade                 | Len (ft)                   | Btm (ftKB) |
| Depth Correction                                           |            | 3.66           |                         |                       | 26.00                      | 24.4       |
| Tubing Hanger                                              | 1          | 3.66           |                         |                       | 0.65                       | 25.0       |
| Tubing                                                     | 1          | 2 7/8          | 6.50                    | L-80                  | 33.13                      | 58.1       |
| Tubing Pup Joint                                           | 2          | 3.66           |                         |                       | 20.30                      | 78.4       |
| Tubing                                                     | 52         | 2 7/8          | 6.50                    | L-80                  | 1,720.14                   | 1,798.6    |
| Gas Lift Mandrel                                           | 1          | 3.66           |                         |                       | 4.10                       | 1,802.7    |
| Tubing                                                     | 30         | 2 7/8          | 6.50                    | L-80                  | 992.47                     | 2,795.1    |
| Gas Lift Mandrel                                           | 1          | 3.66           |                         |                       | 4.10                       | 2,799.2    |
| Tubing                                                     | 21         | 2 7/8          | 6.50                    | L-80                  | 692.03                     | 3,491.3    |
| Gas Lift Mandrel                                           | 1          | 3.66           |                         |                       | 4.10                       | 3,495.4    |
| Tubing                                                     | 15         | 2 7/8          | 6.50                    | L-80                  | 489.32                     | 3,984.7    |
| Gas Lift Mandrel                                           | 1          | 3.66           |                         |                       | 4.10                       | 3,988.8    |
| Tubing                                                     | 15         | 2 7/8          | 6.50                    | L-80                  | 494.22                     | 4,483.0    |
| Gas Lift Mandrel                                           | 1          | 3.66           |                         |                       | 4.10                       | 4,487.1    |
| Tubing                                                     | 15         | 2 7/8          | 6.50                    | L-80                  | 492.07                     | 4,979.2    |
| Gas Lift Mandrel                                           | 1          | 3.66           |                         |                       | 4.10                       | 4,983.3    |
| Tubing                                                     | 15         | 2 7/8          | 6.50                    | L-80                  | 495.35                     | 5,478.6    |
| Gas Lift Mandrel                                           | 1          | 3.66           |                         |                       | 4.10                       | 5,482.7    |
| Tubing                                                     | 15         | 2 7/8          | 6.50                    | L-80                  | 495.56                     | 5,978.3    |
| Gas Lift Mandrel                                           | 1          | 3.66           |                         |                       | 4.10                       | 5,982.4    |
| Tubing                                                     | 15         | 2 7/8          | 6.50                    | L-80                  | 494.87                     | 6,477.3    |
| Gas Lift Mandrel                                           | 1          | 3.66           |                         |                       | 4.10                       | 6,481.4    |
| Tubing                                                     | 15         | 2 7/8          | 6.50                    | L-80                  | 494.86                     | 6,976.2    |
| Gas Lift Mandrel                                           | 1          | 3.66           |                         |                       | 4.10                       | 6,980.3    |
| Tubing                                                     | 1          | 2 7/8          | 6.50                    | L-80                  | 33.15                      | 7,013.5    |
| On-Off Tool                                                | 1          | 2 7/8          |                         |                       | 1.50                       | 7,015.0    |
| Packer                                                     | 1          | 4.6            |                         |                       | 10.85                      | 7,025.8    |
| Cross Over                                                 | 1          | 3.15           |                         |                       | 0.96                       | 7,026.8    |
| Tubing Pup Joint                                           | 1          | 3.15           | 6.50                    | L-80                  | 6.07                       | 7,032.9    |
| XN - Nipple                                                | 1          | 3.7            |                         |                       | 1.16                       | 7,034.0    |
| Tubing Pup Joint                                           | 1          | 3.15           | 6.50                    | L-80                  | 4.04                       | 7,038.1    |
| Wireline Guide                                             | 1          | 3.66           |                         |                       | 0.95                       | 7,039.0    |
| Perforations                                               |            |                |                         |                       |                            |            |
| Date                                                       | Top (ftKB) | Btm (ftKB)     | Shot Density (shots/ft) | Entered Shot Total    | Zone & Completion          |            |
| 11/21/2014                                                 | 8,152.0    | 8,153.5        | 6.0                     | 9                     | Bone Spring, Original Hole |            |
| 11/21/2014                                                 | 8,252.0    | 8,253.5        | 6.0                     | 9                     | Bone Spring, Original Hole |            |
| 11/21/2014                                                 | 8,352.0    | 8,353.5        | 6.0                     | 9                     | Bone Spring, Original Hole |            |
| 11/21/2014                                                 | 8,452.0    | 8,453.5        | 6.0                     | 9                     | Bone Spring, Original Hole |            |
| 11/21/2014                                                 | 8,552.0    | 8,553.5        | 6.0                     | 9                     | Bone Spring, Original Hole |            |
| 11/21/2014                                                 | 8,652.0    | 8,653.5        | 6.0                     | 9                     | Bone Spring, Original Hole |            |




# Wellbore Schematic

| Well Name<br>HAYHURST 16-25-27 STATE 004H  |                             | Lease<br>Hayhurst 16 Federal |  | Field Name<br>Bone Spring |            | Business Unit<br>Mid-Continent |                            |                       |                            |  |  |  |
|--------------------------------------------|-----------------------------|------------------------------|--|---------------------------|------------|--------------------------------|----------------------------|-----------------------|----------------------------|--|--|--|
| Land - Original Hole, 3/18/2015 9:32:28 AM |                             |                              |  | Perforations              |            |                                |                            |                       |                            |  |  |  |
| MD<br>(ftKB)                               | Vertical schematic (actual) |                              |  | Date                      | Top (ftKB) | Bot (ftKB)                     | Shot<br>Dens<br>(shots/ft) | Entered Shot<br>Total | Zone & Completion          |  |  |  |
| 24.0                                       |                             |                              |  | 11/21/2014                | 8,752.0    | 8,753.5                        | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 31.5                                       |                             |                              |  | 11/21/2014                | 8,852.0    | 8,853.5                        | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 58.1                                       |                             |                              |  | 11/21/2014                | 8,952.0    | 8,953.5                        | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 1798.8                                     |                             |                              |  | 11/21/2014                | 9,052.0    | 9,053.5                        | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 2065.9                                     |                             |                              |  | 11/21/2014                | 9,152.0    | 9,153.5                        | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 2780.3                                     |                             |                              |  | 11/21/2014                | 9,252.0    | 9,253.5                        | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 3495.4                                     |                             |                              |  | 11/21/2014                | 9,352.0    | 9,353.5                        | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 4482.9                                     |                             |                              |  | 11/21/2014                | 9,452.0    | 9,453.5                        | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 4983.3                                     |                             |                              |  | 11/21/2014                | 9,552.0    | 9,553.5                        | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 5978.3                                     |                             |                              |  | 11/21/2014                | 9,652.0    | 9,653.5                        | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 6481.3                                     |                             |                              |  | 11/21/2014                | 9,752.0    | 9,753.5                        | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 6978.3                                     |                             |                              |  | 11/21/2014                | 9,852.0    | 9,853.5                        | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 7015.1                                     |                             |                              |  | 11/21/2014                | 9,952.0    | 9,953.5                        | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 7022.8                                     |                             |                              |  | 11/21/2014                | 10,052.0   | 10,053.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 7029.6                                     |                             |                              |  | 11/21/2014                | 10,152.0   | 10,153.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 8252.0                                     |                             |                              |  | 11/21/2014                | 10,352.0   | 10,353.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 8353.3                                     |                             |                              |  | 11/21/2014                | 10,452.0   | 10,453.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 8551.8                                     |                             |                              |  | 11/20/2014                | 10,552.0   | 10,553.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 8853.5                                     |                             |                              |  | 11/20/2014                | 10,652.0   | 10,653.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 8920.0                                     |                             |                              |  | 11/20/2014                | 10,752.0   | 10,753.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 9563.4                                     |                             |                              |  | 11/20/2014                | 10,852.0   | 10,853.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 9591.9                                     |                             |                              |  | 11/20/2014                | 10,952.0   | 10,953.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 9593.6                                     |                             |                              |  | 11/20/2014                | 11,052.0   | 11,053.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 9595.1                                     |                             |                              |  | 11/20/2014                | 11,152.0   | 11,153.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 9596.8                                     |                             |                              |  | 11/20/2014                | 11,252.0   | 11,253.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 10051.8                                    |                             |                              |  | 11/20/2014                | 11,352.0   | 11,353.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 10153.3                                    |                             |                              |  | 11/20/2014                | 11,452.0   | 11,453.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 10352.0                                    |                             |                              |  | 11/20/2014                | 11,552.0   | 11,553.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 10453.4                                    |                             |                              |  | 11/20/2014                | 11,652.0   | 11,653.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 10651.8                                    |                             |                              |  | 11/20/2014                | 11,752.0   | 11,753.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 10753.6                                    |                             |                              |  | 11/20/2014                | 11,852.0   | 11,853.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 10952.1                                    |                             |                              |  | 11/20/2014                | 11,952.0   | 11,953.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 11053.5                                    |                             |                              |  | 11/20/2014                | 12,052.0   | 12,053.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 11252.0                                    |                             |                              |  | 11/20/2014                | 12,152.0   | 12,153.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 11353.3                                    |                             |                              |  | 11/20/2014                | 12,252.0   | 12,253.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 11551.8                                    |                             |                              |  | 11/20/2014                | 12,352.0   | 12,353.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 11653.5                                    |                             |                              |  | 11/20/2014                | 12,452.0   | 12,453.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 11852.0                                    |                             |                              |  | 11/20/2014                | 12,552.0   | 12,553.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 11953.4                                    |                             |                              |  | 11/20/2014                | 12,652.0   | 12,653.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 12146.3                                    |                             |                              |  | 11/20/2014                | 12,752.0   | 12,753.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 12163.7                                    |                             |                              |  | 11/20/2014                | 12,852.0   | 12,853.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 12243.1                                    |                             |                              |  | 11/20/2014                | 12,952.0   | 12,953.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
| 12325.1                                    |                             |                              |  | 11/20/2014                | 13,052.0   | 13,053.5                       | 6.0                        | 9                     | Bone Spring, Original Hole |  |  |  |
|                                            |                             |                              |  | Other Strings             |            |                                |                            |                       |                            |  |  |  |
|                                            |                             |                              |  | Run Date                  | Pull Date  | Set Depth (ftKB)               | Com.                       |                       |                            |  |  |  |
|                                            |                             |                              |  |                           |            |                                |                            |                       |                            |  |  |  |



# Wellbore Schematic

|                                           |                              |                           |                                |
|-------------------------------------------|------------------------------|---------------------------|--------------------------------|
| Well Name<br>HAYHURST 16-25-27 STATE 004H | Lease<br>Hayhurst 16 Federal | Field Name<br>Bone Spring | Business Unit<br>Mid-Continent |
|-------------------------------------------|------------------------------|---------------------------|--------------------------------|



| Other In Hole                    | Des | Top (ftKB) | Bottom (ftKB) | Run Date   | Full Date  | Com                     |
|----------------------------------|-----|------------|---------------|------------|------------|-------------------------|
| Bridge Plug (Permanent) Fasdrill |     | 8,496.0    | 8,498.0       | 11/21/2014 | 11/27/2014 | Stage #11 Obsidian Plug |
| Bridge Plug (Permanent) Fasdrill |     | 8,902.0    | 8,904.0       | 11/21/2014 | 11/27/2014 | Stage #10 Obsidian Plug |
| Bridge Plug (Permanent) Fasdrill |     | 9,302.0    | 9,304.0       | 11/21/2014 | 11/27/2014 | Stage #9 Obsidian Plug  |
| Bridge Plug (Permanent) Fasdrill |     | 9,702.0    | 9,704.0       | 11/21/2014 | 11/27/2014 | Stage #8 Obsidian Plug  |
| Bridge Plug (Permanent) Fasdrill |     | 10,102.0   | 10,104.0      | 11/21/2014 | 11/27/2014 | Stage #7 Obsidian Plug  |
| Bridge Plug (Permanent) Fasdrill |     | 10,502.0   | 10,504.0      | 11/21/2014 | 11/27/2014 | Stage #6 Obsidian Plug  |
| Bridge Plug (Permanent) Fasdrill |     | 10,898.0   | 10,900.0      | 11/20/2014 | 11/26/2014 | Stage #5 Obsidian Plug  |
| Bridge Plug (Permanent) Fasdrill |     | 11,298.0   | 11,300.0      | 11/20/2014 | 11/26/2014 | Stage #4 Obsidian Plug  |
| Bridge Plug (Permanent) Fasdrill |     | 11,702.0   | 11,704.0      | 11/20/2014 | 11/26/2014 | Stage #3 Obsidian Plug  |
| Bridge Plug (Permanent) Fasdrill |     | 12,102.0   | 12,104.0      | 11/20/2014 | 11/26/2014 | Stage #2 Obsidian Plug  |