

Chevron USA, Inc.

Skeen 22 26 26 Fed 7H ST01

Eddy County, NM

Ensign 767

API# 30-015-42889-0100

February 14, 2015 – March 18, 2015

MO-XX-0902111817

Sperry Drilling

Survey Report

Submitted by David Duarte

3950 Interwood South Parkway

Houston, TX 77032

Ph: 281.986.4400

HALLIBURTON

**Drilling and Formation
Evaluation**

Accepted for record
NMCCO

RED

4/28/2015



HALLIBURTON

3950 Interwood South Parkway • Houston, TX 77032

PHONE 281.986.4400 • FAX 281.986.4499

State of New Mexico, Eddy County

I, David Duarte, certify that I am employed by Halliburton Energy Services, Inc. (aka Sperry Drilling) and that on the dates of 14-February -15 through 18-March-15, I did conduct or supervise the taking of a MWD directional surveys for the well from a depth of 436' MD to a depth of 8967' MD. This data is true, correct, complete and within the limitations of the tools as set forth by Halliburton Energy Services, Inc. (aka Sperry Drilling). I am authorized and qualified to make this report and this survey was conducted at the request of Chevron USA, Inc, for Skeen 22 26 26 Fed 7H ST01 well, API No. 30-015-42889-0100 in Eddy County, NM. I have reviewed this report and find that it conforms to the principles and procedures as set forth by Halliburton Energy Services, Inc. (aka Sperry Drilling).



David Duarte
Field Engineer

End of Well Report for Chevron USA, Inc.

Rig	:	Ensign 767
Well Name	:	Skeen 22 26 26 Fed 7H ST01
Field Name	:	Bone Spring
Country	:	USA
Job Number	:	MO-XX-0902111817
Job Start Date	:	14-Feb-15
API Number	:	30-015-42889-0100

TABLE OF CONTENTS

1. General Information
2. Directional Survey Data

GENERAL INFORMATION

Company	: Chevron USA, Inc.
Rig	: Ensign 767
Well	: Skeen 22 26 26 Fed 7H ST01
Field	: Bone Spring
Lease Name	: Skeen 22 26 26
State	: New Mexico
County	: Eddy County
Country	: USA
API Number	: 30-015-42889-0100
Sperry Drilling Job Number	: MO-XX-0902111817
Job Start Date	: 14-Feb-15
Job End Date	: 18-Mar-15
North Reference	: Grid
Total Correction (deg)	: 7.589
Dip Angle (deg)	: 59.773
Total Magnetic Field (nT)	: 48017
Date of Magnetic Data	: 14 February, 2015
Well Head coordinates N	: 32 deg. 1 min 17.87 sec North
Well Head coordinates E	: 104 deg. 16 min 25.42 sec West
Vertical section direction (deg)	: 359.82
Unit Number	: 11310662
MWD Engineers	: Jared Atwood, Robert Shine, David Duarte
Company Representatives	: John Akin
Company Geologist:	:

DIRECTIONAL SURVEY DATA

Tie-in

0.00

0.00

0.00

0.00

0.00 N

0.00 E

Measured Depth (ft)	Inclination (deg)	Direction (deg)	Vertical Depth (ft)	Latitude (ft)	Departure (ft)	Vertical Section (ft)	Dogleg (%/100)
436.00	0.85	242.89	435.98	1.48 S	2.89 W	-1.47	0.20
588.00	1.10	240.61	587.96	2.71 S	5.17 W	-2.70	0.16
771.00	1.15	237.12	770.93	4.57 S	8.25 W	-4.55	0.04
955.00	1.41	253.22	954.88	6.23 S	11.96 W	-6.19	0.24
1144.00	1.93	252.97	1,143.80	7.83 S	17.22 W	-7.77	0.27
1332.00	0.94	216.74	1,331.74	9.98 S	21.16 W	-9.92	0.69
1521.00	1.85	139.07	1,520.70	13.53 S	20.09 W	-13.46	1.00
1647.00	3.12	121.37	1,646.58	16.84 S	15.83 W	-16.79	1.17
1710.00	2.78	112.30	1,709.50	18.32 S	12.95 W	-18.28	0.91
1899.00	1.20	109.36	1,898.38	20.72 S	6.84 W	-20.70	0.84
2089.00	1.58	114.48	2,088.32	22.47 S	2.56 W	-22.46	0.21
2278.00	1.52	107.69	2,277.25	24.31 S	2.20 E	-24.32	0.10
2467.00	1.43	117.62	2,466.19	26.16 S	6.67 E	-26.18	0.14
2655.00	0.96	123.86	2,654.15	28.13 S	10.06 E	-28.16	0.25
2844.00	0.29	172.81	2,843.13	29.49 S	11.44 E	-29.53	0.43
3032.00	0.42	241.97	3,031.13	30.29 S	10.90 E	-30.33	0.22
3221.00	0.73	238.53	3,220.12	31.24 S	9.26 E	-31.27	0.16
3411.00	0.73	226.99	3,410.11	32.69 S	7.36 E	-32.71	0.08
3600.00	0.48	231.68	3,599.10	34.00 S	5.87 E	-34.01	0.13
3789.00	0.77	238.47	3,788.08	35.15 S	4.16 E	-35.16	0.16
3978.00	0.89	195.20	3,977.07	37.23 S	2.70 E	-37.24	0.33
4167.00	0.86	191.11	4,166.04	40.04 S	2.04 E	-40.05	0.04
4356.00	0.74	209.26	4,355.03	42.50 S	1.17 E	-42.51	0.15
4544.00	0.79	208.79	4,543.01	44.69 S	0.05 W	-44.69	0.02
4733.00	0.69	209.12	4,731.99	46.82 S	1.23 W	-46.82	0.05
4921.00	0.77	194.78	4,919.98	49.03 S	2.10 W	-49.02	0.11
5016.00	0.80	210.25	5,014.97	50.22 S	2.59 W	-50.21	0.22
5110.00	0.76	202.28	5,108.96	51.37 S	3.16 W	-51.36	0.12
5299.00	1.02	234.93	5,297.94	53.50 S	5.02 W	-53.48	0.30
5488.00	1.29	315.98	5,486.91	52.94 S	7.88 W	-52.92	0.80
5677.00	1.15	309.76	5,675.87	50.20 S	10.81 W	-50.17	0.10
5865.00	1.29	258.04	5,863.83	49.43 S	14.34 W	-49.39	0.57
6054.00	1.24	228.38	6,052.79	51.23 S	17.96 W	-51.18	0.34
6148.00	2.58	212.85	6,146.73	53.69 S	19.86 W	-53.62	1.52
6243.00	1.61	191.36	6,241.67	56.79 S	21.28 W	-56.72	1.30
6337.00	1.00	169.19	6,335.65	58.88 S	21.39 W	-58.82	0.83
6432.00	0.65	188.80	6,430.64	60.23 S	21.32 W	-60.16	0.47
6526.00	0.90	218.53	6,524.63	61.33 S	21.86 W	-61.26	0.49
6621.00	0.31	271.44	6,619.62	61.90 S	22.58 W	-61.83	0.79
6715.00	0.16	145.65	6,713.62	62.00 S	22.76 W	-61.93	0.45
6808.00	0.32	14.86	6,806.62	61.86 S	22.62 W	-61.79	0.47

DIRECTIONAL SURVEY DATA

Measured Depth (ft)	Inclination (deg)	Direction (deg)	Vertical Depth (ft)	Latitude (ft)	Departure (ft)	Vertical Section (ft)	Dogleg (%/100')
6901.00	0.93	50.92	6,899.62	61.13 S	21.97 W	-61.07	0.76
7024.00	1.08	40.05	7,022.60	59.62 S	20.44 W	-59.55	0.19
7088.00	1.02	52.18	7,086.59	58.81 S	19.61 W	-58.75	0.36
7182.00	1.13	63.36	7,180.57	57.88 S	18.11 W	-57.82	0.25
7277.00	1.23	74.98	7,275.55	57.19 S	16.29 W	-57.14	0.27
7371.00	0.95	96.76	7,369.53	57.02 S	14.55 W	-56.98	0.53
7466.00	0.67	89.67	7,464.52	57.11 S	13.22 W	-57.07	0.31
7560.00	1.21	107.25	7,558.51	57.40 S	11.73 W	-57.37	0.65
7655.00	1.02	104.90	7,653.49	57.92 S	9.95 W	-57.89	0.20
7685.00	2.85	8.20	7,683.48	57.25 S	9.58 W	-57.22	10.45
7771.00	6.11	358.49	7,769.21	50.56 S	9.40 W	-50.53	3.88
7865.00	4.59	356.01	7,862.80	41.81 S	9.79 W	-41.78	1.63
7897.00	4.31	3.55	7,894.70	39.34 S	9.81 W	-39.31	2.03
7928.00	4.22	1.61	7,925.61	37.04 S	9.70 W	-37.00	0.54
7959.00	6.65	353.68	7,956.47	34.11 S	9.87 W	-34.08	8.21
7991.00	10.66	350.22	7,988.10	29.35 S	10.58 W	-29.31	12.63
8023.00	15.12	354.47	8,019.29	22.27 S	11.48 W	-22.23	14.22
8054.00	17.50	356.61	8,049.04	13.59 S	12.15 W	-13.55	7.93
8085.00	21.28	1.46	8,078.28	3.31 S	12.28 W	-3.27	13.22
8117.00	24.00	2.18	8,107.81	9.00 N	11.88 W	9.03	8.56
8148.00	25.84	3.02	8,135.92	22.05 N	11.29 W	22.08	6.04
8180.00	29.20	1.66	8,164.30	36.82 N	10.70 W	36.85	10.68
8211.00	33.96	0.13	8,190.70	53.04 N	10.46 W	53.08	15.58
8243.00	37.81	359.78	8,216.62	71.80 N	10.47 W	71.83	12.05
8274.00	40.94	359.17	8,240.58	91.46 N	10.66 W	91.49	10.17
8306.00	43.29	359.03	8,264.31	112.92 N	10.99 W	112.95	7.35
8337.00	45.88	359.33	8,286.39	134.67 N	11.30 W	134.71	8.38
8369.00	48.65	0.23	8,308.10	158.17 N	11.39 W	158.21	8.92
8400.00	51.06	1.26	8,328.09	181.87 N	11.08 W	181.90	8.18
8432.00	53.50	2.08	8,347.66	207.17 N	10.34 W	207.20	7.87
8464.00	55.99	1.79	8,366.14	233.28 N	9.46 W	233.31	7.81
8495.00	58.10	2.84	8,383.00	259.27 N	8.40 W	259.29	7.38
8526.00	60.19	2.80	8,398.90	285.85 N	7.09 W	285.87	6.74
8558.00	63.37	2.67	8,414.03	314.01 N	5.75 W	314.02	9.95
8589.00	65.17	2.33	8,427.49	341.90 N	4.54 W	341.92	5.89
8620.00	67.32	1.89	8,439.97	370.26 N	3.49 W	370.27	7.07
8652.00	69.58	1.98	8,451.73	400.00 N	2.49 W	400.01	7.06
8684.00	71.02	2.29	8,462.51	430.11 N	1.36 W	430.11	4.59
8715.00	72.93	2.26	8,472.11	459.56 N	0.20 W	459.56	6.15
8746.00	77.49	1.71	8,480.02	489.51 N	0.84 E	489.50	14.81
8778.00	81.35	1.42	8,485.90	520.95 N	1.70 E	520.94	12.09
8810.00	84.59	0.35	8,489.81	552.70 N	2.19 E	552.69	10.66
8855.00	85.80	360.00	8,493.58	597.54 N	2.32 E	597.53	2.80
8885.00	86.23	0.43	8,495.67	627.46 N	2.43 E	627.45	2.05
8915.00	87.16	0.60	8,497.40	657.41 N	2.70 E	657.40	3.15

DIRECTIONAL SURVEY DATA

Measured Depth (ft)	Inclination (deg)	Direction (deg)	Vertical Depth (ft)	Latitude (ft)	Departure (ft)	Vertical Section (ft)	Dogleg (%/100)
6901.00	0.93	50.92	6,899.62	61.13 S	21.97 W	-61.07	0.76
7024.00	1.08	40.05	7,022.60	59.62 S	20.44 W	-59.55	0.19
7088.00	1.02	52.18	7,086.59	58.81 S	19.61 W	-58.75	0.36
7182.00	1.13	63.36	7,180.57	57.88 S	18.11 W	-57.82	0.25
7277.00	1.23	74.98	7,275.55	57.19 S	16.29 W	-57.14	0.27
7371.00	0.95	96.76	7,369.53	57.02 S	14.55 W	-56.98	0.53
7466.00	0.67	89.67	7,464.52	57.11 S	13.22 W	-57.07	0.31
7560.00	1.21	107.25	7,558.51	57.40 S	11.73 W	-57.37	0.65
7655.00	1.02	104.90	7,653.49	57.92 S	9.95 W	-57.89	0.20
7685.00	2.85	8.20	7,683.48	57.25 S	9.58 W	-57.22	10.45
7771.00	6.11	358.49	7,769.21	50.56 S	9.40 W	-50.53	3.88
7865.00	4.59	356.01	7,862.80	41.81 S	9.79 W	-41.78	1.63
7897.00	4.31	3.55	7,894.70	39.34 S	9.81 W	-39.31	2.03
7928.00	4.22	1.61	7,925.61	37.04 S	9.70 W	-37.00	0.54
7959.00	6.65	353.68	7,956.47	34.11 S	9.87 W	-34.08	8.21
7991.00	10.66	350.22	7,988.10	29.35 S	10.58 W	-29.31	12.63
8023.00	15.12	354.47	8,019.29	22.27 S	11.48 W	-22.23	14.22
8054.00	17.50	356.61	8,049.04	13.59 S	12.15 W	-13.55	7.93
8085.00	21.28	1.46	8,078.28	3.31 S	12.28 W	-3.27	13.22
8117.00	24.00	2.18	8,107.81	9.00 N	11.88 W	9.03	8.56
8148.00	25.84	3.02	8,135.92	22.05 N	11.29 W	22.08	6.04
8180.00	29.20	1.66	8,164.30	36.82 N	10.70 W	36.85	10.68
8211.00	33.96	0.13	8,190.70	53.04 N	10.46 W	53.08	15.58
8243.00	37.81	359.78	8,216.62	71.80 N	10.47 W	71.83	12.05
8274.00	40.94	359.17	8,240.58	91.46 N	10.66 W	91.49	10.17
8306.00	43.29	359.03	8,264.31	112.92 N	10.99 W	112.95	7.35
8337.00	45.88	359.33	8,286.39	134.67 N	11.30 W	134.71	8.38
8369.00	48.65	0.23	8,308.10	158.17 N	11.39 W	158.21	8.92
8400.00	51.06	1.26	8,328.09	181.87 N	11.08 W	181.90	8.18
8432.00	53.50	2.08	8,347.66	207.17 N	10.34 W	207.20	7.87
8464.00	55.99	1.79	8,366.14	233.28 N	9.46 W	233.31	7.81
8495.00	58.10	2.84	8,383.00	259.27 N	8.40 W	259.29	7.38
8526.00	60.19	2.80	8,398.90	285.85 N	7.09 W	285.87	6.74
8558.00	63.37	2.67	8,414.03	314.01 N	5.75 W	314.02	9.95
8589.00	65.17	2.33	8,427.49	341.90 N	4.54 W	341.92	5.89
8620.00	67.32	1.89	8,439.97	370.26 N	3.49 W	370.27	7.07
8652.00	69.58	1.98	8,451.73	400.00 N	2.49 W	400.01	7.06
8684.00	71.02	2.29	8,462.51	430.11 N	1.36 W	430.11	4.59
8715.00	72.93	2.26	8,472.11	459.56 N	0.20 W	459.56	6.15
8746.00	77.49	1.71	8,480.02	489.51 N	0.84 E	489.50	14.81
8778.00	81.35	1.42	8,485.90	520.95 N	1.70 E	520.94	12.09
8810.00	84.59	0.35	8,489.81	552.70 N	2.19 E	552.69	10.66
8855.00	85.80	360.00	8,493.58	597.54 N	2.32 E	597.53	2.80
8885.00	86.23	0.43	8,495.67	627.46 N	2.43 E	627.45	2.05
8915.00	87.16	0.60	8,497.40	657.41 N	2.70 E	657.40	3.15

DIRECTIONAL SURVEY DATA

Measured Depth (ft)	Inclination (deg)	Direction (deg)	Vertical Depth (ft)	Latitude (ft)	Departure (ft)	Vertical Section (ft)	Dogleg ("/100')
8946.00	88.52	1.11	8,498.57	688.39 N	3.17 E	688.37	4.68
8976.00	89.63	1.18	8,499.05	718.38 N	3.77 E	718.36	3.71
9067.00	89.63	1.18	8,499.64	809.35 N	5.64 E	809.33	0.00

SURVEY FOOTER


SURVEYS CALCULATED USING SHORT COLLAR METHOD & LONG COLLAR METHOD.

WELL ASSUMED VERTICAL AT WELLHEAD.

SURVEYS FROM 436'MD TO 8976'MD PROVIDED BY SPERRY DRILLING.

SURVEY AT 8976'MD IS PROJECTED TO TD AT 9067'MD.

SPERRY ENGINEERS: JARED ATWOOD, ROBERT SHINE , DAVID DUARTE




DIRECTIONAL SURVEY DATA

Measured Depth (ft)	Inclination (deg)	Direction (deg)	Vertical Depth (ft)	Latitude (ft)	Departure (ft)	Vertical Section (ft)	Dogleg (%/100)
8946.00	88.52	1.11	8,498.57	688.39 N	3.17 E	688.37	4.68
8976.00	89.63	1.18	8,499.05	718.38 N	3.77 E	718.36	3.71
9067.00	89.63	1.18	8,499.64	809.35 N	5.64 E	809.33	0.00

SURVEY FOOTER

SURVEYS CALCULATED USING SHORT COLLAR METHOD & LONG COLLAR METHOD.
WELL ASSUMED VERTICAL AT WELLHEAD.
SURVEYS FROM 436'MD TO 8976'MD PROVIDED BY SPERRY DRILLING.
SURVEY AT 8976'MD IS PROJECTED TO TD AT 9067'MD.

SPERRY ENGINEERS: JARED ATWOOD, ROBERT SHINE, DAVID DUARTE



HALLIBURTON / SPERRY DRILLING
3950 INTERWOOD S. PARKWAY
HOUSTON, TEXAS 77032

PHONE: 281.986.4400
FAX: 281.986.4499

HALLIBURTON / SPERRY DRILLING
3950 INTERWOOD S. PARKWAY
HOUSTON, TEXAS 77032

PHONE: 281.986.4400
FAX: 281.986.4499

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD Artesia

ATS-14-832



APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. Type of work: ☒ DRILL ☐ REENTER		5. Lease Serial No. NMNM113941, NMNM113942	
1b. Type of Well: ☒ Oil Well ☐ Gas Well ☐ Other ☒ Single Zone ☐ Multiple Zone		6. If Indian, Allottee or Tribe Name	
2. Name of Operator CHEVRON U.S.A. INC.		7. If Unit or CA Agreement, Name and No.	
3a. Address 15 SMITH ROAD MIDLAND, TEXAS 79705		8. Lease Name and Well No. Skeen 22 26 26 Federal #7H	
3b. Phone No. (include area code) 432-687-7375		9. API Well No. 30-015-42889	
4. Location of Well (Report location clearly and in accordance with any State requirements.) At surface 402' FSL, & 660' FEL, UL: P At proposed prod. zone 2310' FSL, & 660' FEL, UL: I		10. Field and Pool, or Exploratory WELCH, BONE SPRING	
14. Distance in miles and direction from nearest town or post office* 24 MILES FROM MALAGA, NEW MEXICO		12. County or Parish EDDY	13. State NM
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 402' FSL OF SEC 22	16. No. of acres in lease 3040	17. Spacing Unit dedicated to this well 240	
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. 7039' to Cimarex Jumping Spring 16 S 1	19. Proposed Depth MD - 16,500' PILOT HOLE- TVD - 11,500' 8550'	20. BLM/BIA Bond No. on file CA0329	
21. Elevations (Show whether DF, KDB, RT, GL, etc) 3406' GL	22. Approximate date work will start*	23. Estimated duration	

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No.1, must be attached to this form:

- | | |
|--|---|
| 1. Well plat certified by a registered surveyor. | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan. | 5. Operator certification |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the BLM. |

25. Signature 	Name (Printed/Typed) DENISE PINKERTON	Date 05/30/2014
Title REGULATORY SPECIALIST		
Approved by (Signature) 	Name (Printed/Typed) Steve Caffey	Date DEC 19 2014
Title FIELD MANAGER		
Office CARLSBAD FIELD OFFICE		

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

APPROVAL FOR TWO YEARS

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)

*(Instructions on page 2)

Carlsbad Controlled Water Basin

NM OIL CONSERVATION
ARTESIA DISTRICT

DEC 30 2014

Accepted for record
NMCD

RECEIVED

Approval Subject to General Requirements
& Special Stipulations AttachedSEE ATTACHED FOR
CONDITIONS OF APPROVAL

CERTIFICATION

I hereby certify that I, or someone under my direct supervision, have inspected the drill site and access route proposed herein; that I am familiar with the conditions which currently exist; that I have full knowledge of state and Federal laws applicable to this operation; that the statements made in this APD package are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed will be performed in conformity with this APD package and the terms and conditions under which it is approved. I also certify that I, or the company I represent, am responsible for the operations conducted under this application. These statements are subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Executed this 20 day of May, 20 14

Name: K Wojtaszek
Kelly Wojtaszek - Project Manager

Address: 1400 Smith Street, 40039
Houston, TX 77027

Office 713-372-9691

E-mail: kellyanne@chevron.com

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 263-3161 Fax: (575) 391-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 745-1221 Fax: (575) 745-9720
District III
1609 Rio Grande Road, Aztec, NM 87410
Phone: (505) 334-6179 Fax: (505) 334-6170
District IV
1229 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-1480 Fax: (505) 476-1482

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELCH;
WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-42889	² Pool Code 64010	³ Pool Name WILDBAT; BONE SPRING
⁴ Property Name 314055	⁵ Property Name SKEEN 22 26 26 FED COM	⁶ Well Number 7H
⁷ OGRID No. 4523	⁸ Operator Name CHEVRON U.S.A. INC.	⁹ Elevation 3406'

10 Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	22	26 SOUTH	26 EAST, N.M.P.M.		402'	SOUTH	660'	EAST	EDDY

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	15	26 SOUTH	26 EAST, N.M.P.M.		2310'	SOUTH	660'	EAST	EDDY

¹² Dedicated Acres 240	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

PROPOSED BOTTOM HOLE LOCATION X= 518,450 NAD 27 Y= 378,855 LAT. 32.041600 LONG. 104.273790 X= 559,633 NAD83 Y= 378,921 LAT. 32.041721 LONG. 104.274256	SKEEN 22 26 26 FED COM NO. 7H WELL X= 518,473 NAD 27 Y= 371,601 LAT. 32.021531 LONG. 104.273727 X= 559,657 NAD83 Y= 371,658 LAT. 32.021753 LONG. 104.274222 ELEVATION 3405' NAD 88		16 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or retained mineral interest in the land including the proposed bottom hole location, or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order by court order of the division. Signature: <i>Denise Pinkerton</i> Date: <i>05/30/2014</i> Printed Name: <i>DENISE PINKERTON</i> Email Address: <i>leakejd@chevron.com</i> 17 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey: <i>May 30, 2014</i> Signature and Seal: <i>[Signature]</i> Certificate Number: <i>15078</i> REGISTERED PROFESSIONAL SURVEYOR 15078
--	---	--	--



DURING THE DRILLING OF THIS WELL, CHEVRON PROPOSES TO USE A CLOSED LOOP SYSTEM WITH A STEEL TANK AND HAUL TO THE REQUIRED DISPOSAL, PER THE OCD RULE 19.15.17.

PROCESSING FEE INFORMATION ^{E-MAILED} CALLED INTO S. Ellis AT BLM, ON 5/30/2014

CHEVRON USA INC HAS AN AGREEMENT WITH CEHMM TO PROVIDE THE NEPA INFORMATION TO BLM.

PLEASE FIND THE FOLLOWING ATTACHMENTS:

APD FORM
PRIVATE SURFACE OWNER AGREEMENT (IF APPLICABLE)
C102 (EXHIBIT A-1)
VICINITY MAPS (EXHIBIT A-2 through A-3)
MILE RADIUS MAP (EXHIBIT B)
DRILLING PLAN
DIRECTIONAL PLAN AND PLOT
BOP SCHEMATIC
CHOKE MANIFOLD SCHEMATIC
BOPE TESTING
RIG LAYOUT/FACILITY PAD (EXHIBIT D)
MISCELLANEOUS SCHEMATICS (E, F, G-1, G-2, H)
H2S PLAN — NO H2S WITHIN 1 mile of location

SURFACE USE PLAN
COFLEX HOSE TEST CERTIFICATION AND CHART
WELLHEAD SCHEMATIC
OIL AND GAS MEASUREMENT SCHEMATIC (EXHIBIT C)
MISCELLANEOUS MAPS (PROPOSED PAD AND ACCESS ROAD, EXISTING & PROPOSED ROW
EASEMENT DETAIL, PROPOSED FLOWLINE)
PRESSURE CONTROL WELLHEAD EQUIPMENT RUNNING PROCEDURE- IF REQUIRED
OPERATOR CERTIFICATION — SIGNED

ARCH SURVEY

