ugust 2007) UNITED STATE DEPARTMENT OF THE BUREAU OF LAND MAN		INTERIOR		FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010		
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on reverse side.				<ol> <li>Lease Serial No. NMNM037489</li> </ol>		
				6. If Indian, Allottee or Tribe Name		
			).	<ol> <li>If Unit or CA/Agreement, Name and/or No. 891005247F</li> <li>Well Name and No. COTTON DRAW UNIT 114</li> </ol>		
2. Name of Operator Contact: MEGAN MORAVEC DEVON ENERGY PRODUCTION CO EPMail: megan.moravec@dvn.com				9. API Well No. 30-015-37410-00-S1		
3a. Address     3b. Phone N       333 WEST SHERIDAN AVE     Ph: 405-5       OKLAHOMA CITY, OK 73102     Ph: 405-5			ea code)	e) 10. Field and Pool, or Exploratory COTTON DRAW		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, and State		
Sec 34 T24S R31E NWNE 330FNL 1980FEL				EDDY COUNTY, NM		
12. CHECK APP	ROPRIATE BOX(ES) TO	INDICATE NATURE	E OF NOTICE, R	EPORT, OR OTHE	R DATA	
TYPE OF SUBMISSION	3	TYPE OF ACTION				
R Notice of Intent		🗖 Deepen	Product	ion (Start/Resume)	U Water Shut-Off	
<b>—</b> .	Alter Casing	Fracture Treat	🗖 Reclam	Reclamation     Well Integrity		
Subsequent Report	Casing Repair	New Constructi	ion 🗖 Recomp	Recomplete BO Other		
Final Abandonment Notice	Change Plans	Plug and Aband	ion 🔲 Tempor	arily Abandon		
<ul> <li>If the proposal is to deepen direction:</li> <li>Attach the Bond under which the work</li> </ul>	ally or recomplete horizontally, g rk will be performed or provide th	ive subsurface locations and the Bond No. on file with BL	I measured and true ve M/BIA. Required sul	roposed work and approx rtical depths of all pertir psequent reports shall be	ent markers and zones. filed within 30 days	
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final At determined that the site is ready for fi Devon Energy Production Cor (30-015-37410) Central Tank requesting 90 days to start Ma 500 BOPD. The following well	eration (clearly state all pertinent ally or recomplete horizontally, gir k will be performed or provide the operations. If the operation resu- bandonment Notices shall be filed inal inspection.) mpany, LP respectfully requ- Battery. Intermittent flaring arch 2, 2015 through June 1 s are included:	details, including estimated ive subsurface locations and ne Bond No. on file with BL lts in a multiple completion only after all requirements, uests to flare the Cotton due to DCP unit going	starting date of any pr I measured and true ve M/BIA. Required sut or recompletion in a r including reclamation n Draw Unit 114 down. We are	roposed work and approx rical depths of all pertir sequent reports shall be tew interval, a Form 316 h, have been completed,	ent marker's and zones. filed within 30 days 0-4 shall be filed once and the operator has	
Attach the Bond under which the wo following completion of the involved testing has been completed. Final At determined that the site is ready for fi Devon Energy Production Cor (30-015-37410) Central Tank requesting 90 days to start Ma	eration (clearly state all pertinent ally or recomplete horizontally, gi rk will be performed or provide the doperations. If the operation resu- bandonment Notices shall be filed inal inspection.) mpany, LP respectfully requ- Battery. Intermittent flaring arch 2, 2015 through June 1	details, including estimated ive subsurface locations and the Bond No. on file with BL Its in a multiple completion only after all requirements, uests to flare the Cottoo due to DCP unit going 1, 2015. Amount to be SOME We SOME We OME	starting date of any pr I measured and true ve M/BIA. Required sul or recompletion in a r including reclamation n Draw Unit 114 down. We are flared is: 200 MCF	tical depths of all pertin proposed work and approv- ricical depths of all pertin- posequent reports shall be new interval, a Form 316 h, have been completed, to be successful to be successful	ent markers and zones. filed within 30 days 0.4 shall be filed once and the operator has 0.11 5.22 0.22 5.22 0.2	
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final At determined that the site is ready for fi Devon Energy Production Cor (30-015-37410) Central Tank requesting 90 days to start Ma 500 BOPD. The following well Cotton Draw Unit 110H Cotton Draw Unit 115H Cotton Draw Unit 125H Cotton Draw Unit 125H Cotton Draw Unit 151H Cotton Draw Unit 151H Cotton Draw Unit 152H	ration (clearly state all pertinent ally or recomplete horizontally, g rk will be performed or provide th operations. If the operation resu- bandonment Notices shall be filed inal inspection.) mpany, LP respectfully requ- Battery. Intermittent flaring rch 2, 2015 through June 1 s are included: 30-015-36406	details, including estimated ive subsurface locations and he Bond No. on file with BL Its in a multiple completion only after all requirements, uests to flare the Cotton due to DCP unit going 1, 2015. Amount to be SOME we OME we of SOME we SOME we of SOME SEI CO	starting date of any pr I measured and true ve M/BIA. Required sult or recompletion in a r including reclamation n Draw Unit 114 down. We are flared is: 200 MCF is is 200 MCF is 200 MCF is is 200 MCF is 2	System System (15JAS0247SE)	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has	
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final At determined that the site is ready for fi Devon Energy Production Cor (30-015-37410) Central Tank requesting 90 days to start Ma 500 BOPD. The following well Cotton Draw Unit 110H Cotton Draw Unit 115H Cotton Draw Unit 125H Cotton Draw Unit 125H Cotton Draw Unit 151H Cotton Draw Unit 151H Cotton Draw Unit 152H	ration (clearly state all pertinent ally or recomplete horizontally, g rk will be performed or provide th operations. If the operation resu- bandonment Notices shall be filed inal inspection.) mpany, LP respectfully requ- Battery. Intermittent flaring rch 2, 2015 through June 1 s are included: 30-015-36406	details, including estimated ive subsurface locations and he Bond No. on file with BL Its in a multiple completion only after all requirements, uests to flare the Cotton due to DCP unit going 1, 2015. Amount to be SOME we OME we of SOME we SOME we of SOME SEI CO	starting date of any pr I measured and true ve M/BIA. Required sult or recompletion in a r including reclamation n Draw Unit 114 down. We are flared is: 200 MCF is: 200 MCF i	System System (15JAS0247SE)	ent markers and zones. filed within 30 days 0.4 shall be filed once and the operator has 0.11 5.22 0.22 5.22 0.2	
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final At determined that the site is ready for fi Devon Energy Production Cor (30-015-37410) Central Tank requesting 90 days to start Ma 500 BOPD. The following well Cotton Draw Unit 110H Cotton Draw Unit 115H Cotton Draw Unit 125H Cotton Draw Unit 125H Cotton Draw Unit 151H Cotton Draw Unit 151H Cotton Draw Unit 152H	eration (clearly state all pertinent ally or recomplete horizontally, gi rk will be performed or provide the loperations. If the operation resu- bandonment Notices shall be filed inal inspection.) mpany, LP respectfully requ- Battery. Intermittent flaring arch 2, 2015 through June 1 s are included: 30-015-36406 June 1 s are included: 30-015-38453 June 1 30-015-38610 June 1 30-015-38609 June 1 30-015-38609 June 1 For DEVON ENERGY itted to AFMSS for processin ORAVEC	details, including estimated ive subsurface locations and he Bond No. on file with BL Its in a multiple completion only after all requirements, uests to flare the Cotton due to DCP unit going 1, 2015. Amount to be SOME WE OME WE OME WE SOME WE BLINSOME SANCHTitle RE	starting date of any pr I measured and true ve M/BIA. Required sult or recompletion in a r including reclamation n Draw Unit 114 down. We are flared is: 200 MCF is is 200 MCF is 200 MCF is is 200 MCF is 2	System System (15JAS0247SE)	ent markers and zones. filed within 30 days OLA shall be filed once and the operator has DINT HEOL SEENEKT DVALSO 5/14/ DVALSO 5/14/ DVALSO 5/14/	
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final At determined that the site is ready for fi Devon Energy Production Cor (30-015-37410) Central Tank requesting 90 days to start Ma 500 BOPD. The following well Cotton Draw Unit 110H Cotton Draw Unit 115H Cotton Draw Unit 125H Cotton Draw Unit 125H Cotton Draw Unit 151H Cotton Draw Unit 151H Cotton Draw Unit 152H	ration (clearly state all pertinent ally or recomplete horizontally, g rk will be performed or provide the operations. If the operation resu- bandonment Notices shall be filed inal inspection.) mpany, LP respectfully requ- Battery. Intermittent flaring rach 2, 2015 through June 1 s are included: 30-015-36406 June 1 s are included: 30-015-37998 June 1 30-015-38608 June 1 30-015-38608 June 1 30-015-38609 June 1 Sector Submission #29 For DEVON ENERGY Itted to AFMSS for processin ORAVEC	details, including estimated ive subsurface locations and he Bond No. on file with BL Its in a multiple completion only after all requirements, uests to flare the Cotton due to DCP unit going 1, 2015. Amount to be SOME WE OME WE OME WE SOME WE BLINSOME SANCHTitle RE	starting date of any pr I measured and true ve M/BIA. Required sult or recompletion in a r including reclamation n Draw Unit 114 down. We are flared is: 200 MCF 15 1999 CATTACH NDITIONS Well Information sent to the Carlsba HEZ on 03/25/2015 GULATORY ANA	System System A System A A A A A A A A A A A A A	ent markers and zones. filed within 30 days OLA shall be filed once and the operator has DINT HEOL SEENEKT DVALSO 5/14/ CORPTER 100 100 1000	
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final At determined that the site is ready for fi Devon Energy Production Cor (30-015-37410) Central Tank requesting 90 days to start Ma 500 BOPD. The following well Cotton Draw Unit 110H Cotton Draw Unit 110H Cotton Draw Unit 115H Cotton Draw Unit 125H Cotton Draw Unit 125H Cotton Draw Unit 151H Cotton Draw Unit 151H Cotton Draw Unit 152H I I hereby certify that the foregoing is Comm Name (Printed/Typed) MEGAN M Signature (Electronic Su	ration (clearly state all pertinent ally or recomplete horizontally, g rk will be performed or provide the operations. If the operation resu- bandonment Notices shall be filed inal inspection.) mpany, LP respectfully requ- Battery. Intermittent flaring rach 2, 2015 through June 1 s are included: 30-015-36406 June 1 s are included: 30-015-37998 June 1 30-015-38608 June 1 30-015-38608 June 1 30-015-38609 June 1 Sector Submission #29 For DEVON ENERGY Itted to AFMSS for processin ORAVEC	details, including estimated ive subsurface locations and he Bond No. on file with BL Its in a multiple completion only after all requirements, uests to flare the Cotton due to DCP unit going I, 2015. Amount to be Some we on to be Some we some we	starting date of any pr I measured and true ve M/BIA. Required sult or recompletion in a r including reclamation n Draw Unit 114 down. We are flared is: 200 MCF 15 1999 CATTACH NDITIONS Well Information sent to the Carlsba HEZ on 03/25/2015 GULATORY ANA	System System A System A A A A A A A A A A A A A	ent markers and zones. filed within 30 days OLA shall be filed once and the operator has DINT HEOL SEENEKT DVALSO 5/14/ CORPTER 1 FOR 18000 HINDOCS	
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final At determined that the site is ready for fi Devon Energy Production Cor (30-015-37410) Central Tank requesting 90 days to start Ma 500 BOPD. The following well Cotton Draw Unit 110H Cotton Draw Unit 115H Cotton Draw Unit 125H Cotton Draw Unit 125H Cotton Draw Unit 151H Cotton Draw Unit 151H Cotton Draw Unit 152H	eration (clearly state all pertinent ally or recomplete horizontally, gi rk will be performed or provide the loperations. If the operation resu- bandonment Notices shall be filed inal inspection.) mpany, LP respectfully reque Battery. Intermittent flaring arch 2, 2015 through June 1 s are included: 30-015-36406 June 1 s are included: 30-015-38453 Minute 30-015-38608 June 1 30-015-38609 June 1 30-015-38609 June 1 Sectoronic Submission #29: For DEVON ENERGY Itted to AFMSS for processin ORAVEC ubmission) THIS SPACE FOR	details, including estimated ive subsurface locations and he Bond No. on file with BL Its in a multiple completion only after all requirements, uests to flare the Cotton due to DCP unit going 1, 2015. Amount to be Some we on C n Total Some Second Some Second Second Second Second Second Second Second Second Second Second Se	starting date of any pr I measured and true ve M/BIA. Required sult or recompletion in a r including reclamation n Draw Unit 114 down. We are flared is: 200 MCF 15 1999 CATTACH NDITIONS Well Information sent to the Carlsba HEZ on 03/25/2015 GULATORY ANA	System ad (15JAS0247SE) LLYST MAR 25	ent marker's and zones. filed within 30 days OLA shall be filed once and the operator has DINTITED SEENEKT DVALSO 5/14/ DVALSO 5/14/ D	

\*\* BLM REVISED \*\*

2

Additional data for EC transaction #295216 that would not fit on the form

32 Additional remarks, continued NMNM 709286 100035. 30-015-38607 40 m 30-015-38557 40 Cotton Draw Unit 155H Cotton Draw Unit 156H -supmit these on separate surday under "Hobbs".

## Cotton Draw Unit 114 30-015-37410 Devon Energy Production Co. March 25, 2015 Conditions of Approval

1. Report all volumes on OGOR B as disposition code 08.

2. Comply with NTL-4A requirements

3. Subject to like approval from NMOCD

4. Flared volumes will still require payment of royalties

5. Install gas meter on vent/flare line to measure gas prior to venting/flaring operations if it is not equipped as such at this time. Gas meter to meet all requirements for sale meter as Federal Regulations and Onshore Order #5. Include meter serial number on sundry.

6. This approval does not authorize any additional surface disturbance.

7. Submit updated facility diagram as per Onshore Order #3.

8. Approval not to exceed 90 days for date of approval.

9. Submit Subsequent Report to this sundry with actual volumes of gas flared monthly on 3160-5 (sundry notice).

10. If flaring is still required past 90 days submit new request for approval.

11. If a portable unit is used to flare gas it must be monitored at all times.

12. Comply with any restrictions or regulations when on State or Fee surface.

## 032515 JAM

## Cotton Draw Unit 155H 30-015-38607 Devon Energy Production Co. May 06 2015 Conditions of Approval

1. Report all volumes on OGOR B as disposition code 08.

2. Comply with NTL-4A requirements

3. Subject to like approval from NMOCD

4. Flared volumes will still require payment of royalties

5. Install gas meter on vent/flare line to measure gas prior to venting/flaring operations if it is not equipped as such at this time. Gas meter to meet all requirements for sale meter as Federal Regulations and Onshore Order #5. Include meter serial number on sundry.

6. This approval does not authorize any additional surface disturbance.

7. Submit updated facility diagram as per Onshore Order #3.

8. Approval not to exceed 90 days for date of approval.

9. Submit Subsequent Report to this sundry with actual volumes of gas flared monthly on 3160-5 (sundry notice).

10. If flaring is still required past 90 days submit new request for approval.

11. If a portable unit is used to flare gas it must be monitored at all times.

12. Comply with any restrictions or regulations when on State or Fee surface.

050615 JAM