3				Actesia	
	UNITED STATES DEPARTMENT OF THE INTERIOR UREAU OF LAND MANAGEMENT		FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010 5. Lease Serial No.		
Do not use this	NOTICES AND REPO form for proposals to Use Form 3160-3 (Al	o drill or to re-enter a		NM8420-A 6. If Indian, Allottee or	Tribe Name
<b>SUBMIT IN TRIPLICATE</b> – Other instructions on page 2.				7. If Unit of CA/Agreen SW-814	nent, Name and/or No.
. Type of Well 🚺 Gas	Well Other			8. Well Name and No. Patterson A Com #	
Name of Operator Vernon E. Faulconer, Inc.	· · · · · · · · · · · · · · · · · · ·			9. API Well No. 300152094400	·
a. Address P.O. Box 7995 Tyler, TX 75711 3b. Pho		3b. Phone No. <i>(include area co</i>	ode)	10. Field and Pool or Exploratory Area Rocky Arroyo Wolfcamp, S	
Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SE/SW Section 20, T225, R22E 660 1/5 & 2310 1		(903) 581-4382		11. Country or Parish, State Eddy County, New Mexico	
12. CHE	CK THE APPROPRIATE BOX	X(ES) TO INDICATE NATUR	RE OF NOTIO		
TYPE OF SUBMISSION			YPE OF ACT	· · · · · · · · · · · · · · · · · · ·	
Notice of Intent	Acidize	Deepen Fracture Treat	Recl	uction (Start/Resume) amation omplete	Water Shut-Off Well Integrity
Subsequent Report	Change Plans	Plug and Abandon Plug Back	Tem	porarily Abandon er Disposal	Other
the proposal is to deepen direction Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for Operation for Water Disposal A	nally or recomplete horizontally work will be performed or prov ved operations. If the operation Abandonment Notices must be or final inspection.)	vide the Bond No. on file with l n results in a multiple completi	d measured as BLM/BIA. H	nd true vertical depths of a Required subsequent repo- pletion in a new interval, a	all pertinent markers and zones. rts must be filed within 30 days a Form 3160-4 must be filed once
Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for	hally or recomplete horizontally work will be performed or prov- ved operations. If the operation Abandonment Notices must be or final inspection.) As Follows: ces approximately 1/2 BWPI	v, give subsurface locations and vide the Bond No. on file with 1 n results in a multiple completi e filed only after all requirement	d measured as BLM/BIA. H	nd true vertical depths of a Required subsequent repo- pletion in a new interval, a	all pertinent markers and zones. rts must be filed within 30 days a Form 3160-4 must be filed once completed and the operator has <b>NM OIL CONSERVAT</b> ARTESIA DISTRICT
Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for Operation for Water Disposal A 1. Subject Well/Facility produ	hally or recomplete horizontally work will be performed or prov ved operations. If the operation Abandonment Notices must be or final inspection.) As Follows: ces approximately 1/2 BWPI tank at facility.	<ul> <li>give subsurface locations and vide the Bond No. on file with 1 n results in a multiple completi e filed only after all requirement</li> <li>D.</li> </ul>	d measured at BLM/BIA. H ion or recomp nts, including	nd true vertical depths of a Required subsequent repor- oletion in a new interval, a reclamation, have been c	all pertinent markers and zones. rts must be filed within 30 days a Form 3160-4 must be filed once completed and the operator has <b>NM OIL CONSERVAT</b> ARTESIA DISTRICT
Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for Operation for Water Disposal A 1. Subject Well/Facility produ 2. Water is stored in 210 BBL 3. Water is loaded by truck (L 4. Operators of disposal facili a. Probity Dancliff SWD, L b. Location: Eddy County	hally or recomplete horizontally work will be performed or prov ved operations. If the operation Abandonment Notices must be or final inspection.) As Follows: ces approximately 1/2 BWPI tank at facility. & E Services, Inc., Carlsbac ty: LC., API-30-015-23888 , New Mexico Lse # L-6425-	r, give subsurface locations and ride the Bond No. on file with 1 n results in a multiple completi e filed only after all requiremen D. d, NM) and taken to Exxon S	d measured at BLM/BIA. H ion or recomp nts, including SWDSec.	nd true vertical depths of a Required subsequent repor- pletion in a new interval, a reclamation, have been c 16T21S-R27E	all pertinent markers and zones. rts must be filed within 30 days a Form 3160-4 must be filed once completed and the operator has <b>NM OIL CONSED</b>
Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for Operation for Water Disposal / 1. Subject Well/Facility produ 2. Water is stored in 210 BBL 3. Water is loaded by truck (L 4. Operators of disposal facilit a. Probity Dancliff SWD 1	hally or recomplete horizontally work will be performed or prov ved operations. If the operation Abandonment Notices must be or final inspection.) As Follows: ces approximately 1/2 BWPI tank at facility. & E Services, Inc., Carlsbac ty: LC., API-30-015-23888 , New Mexico Lse # L-6425- r: 163770 occ to	y, give subsurface locations and vide the Bond No. on file with 1 n results in a multiple completi e filed only after all requirement D. d, NM) and taken to Exxon S 860' FSL & 2020' FWL - Ur MGS STATE	d measured at BLM/BIA. F ion or recomp nts, including SWDSec. nit N 29	nd true vertical depths of a Required subsequent repor- pletion in a new interval, a reclamation, have been c 16T21S-R27E S - 29E - 30 L No. I - Y	all pertinent markers and zones. rts must be filed within 30 days a Form 3160-4 must be filed once completed and the operator has <b>NM OIL CONSERVAT</b> ARTESIA DISTRICT JUL 01 2015 RECEIVED SFE ATTACHED FOR
Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for Operation for Water Disposal A 1. Subject Well/Facility produ 2. Water is stored in 210 BBL 3. Water is loaded by truck (L 4. Operators of disposal facili a. Probity Dancliff SWD, L b. Location: Eddy County c. NMOCD Permit Number	hally or recomplete horizontally work will be performed or prov ved operations. If the operation Abandonment Notices must be or final inspection.) As Follows: ces approximately 1/2 BWPI tank at facility. & E Services, Inc., Carlsbac ty: LC., API-30-015-23888 , New Mexico Lse # L-6425- r: 163770 occ to	r, give subsurface locations and ride the Bond No. on file with 1 n results in a multiple completi e filed only after all requiremen D. d, NM) and taken to Exxon S	d measured at BLM/BIA. F ion or recomp nts, including SWDSec. nit N 29	nd true vertical depths of a Required subsequent repor- pletion in a new interval, a reclamation, have been c 16T21S-R27E S - 29E - 30 L No. I - Y	all pertinent markers and zones. rts must be filed within 30 days a Form 3160-4 must be filed once completed and the operator has <b>NM OIL CONSERVAT</b> ARTESIA DISTRICT JUL 01 2015 RECEIVED
Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for Operation for Water Disposal A 1. Subject Well/Facility produ 2. Water is stored in 210 BBL 3. Water is loaded by truck (L 4. Operators of disposal facili a. Probity Dancliff SWD, L b. Location: Eddy County c. NMOCD Permit Number R-13151	hally or recomplete horizontally work will be performed or prov ved operations. If the operation Abandonment Notices must be or final inspection.) As Follows: ces approximately 1/2 BWPI tank at facility. & E Services, Inc., Carlsbac ty: LC., API-30-015-23888 , New Mexico Lse # L-6425- r: 163770 oper to A	y, give subsurface locations and vide the Bond No. on file with 1 n results in a multiple completi e filed only after all requirement D. D. H, NM) and taken to Exxon S 860' FSL & 2020' FWL - Un MCS STATE Accepted for record	d measured at BLM/BIA. F ion or recomp nts, including SWDSec. nit N 29 C C C d d O/S	nd true vertical depths of a Required subsequent repor- pletion in a new interval, a reclamation, have been c 16T21S-R27E S - 29E - 30 L No. I - Y	all pertinent markers and zones. rts must be filed within 30 days a Form 3160-4 must be filed once completed and the operator has <b>NM OIL CONSERVAT</b> ARTESIA DISTRICT JUL 01 2015 RECEIVED SFE ATTACHED FOR
Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for Operation for Water Disposal / 1. Subject Well/Facility produ 2. Water is stored in 210 BBL 3. Water is loaded by truck (L 4. Operators of disposal facili a. Probity Dancliff SWD, L b. Location: Eddy County c. NMOCD Permit Number R-13151	hally or recomplete horizontally work will be performed or prov ved operations. If the operation Abandonment Notices must be or final inspection.) As Follows: ces approximately 1/2 BWPI tank at facility. & E Services, Inc., Carlsbac ty: LC., API-30-015-23888 , New Mexico Lse # L-6425- r: 163770 oper to A	y, give subsurface locations and vide the Bond No. on file with 1 in results in a multiple completi e filed only after all requirement D. D. d, NM) and taken to Exxon S 860' FSL & 2020' FWL - Un M = 5  State Accepted for record NMOCD 7/3	d measured au BLM/BIA. B ion or recomp nts, including SWDSec. nit N 24 C W C d c / J c ion Analyst	nd true vertical depths of a Required subsequent repor- pletion in a new interval, a reclamation, have been c 16T21S-R27E 25-29E - 30 100. (-Y)	all pertinent markers and zones. rts must be filed within 30 days a Form 3160-4 must be filed once completed and the operator has <b>NM OIL CONSERVAT</b> ARTESIA DISTRICT JUL 01 2015 RECEIVED SFE ATTACHED FOR
Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for Operation for Water Disposal A 1. Subject Well/Facility produ 2. Water is stored in 210 BBL 3. Water is loaded by truck (L 4. Operators of disposal facili a. Probity Dancliff SWD, L b. Location: Eddy County c. NMOCD Permit Number R-13151 I hereby certify that the foregoing is Name (Printed/Typed) Karen Charles	hally or recomplete horizontally work will be performed or prov ved operations. If the operation I Abandonment Notices must be or final inspection.) As Follows: ces approximately 1/2 BWPI tank at facility. & E Services, Inc., Carlsbac ty: LC., API-30-015-23888 New Mexico Lse # L-6425- r: 163770 occ tt A	y, give subsurface locations and ride the Bond No. on file with 1 in results in a multiple completi e filed only after all requirement D. d, NM) and taken to Exxon S 860' FSL & 2020' FWL - Ur $M = 5 = 5 = 1 \pm 2$ Accepted for record NMOCD $\frac{7/3}{2}$ Title Product	d measured a BLM/BIA. H ion or recomp nts, including SWDSec. nit N 24 c w e d c //s ion Analyst 015	nd true vertical depths of a Required subsequent repor- pletion in a new interval, a reclamation, have been c 16T21S-R27E	all pertinent markers and zones. rts must be filed within 30 days a Form 3160-4 must be filed once completed and the operator has <b>NM OIL CONSERVAT</b> ARTESIA DISTRICT JUL 0 1 2015 RECEIVED SEE ATTACHED FOR ONDITIONS OF APPROVAL
Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for Operation for Water Disposal A 1. Subject Well/Facility produ 2. Water is stored in 210 BBL 3. Water is loaded by truck (L 4. Operators of disposal facili a. Probity Dancliff SWD, L b. Location: Eddy County, c. NMOCD Permit Number R-13151 I hereby certify that the foregoing is Name (Printed/Typed) Karen Charles	hally or recomplete horizontally work will be performed or prov ved operations. If the operation I Abandonment Notices must be or final inspection.) As Follows: ces approximately 1/2 BWPI tank at facility. & E Services, Inc., Carlsbac ty: LC., API-30-015-23888 New Mexico Lse # L-6425- r: 163770 occ tt A	y, give subsurface locations and vide the Bond No. on file with 1 in results in a multiple completi e filed only after all requirement D. D. d, NM) and taken to Exxon S 860' FSL & 2020' FWL - Ur M = 5 = 7atc Accepted for record MOCD = 7/3 Title Product Date 04/20/20	d measured a BLM/BIA. H ion or recomp nts, including SWDSec. nit N 24 c w e d c //s ion Analyst 015	nd true vertical depths of a Required subsequent repor- pletion in a new interval, a reclamation, have been c 16T21S-R27E	all pertinent markers and zones. rts must be filed within 30 days a Form 3160-4 must be filed once completed and the operator has <b>NM OIL CONSERVAT</b> ARTESIA DISTRICT JUL 0 1 2015 RECEIVED SEE ATTACHED FOR ONDITIONS OF APPROVAL
Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for Operation for Water Disposal A 1. Subject Well/Facility produ 2. Water is stored in 210 BBL 3. Water is loaded by truck (L 4. Operators of disposal facili a. Probity Dancliff SWD, L b. Location: Eddy County c. NMOCD Permit Number R-13151 I hereby certify that the foregoing is Name (Printed/Typed) Karen Charles Signature proved by	hally or recomplete horizontally work will be performed or provived operations. If the operation I Abandonment Notices must be or final inspection.) As Follows: ces approximately 1/2 BWPI tank at facility. & E Services, Inc., Carlsbac ty: LC., API-30-015-23888 New Mexico Lse # L-6425- r: 163770 occ th A THIS SPACE F d. A THIS SPACE F	7, give subsurface locations and ride the Bond No. on file with 1 in results in a multiple completi e filed only after all requirement of NM) and taken to Exxon S -860' FSL & 2020' FWL - Ur MOS STATE Accepted for record NMOCD 7/3 Title Product Date 04/20/20 OR FEDERAL OR ST OR FEDERAL OR ST Title Of Warrant or certify	d measured a BLM/BIA. H ion or recomp nts, including SWDSec. nit N 24 c w e d c //s ion Analyst 015	nd true vertical depths of a Required subsequent repor- pletion in a new interval, a reclamation, have been c 16T21S-R27E 25-29E - 30 100-1-9 C(	all pertinent markers and zones. rts must be filed within 30 days a Form 3160-4 must be filed once completed and the operator has <b>NM OIL CONSERVAT</b> ARTESIA DISTRICT JUL 0 1 2015 RECEIVED SEE ATTACHED FOR ONDITIONS OF APPROVAL
Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for Operation for Water Disposal A 1. Subject Well/Facility produ 2. Water is stored in 210 BBL 3. Water is loaded by truck (L 4. Operators of disposal facili a. Probity Dancliff SWD, L b. Location: Eddy County c. NMOCD Permit Number R-13151 I hereby certify that the foregoing is Name (Printed/Typed) Karen Charles	hally or recomplete horizontally work will be performed or prov ved operations. If the operation Abandonment Notices must be or final inspection.) As Follows: ces approximately 1/2 BWPI tank at facility. & E Services, Inc., Carlsbac ty: LC., API-30-015-23888 , New Mexico Lse # L-6425- r: 163770 occ tx A THIS SPACE F d. Approval of this notice does n title to those rights in the subject I thereon. U.S.C. Section 1212, make it a cu	y, give subsurface locations and vide the Bond No. on file with 1 in results in a multiple completi e filed only after all requirement D. D. D. D. D. D. D. D. D. D. D. D. D.	d measured a BLM/BIA. H ion or recomp nts, including SWDSec. nit N 24 c w e d o/s ion Analyst 015 TATE OFF	nd true vertical depths of a Required subsequent repor- pletion in a new interval, a reclamation, have been c 16T21S-R27E 16T25-Z9E - 30 10Y 10Y 10Y 10Y 10	all pertinent markers and zones. rts must be filed within 30 days a Form 3160-4 must be filed once completed and the operator has <b>NM OIL CONSERVAT</b> ARTESIA DISTRICT JUL 0 1 2015 RECEIVED SEE ATTACHED FOR ONDITIONS OF APPROVAL PPROVED JUN 2 4 2015 TAMES A. AMOS UPERVISOR-EPS

## WATER DISPOSAL ONSHORE ORDER #7

The following information is needed before your method of water disposal can be considered for approval.

- 1. Name(s) of formation (s) producing water on the lease. Wolfcamp
- 2. Amount of water produced from each formation in barrels per day. <u>Subject Well/Facility produces approximately 1/2 BWPD.</u>
- 3. How water is stored on the lease. Water is stored in 210 BBL tank at facility
- How water is moved to disposal facility. Water is loaded by truck -- (L & E Services, Inc. Carlsbad) and taken to Exxon SWD --Sec. 16--T21S- R27E

5. Operator's of disposal facility

a. Lease name or well name and number \_\_\_\_\_\_ Probity Dancliff SWD, LLC- API-30-015-23888

b. Location by ½ ½ Section, Township, and Range of the disposal system \_\_\_\_\_ 245-296 - 30

Eddy Co. NM- Lse #L- 6425-- 860 ' FSL & 2020' FWL - Unit N

R-13151A

Submit above information on 1 original and 3 Copies of Sundry Notice 3160-5 or Submit above information on Sundry Notice 3160-5 electronically (EC) thru WIS system.

## BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

## Disposal of Produced Water From Federal Wells Conditions of Approval

Approval of the produced water disposal methodology is subject to the following conditions of approval:

1. This agency shall be notified of any change in your method or location of disposal.

2. Compliance with all provisions of Onshore Order No. 7.

- 3. This agency shall be notified of any spill or discharge as required by NTL-3A.
- 4. This agency reserves the right to modify or rescind approval whenever it determines continued use of the approved method may adversely affect the surface or subsurface environments.
- 5. Any on-lease open top storage tanks shall be covered with a protective cover to prevent entry by birds and other wildlife.
- 6. This approval should not constitute the granting of any right-of-way or construction rights not granted by the lease instrument.
- 7. If water is transported via a pipeline that extends beyond the lease boundary, then you need to submit within 30 days an application for right-of-way approval to the Realty Section in this office if you have not already done so.

8. Disposal at any other site will require prior approval.

9. Subject to like approval by NMOCD.

7/10/14