NM OIL CONSERVATION

Form 3160-5 (August 2007)	UNITED STATE DEPARTMENT OF THE I BUREAU OF LAND MANA	s nterior AÙG	3 2015 OCD Artesia	FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010 5. Lease Serial No. NMNM0405444		
SUNDF						
SUNDRY NOTICES AND REPORTS ON WE Do not use this form for proposals to drill or to re- abandoned well. Use form 3160-3 (APD) for such pr			:1VED	6. If Indian, Allottee	or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on reverse side.				7. If Unit or CA/Agreement, Name and/or No.		
1. Type of Well ☐ Gas Well ☐		8. Well Name and No. TODD 15I FED 9). }		
Name of Operator DEVON ENERGY PRODU	REBECCA DEAL A.DEAL@DVN.COM	DVN.COM 9. API Well No. 30-015-32949-00-S1		00-S1		
3a. Address 333 WEST SHERIDAN AVE OKLAHOMA CITY, OK 73102		3b. Phone No. (include area code) Ph: 405-228-8429		10. Field and Pool, or Exploratory INGLE WELLS-DELAWARE		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description		1)		11. County or Parish.	, and State	
Sec 15 T23S R31E NESE			EDDY COUNT	Y, NM		
12. CHECK A	PPROPRIATE BOX(ES)-T	O INDICATE NATURE C	OF NOTICE, RI	EPORT, OR OTHE	ER DATA	
TYPÉ OF SUBMISSION		TYPE OF ACTION				
☑ Notice of Intent	☐ Acidize	□ Deepen	☐ Product	etion (Start/Resume)		
	☐ Alter Casing	☐ Fracture Treat	🗖 Reclam	ation	■ Well Integrity	
☐ Subsequent Report	☐ Casing Repair	■ New Construction	Recomp	olete	☐ Other	
☐ Final Abandonment Notice	Change Plans	Plug and Abandor	n 🛭 🛭 Tempoi	nporarily Abandon		
· ·	Convert to Injection	Plug Back	□ Water I	Disposal		
Attach the Bond under which the following completion of the invetesting has been completed. Findetermined that the site is ready	tionally or recomplete horizontally work will be performed or provid lived operations. If the operation r il Abandonment Notices shall be fi	, give subsurface locations and me the Bond No. on file with BLM esults in a multiple completion or iled only after all requirements, in	neasured and true vi/BIA. Required su recompletion in a accluding reclamation me referenced w	ertical depths of all pertibequent reports shall be fine winterval, a Form 31 m, have been completed ell with	inent markers and zones. e filed within 30 days 60-4 shall be filed once , and the operator has prod for record NMOCD 813/K	
-ND WH, NU BOPE and to -Unset Packer and TOH w -MIRU WL unit & make ga -RIH and WL set CIBP @ -Dump bail 35? cement or -RIH and WL set CIBP @	/ 2-7/8? tubing uge run to 8,270? KBM 8,270? KBM top of CIBP, estimating nev 6,666? KBM top of CIBP, estimating nev	v PBTD at 6,631? KBM	SEE A' COND	TTACHED NMONSONS ARTESIA DI AUG 3	SERVICE STRICT	
· ·	Electronic Submission For DEVON ENER Ommitted to AFMSS for proce		ent to the Carlsi EZ on 07/28/201	pad 5 (15JAS0450SE)		
Name (Printed/Typed) RERE	CCA DEAL	Title PE	SHI ATORY OF	MADITANICE PROF	11/	

07/09/2015 Signature Date THIS SPACE FOR FEDERAL OR STATE OFFICE USE Title Approved By Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and will full thanks and the first agency States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

> BLM/REVISED ** BLM REVISED ** ** BLM REVISED ** BLM REVISED ** BLM REVISED **

Additional data for EC transaction #308643 that would not fit on the form

32. Additional remarks, continued


-RD WL
-TIH with SN and 2-7/8? tubing to 6,575? KBM:
-Load and circulate hole with 2% KCL and corrosion inhibitor
-Test 5-1/2? casing and CIBP w/ cement plug to 500 psi at surface for 30 minutes, chart test and have BLM witness test -Bleed off pressure, ND BOPE, NU WH -RDMO WSU


-Shut-in well

TA?ing well to bring well into OCD compliance, until well can be evaluated.

Devon respectfully requests a 2 year TA status for the captioned well.

Attached: Current and Proposed Wellbore Schematics.





BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Work to be completed by 10/28/2015.

TA status approved for a period of 12 months ending 10/28/2016 subject to conditions of approval.

Temporary Abandonment of Wells on Federal Lands Conditions of Approval

A temporarily abandoned well is defined as a completion that is not capable of production in paying quantities but which may have value as a service well. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

Temporary Abandonment (TA) status approval requires a successful mechanical or casing integrity test as follows:

- 1. A Notice of Intent (NOI) Sundry Notice (Form 3160-5) requesting approval to run a mechanical integrity test (MIT) or casing integrity test (CIT).
- 2. A description of the temporary abandonment procedure.
 - a. A bridge plug or packer must be installed as close to 50 feet above any open perforations or open hole as possible. If a cement plug is used, the top of the cement must be verified by tagging. CIBP must be capped with minimum 25 sacks cement, placed with tubing, or 35 feet of cement if placed with bailer.
 - b. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. Any leak-off will be evaluated.
 - c. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if they are not isolated by a packer.
 - d. A bradenhead test must be conducted. If the test indicates a problem exists, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
 - e. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 3. Provides justification why the well should be temporarily abandoned rather than permanently plugged and abandoned and an estimated date that the well will be returned to beneficial use or plugged and abandoned. 43 CFR 3162.3-4 (a) The operator shall promptly plug and abandon...wells in which oil or gas is not encountered in paying quantities...

Wells that successfully pass the casing integrity test **may** be approved for Temporary Abandonment (TA) status provided that the operator:

- 1. Submits a subsequent Sundry Notice (Form 31.60-5) requesting TA approval with well bore diagram with all perforations and CIBP's and tops of cement on CIBP's.
- 2. Describes the temporary abandonment procedure.
- 3. Attaches a clear copy or the original of the pressure test chart.
- 4. Give justification to allow well to be place in TA status and plan for future use of well with time frame that well will be place back on line or plans to P&A well will be submitted.

If the well does not pass the casing integrity test, then the operator shall within 30 days submit to BLM for approval one of the following:

- A procedure to repair the casing so that a TA approval can be granted.
- 2. A procedure to plug and abandon the well.

Todd 15l Fed 9

- 1. Well is approved to be TA/SI for a period of 12 months or until 10/28/2016
- 2. This will be the last TA approval for this well.
- 3. Must submit NOI to recomplete or NOI to P&A. Must be submitted by 010/28/2016
- 4. COA's met at this time.