

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe Office.

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

RECEIVED

DEC 1 2005

OCU-ARTESIA

Operator: **Samson Resources Co** Telephone: 918-591-138 e-mail address: **tkoscelny@samson.com**

Address: Two West Second Street, Tulsa, OK 74103-3103

Facility or well name: **Pine Springs 2 State #1** API #: **30-015-33562** U/L or Qtr/Qtr \_\_\_\_\_ Sec 2 T 26S R 25E

County: **Eddy** Latitude 32.07397 Longitude 104.37223 NAD: 1927 ☐ 1983 ☐ Surface Owner: Federal ☐ State ☒ Private ☐ Indian ☐

**Pit**

Type: Drilling ☒ Production ☐ Disposal ☐

Workover ☐ Emergency ☐

Lined ☒ Unlined ☐

Liner type: Synthetic ☒ Thickness 12 mil Clay ☐

Pit Volume \_\_\_\_\_ bbl

**Below-grade tank**

Volume: \_\_\_\_\_ bbl Type of fluid: \_\_\_\_\_

Construction material: \_\_\_\_\_

Double-walled, with leak detection? Yes ☐ If not, explain why not.

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water).

Less than 50 feet

(20 points)

☐

50 feet or more, but less than 100 feet

(10 points)

☒

100 feet or more

(0 points)

☐

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes

(20 points)

☐

No

(0 points)

☒

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet

(20 points)

☐

200 feet or more, but less than 1000 feet

(10 points)

☒

1000 feet or more

(0 points)

☐

**Ranking Score (Total Points)**

20

**If this is a pit closure:** (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

**Additional Comments:**

All fluids will be removed from the pit. Burial pit will be constructed adjacent to the drilling pit. Burial pit will be lined with a 12 ml liner.

Impacted material will be placed in the burial pit, totally encapsulated and capped with a 20 ml liner covered by 3 feet of topsoil to grade.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been / will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/22/05

Printed Name / Title **Jerry Brian/Ocotillo Env. as Agent for Samson Resources**

Signature *Jerry Brian - Acting Agent for Samson Resources*

Your certification and NMOCD approval of this application / closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and / or regulations.

Approval:

Printed Name / Title **Gerry Guye Compliance Officer**


Signature *Gerry Guye*

Date

DEC 6 2005

Samson Resources  
Quine Spring 2 State #1  
Sec. 2 - T26S - R25E  
API # 30-015-33562  
Eddy Cnty, NM

N ↑



*Rine Spring, 2 St#1**New Mexico Office of the State Engineer  
Well Reports and Downloads*

Township: 26S Range: 25E Sections: 1,2,3,10,11,12

NAD27 X: Y: Zone: ☐ Search Radius:County: ED ☐ Basin: C ☐ Number: Suffix:

Owner Name: (First) (Last) Non-Domestic Domestic All

Well / Surface Data Report Avg Depth to Water Report Water Column Report

[Clear Form](#) [WATERS Menu](#) [Help](#)

## AVERAGE DEPTH OF WATER REPORT 10/10/2005

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg
C	26S	25E	12				1	150	150	150

Record Count: 1