

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240

State of New Mexico

Form C-102

Energy, Minerals, and Natural Resources Department

Revised August 15, 2000

DISTRICT II
1301 W. Grand Avenue, Artesia, NM 88210

OIL CONSERVATION DIVISION

Submit to Appropriate District Office

State Lease - 4 copies

Fee Lease - 3 copies

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

1220 South St. Francis Dr.

Santa Fe, New Mexico 87505

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-34481	² Pool Code 75260	³ Pool Name Cottonwood Creek; WC, West (Gas)
⁴ Property Code	⁵ Property Name BRAZOS "A" 11 FEE	⁶ Well Number 1H
⁷ OGRID No. 7377	⁸ Operator Name EOG RESOURCES, INC.	⁹ Elevation 3560'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	11	16 SOUTH	24 EAST, N.M.P.M.		892'	NORTH	130'	EAST	EDDY

¹¹ Bottom Hole Location If Different From Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	11	16 SOUTH	24 EAST, N.M.P.M.		760'	NORTH	660'	WEST	EDDY

¹² Dedicated Acres 320	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

NO ALLOWABLE WELL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

PROJECT AREA PRODUCING AREA BHL X = 428831 Y = 706615 LAT.: N 32.9423424 LONG.: W 104.5653175 POINT OF ENTRY X = 432816 Y = 706679 LAT.: N 32.9425426 LONG.: W 104.5523294 NAD 27 NME ZONE X = 433345 Y = 708555 LAT.: N 32.9422062 LONG.: W 104.5506041 RECEIVED DEC 19 2005 OCD-ARTESIA	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief. <i>Donny G. Glanton</i> Signature Donny G. Glanton Printed Name ROW Agent Title 12-16-2005 Date ¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual survey made by me or under my supervision, and that the same is true and correct to the best of my belief. <i>V. A. Bezner</i> Signature and Seal of Professional Surveyor NOVEMBER 16, 2005 7920 Date of Survey V. A. BEZNER R.P.S. #7920 Certificate Number JOB # 107979 / 101 NE / J.W.W.
---	--

New Mexico Double Horseshoe Reserve Pit Design



Approximate Inside Reserve Volume: 4500 bbls
Approximate Outside Reserve Volume: 5800 bbls

Permit Information:

Well Name: Brazos A 11 Fee #1H

Location:

SL 892' FNL & 130' FEL, Section 11, T-16-S, R-24-E, Eddy Co., N.M.
 PP 760' FNL & 660' FEL, Section 11, T-16-S, R-24-E, Eddy Co., N.M.
 BHL 760' FNL & 660' FWL, Section 11, T-16-S, R-24-E, Eddy Co., N.M.

Casing Program:

Casing	Setting Depth	Hole Size	Casing Size	Casing Weight	Casing Grade	Desired TOC
Surface	900'	9-7/8"	7"	26#	J-55	Surface
Production	8,881'	6-1/8"	4 1/2"	11.6/ 13.5#	P-110	Surface

Cement Program:

Depth	No. Sacks	Slurries:
900'	300	Lead: Premium Plus + 2% CaCl ₂ + 3% Econolite + 1/4 pps Flocele
	200	Tail: Premium Plus + 2% CaCl ₂ + 1/4 pps Flocele
8,881'	400	Lead: Interfill C + 1/4 pps Flocele
	350	Tail: Premium Cement + 100% Acid Soluble Additive + 0.6% Halad®-344 + 0.8% Econolite + 0.2% HR-55

Mud Program:

Depth	Type	Weight (ppg)	Viscosity	Water Loss
0 – 950'	Fresh - Gel	8.6-8.8	28-34	N/c
950' – 4,400'	Cut Brine	8.8-9.2	28-34	N/c
4,400' – 5,100'	Cut Brine	8.8-9.2	28-34	10-15
4,000' – 8,881'	Polymer (Lateral)	9.0-9.4	40-45	10-25



EOG Resources, Inc.
P.O. Box 2267
Midland, TX 79702
(915) 686-3600

December 16, 2005

State of New Mexico Energy, Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

To Whom It May Concern:

I am writing to request a waiver for the inclusion of an H₂S Contingency Plan for the Brazos A 11 Fee #1H. The current plan is to complete this well in the Wolfcamp, which is sweet, and I do not anticipate encountering any H₂S bearing formations during drilling operations.

Sincerely,

A handwritten signature in black ink, appearing to read "Jason LaGrega", written over a horizontal line.

Jason LaGrega
Drilling Engineer

e

[illegible]

e Planning Report

Company: eog resources
Field: Thames
Site: Brazos A 11 Fee #1H
Well: Brazos A 11 Fee #1H
Wellpath: Brazos A 11 Fee #1H

Date: 12/16/2005 Time: 12:58:31 Page: 2
Co-ordinate(NE) Reference: Site: Brazos A 11 Fee #1H, Grid North
Vertical (TVD) Reference: SITE 3577.0
Section (VS) Reference: Well (0.00N,0.00E,270.76Azi)
Plan: Plan #1

Section 1 : Start Hold

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg
1700.00	0.00	0.00	1700.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1800.00	0.00	0.00	1800.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1900.00	0.00	0.00	1900.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000.00	0.00	0.00	2000.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2100.00	0.00	0.00	2100.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2200.00	0.00	0.00	2200.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2300.00	0.00	0.00	2300.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2400.00	0.00	0.00	2400.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2500.00	0.00	0.00	2500.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2600.00	0.00	0.00	2600.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2700.00	0.00	0.00	2700.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2800.00	0.00	0.00	2800.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2900.00	0.00	0.00	2900.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3000.00	0.00	0.00	3000.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3100.00	0.00	0.00	3100.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3200.00	0.00	0.00	3200.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3300.00	0.00	0.00	3300.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3400.00	0.00	0.00	3400.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3500.00	0.00	0.00	3500.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3600.00	0.00	0.00	3600.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3700.00	0.00	0.00	3700.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3800.00	0.00	0.00	3800.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3900.00	0.00	0.00	3900.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4000.00	0.00	0.00	4000.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4050.00	0.00	0.00	4050.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Section 2 : Start Hold

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg
4054.33	0.00	0.00	4054.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Section 3 : Start DLS 10.50 TFO 271.00

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg
4100.00	4.80	271.00	4099.95	0.03	-1.91	1.91	10.50	10.50	0.00	0.00
4150.00	10.05	271.00	4149.51	0.15	-8.36	8.37	10.50	10.50	0.00	0.00
4200.00	15.30	271.00	4198.28	0.34	-19.33	19.33	10.50	10.50	0.00	0.00
4250.00	20.55	271.00	4245.83	0.61	-34.70	34.71	10.50	10.50	0.00	0.00
4300.00	25.80	271.00	4291.78	0.95	-54.37	54.38	10.50	10.50	0.00	0.00
4350.00	31.05	271.00	4335.74	1.36	-78.15	78.16	10.50	10.50	0.00	0.00
4400.00	36.30	271.00	4377.34	1.85	-105.86	105.88	10.50	10.50	0.00	0.00
4450.00	41.55	271.00	4416.23	2.40	-137.26	137.28	10.50	10.50	0.00	0.00
4500.00	46.80	271.00	4452.08	3.00	-172.08	172.10	10.50	10.50	0.00	0.00
4550.00	52.05	271.00	4484.59	3.67	-210.04	210.07	10.50	10.50	0.00	0.00
4600.00	57.30	271.00	4513.49	4.38	-250.81	250.84	10.50	10.50	0.00	0.00
4650.00	62.55	271.00	4538.55	5.13	-294.05	294.09	10.50	10.50	0.00	0.00
4700.00	67.80	271.00	4559.53	5.92	-339.41	339.46	10.50	10.50	0.00	0.00
4750.00	73.05	271.00	4576.28	6.75	-386.49	386.55	10.50	10.50	0.00	0.00
4800.00	78.30	271.00	4588.65	7.59	-434.91	434.98	10.50	10.50	0.00	0.00
4850.00	83.55	271.00	4596.54	8.45	-484.26	484.33	10.50	10.50	0.00	0.00
4900.00	88.80	271.00	4599.88	9.32	-534.12	534.20	10.50	10.50	0.00	0.00
4911.47	90.00	271.00	4600.00	9.52	-545.59	545.67	10.50	10.50	0.00	0.00

Section 4 : Start DLS 3.00 TFO -20.22

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg
4937.71	90.74	270.73	4599.83	9.92	-571.83	571.91	3.00	2.82	-1.04	-20.22

e

Date: 12/16/2005 Time: 12:58:31 Page:
Co-ordinate(NE) Reference: Site: Brazos A 11 Fee #1H, Grid North
Vertical (TVD) Reference: SITE 3577.0
Section (VS) Reference: Well (0.00N,0.00E,270.76Azi)
Plan: Plan #1

Page: 3

Section 5 : Start Hold

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg
5000.00	90.74	270.73	4599.03	10.71	-634.11	634.19	0.00	0.00	0.00	0.00
5100.00	90.74	270.73	4597.74	11.98	-734.09	734.19	0.00	0.00	0.00	0.00
5200.00	90.74	270.73	4596.45	13.25	-834.08	834.18	0.00	0.00	0.00	0.00
5300.00	90.74	270.73	4595.16	14.52	-934.06	934.17	0.00	0.00	0.00	0.00
5400.00	90.74	270.73	4593.87	15.79	-1034.04	1034.16	0.00	0.00	0.00	0.00
5500.00	90.74	270.73	4592.58	17.06	-1134.03	1134.15	0.00	0.00	0.00	0.00
5600.00	90.74	270.73	4591.29	18.33	-1234.01	1234.14	0.00	0.00	0.00	0.00
5700.00	90.74	270.73	4590.00	19.60	-1333.99	1334.14	0.00	0.00	0.00	0.00
5800.00	90.74	270.73	4588.71	20.87	-1433.98	1434.13	0.00	0.00	0.00	0.00
5900.00	90.74	270.73	4587.42	22.14	-1533.96	1534.12	0.00	0.00	0.00	0.00
6000.00	90.74	270.73	4586.14	23.41	-1633.94	1634.11	0.00	0.00	0.00	0.00
6100.00	90.74	270.73	4584.85	24.68	-1733.93	1734.10	0.00	0.00	0.00	0.00
6200.00	90.74	270.73	4583.56	25.95	-1833.91	1834.09	0.00	0.00	0.00	0.00
6300.00	90.74	270.73	4582.27	27.22	-1933.90	1934.09	0.00	0.00	0.00	0.00
6400.00	90.74	270.73	4580.98	28.49	-2033.88	2034.08	0.00	0.00	0.00	0.00
6500.00	90.74	270.73	4579.69	29.76	-2133.86	2134.07	0.00	0.00	0.00	0.00
6600.00	90.74	270.73	4578.40	31.03	-2233.85	2234.06	0.00	0.00	0.00	0.00
6700.00	90.74	270.73	4577.11	32.30	-2333.83	2334.05	0.00	0.00	0.00	0.00
6800.00	90.74	270.73	4575.82	33.57	-2433.81	2434.04	0.00	0.00	0.00	0.00
6900.00	90.74	270.73	4574.53	34.84	-2533.80	2534.04	0.00	0.00	0.00	0.00
7000.00	90.74	270.73	4573.24	36.11	-2633.78	2634.03	0.00	0.00	0.00	0.00
7100.00	90.74	270.73	4571.95	37.38	-2733.76	2734.02	0.00	0.00	0.00	0.00
7200.00	90.74	270.73	4570.67	38.65	-2833.75	2834.01	0.00	0.00	0.00	0.00
7300.00	90.74	270.73	4569.38	39.92	-2933.73	2934.00	0.00	0.00	0.00	0.00
7400.00	90.74	270.73	4568.09	41.19	-3033.72	3033.99	0.00	0.00	0.00	0.00
7500.00	90.74	270.73	4566.80	42.46	-3133.70	3133.99	0.00	0.00	0.00	0.00
7600.00	90.74	270.73	4565.51	43.73	-3233.68	3233.98	0.00	0.00	0.00	0.00
7700.00	90.74	270.73	4564.22	45.01	-3333.67	3333.97	0.00	0.00	0.00	0.00
7800.00	90.74	270.73	4562.93	46.28	-3433.65	3433.96	0.00	0.00	0.00	0.00
7900.00	90.74	270.73	4561.64	47.55	-3533.63	3533.95	0.00	0.00	0.00	0.00
8000.00	90.74	270.73	4560.35	48.82	-3633.62	3633.94	0.00	0.00	0.00	0.00
8100.00	90.74	270.73	4559.06	50.09	-3733.60	3733.94	0.00	0.00	0.00	0.00
8200.00	90.74	270.73	4557.77	51.36	-3833.58	3833.93	0.00	0.00	0.00	0.00
8300.00	90.74	270.73	4556.48	52.63	-3933.57	3933.92	0.00	0.00	0.00	0.00
8400.00	90.74	270.73	4555.19	53.90	-4033.55	4033.91	0.00	0.00	0.00	0.00
8500.00	90.74	270.73	4553.91	55.17	-4133.54	4133.90	0.00	0.00	0.00	0.00
8600.00	90.74	270.73	4552.62	56.44	-4233.52	4233.89	0.00	0.00	0.00	0.00
8700.00	90.74	270.73	4551.33	57.71	-4333.50	4333.89	0.00	0.00	0.00	0.00
8800.00	90.74	270.73	4550.04	58.98	-4433.49	4433.88	0.00	0.00	0.00	0.00
8880.14	90.74	270.73	4549.00	60.00	-4513.62	4514.01	0.00	0.00	0.00	0.00

Section 6 : Start DLS 3.00 TFO 10.78

MD ft	Incl deg	Azim deg	TVD ft	+N-S ft	+E-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg
8880.53	90.75	270.73	4549.00	60.00	-4514.00	4514.40	3.00	2.95	0.56	10.78

Survey

[illegible]

e Planning Report

Company: eog resources
Field: Thames
Site: Brazos A 11 Fee #1H
Well: Brazos A 11 Fee #1H
Wellpath: Brazos A 11 Fee #1H

Date: 12/16/2005 Time: 12:58:31 Page: 4
Co-ordinate(NE) Reference: Site: Brazos A 11 Fee #1H, Grid North
Vertical (TVD) Reference: SITE 3577.0
Section (VS) Reference: Well (0.00N,0.00E,270.76Azi)
Plan: Plan #1

Survey

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
1100.00	0.00	0.00	1100.00	0.00	0.00	0.00	0.00	0.00	0.00	
1200.00	0.00	0.00	1200.00	0.00	0.00	0.00	0.00	0.00	0.00	
1300.00	0.00	0.00	1300.00	0.00	0.00	0.00	0.00	0.00	0.00	
1400.00	0.00	0.00	1400.00	0.00	0.00	0.00	0.00	0.00	0.00	
1500.00	0.00	0.00	1500.00	0.00	0.00	0.00	0.00	0.00	0.00	
1600.00	0.00	0.00	1600.00	0.00	0.00	0.00	0.00	0.00	0.00	
1700.00	0.00	0.00	1700.00	0.00	0.00	0.00	0.00	0.00	0.00	
1800.00	0.00	0.00	1800.00	0.00	0.00	0.00	0.00	0.00	0.00	
1900.00	0.00	0.00	1900.00	0.00	0.00	0.00	0.00	0.00	0.00	
2000.00	0.00	0.00	2000.00	0.00	0.00	0.00	0.00	0.00	0.00	
2100.00	0.00	0.00	2100.00	0.00	0.00	0.00	0.00	0.00	0.00	
2200.00	0.00	0.00	2200.00	0.00	0.00	0.00	0.00	0.00	0.00	
2300.00	0.00	0.00	2300.00	0.00	0.00	0.00	0.00	0.00	0.00	
2400.00	0.00	0.00	2400.00	0.00	0.00	0.00	0.00	0.00	0.00	
2500.00	0.00	0.00	2500.00	0.00	0.00	0.00	0.00	0.00	0.00	
2600.00	0.00	0.00	2600.00	0.00	0.00	0.00	0.00	0.00	0.00	
2700.00	0.00	0.00	2700.00	0.00	0.00	0.00	0.00	0.00	0.00	
2800.00	0.00	0.00	2800.00	0.00	0.00	0.00	0.00	0.00	0.00	
2900.00	0.00	0.00	2900.00	0.00	0.00	0.00	0.00	0.00	0.00	
3000.00	0.00	0.00	3000.00	0.00	0.00	0.00	0.00	0.00	0.00	
3100.00	0.00	0.00	3100.00	0.00	0.00	0.00	0.00	0.00	0.00	
3200.00	0.00	0.00	3200.00	0.00	0.00	0.00	0.00	0.00	0.00	
3300.00	0.00	0.00	3300.00	0.00	0.00	0.00	0.00	0.00	0.00	
3400.00	0.00	0.00	3400.00	0.00	0.00	0.00	0.00	0.00	0.00	
3500.00	0.00	0.00	3500.00	0.00	0.00	0.00	0.00	0.00	0.00	
3600.00	0.00	0.00	3600.00	0.00	0.00	0.00	0.00	0.00	0.00	
3700.00	0.00	0.00	3700.00	0.00	0.00	0.00	0.00	0.00	0.00	
3800.00	0.00	0.00	3800.00	0.00	0.00	0.00	0.00	0.00	0.00	
3900.00	0.00	0.00	3900.00	0.00	0.00	0.00	0.00	0.00	0.00	
4000.00	0.00	0.00	4000.00	0.00	0.00	0.00	0.00	0.00	0.00	
4050.00	0.00	0.00	4050.00	0.00	0.00	0.00	0.00	0.00	0.00	
4054.33	0.00	0.00	4054.33	0.00	0.00	0.00	0.00	0.00	0.00	
4100.00	4.80	271.00	4099.95	0.03	-1.91	1.91	10.50	10.50	0.00	
4150.00	10.05	271.00	4149.51	0.15	-8.36	8.37	10.50	10.50	0.00	
4200.00	15.30	271.00	4198.28	0.34	-19.33	19.33	10.50	10.50	0.00	
4250.00	20.55	271.00	4245.83	0.61	-34.70	34.71	10.50	10.50	0.00	
4300.00	25.80	271.00	4291.78	0.95	-54.37	54.38	10.50	10.50	0.00	
4350.00	31.05	271.00	4335.74	1.36	-78.15	78.16	10.50	10.50	0.00	
4400.00	36.30	271.00	4377.34	1.85	-105.86	105.88	10.50	10.50	0.00	
4450.00	41.55	271.00	4416.23	2.40	-137.26	137.28	10.50	10.50	0.00	
4500.00	46.80	271.00	4452.08	3.00	-172.08	172.10	10.50	10.50	0.00	
4550.00	52.05	271.00	4484.59	3.67	-210.04	210.07	10.50	10.50	0.00	
4600.00	57.30	271.00	4513.49	4.38	-250.81	250.84	10.50	10.50	0.00	
4650.00	62.55	271.00	4538.55	5.13	-294.05	294.09	10.50	10.50	0.00	
4700.00	67.80	271.00	4559.53	5.92	-339.41	339.46	10.50	10.50	0.00	
4750.00	73.05	271.00	4576.28	6.75	-386.49	386.55	10.50	10.50	0.00	
4800.00	78.30	271.00	4588.65	7.59	-434.91	434.98	10.50	10.50	0.00	
4850.00	83.55	271.00	4596.54	8.45	-484.26	484.33	10.50	10.50	0.00	
4900.00	88.80	271.00	4599.88	9.32	-534.12	534.20	10.50	10.50	0.00	
4911.47	90.00	271.00	4600.00	9.52	-545.59	545.67	10.50	10.50	0.00	
4937.71	90.74	270.73	4599.83	9.92	-571.83	571.91	3.00	2.82	-1.04	
5000.00	90.74	270.73	4599.03	10.71	-634.11	634.19	0.00	0.00	0.00	
5100.00	90.74	270.73	4597.74	11.98	-734.09	734.19	0.00	0.00	0.00	
5200.00	90.74	270.73	4596.45	13.25	-834.08	834.18	0.00	0.00	0.00	

e Planning Report

Company: eog resources
Field: Thames
Site: Brazos A 11 Fee #1H
Well: Brazos A 11 Fee #1H
Wellpath: Brazos A 11 Fee #1H

Date: 12/16/2005 Time: 12:58:31 Page: 5
Co-ordinate(NE) Reference: Site: Brazos A 11 Fee #1H, Grid North
Vertical (TVD) Reference: SITE 3577.0
Section (VS) Reference: Well (0.00N,0.00E,270.76Azi)
Plan: Plan #1

Survey

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
5300.00	90.74	270.73	4595.16	14.52	-934.06	934.17	0.00	0.00	0.00	
5400.00	90.74	270.73	4593.87	15.79	-1034.04	1034.16	0.00	0.00	0.00	
5500.00	90.74	270.73	4592.58	17.06	-1134.03	1134.15	0.00	0.00	0.00	
5600.00	90.74	270.73	4591.29	18.33	-1234.01	1234.14	0.00	0.00	0.00	
5700.00	90.74	270.73	4590.00	19.60	-1333.99	1334.14	0.00	0.00	0.00	
5800.00	90.74	270.73	4588.71	20.87	-1433.98	1434.13	0.00	0.00	0.00	
5900.00	90.74	270.73	4587.42	22.14	-1533.96	1534.12	0.00	0.00	0.00	
6000.00	90.74	270.73	4586.14	23.41	-1633.94	1634.11	0.00	0.00	0.00	
6100.00	90.74	270.73	4584.85	24.68	-1733.93	1734.10	0.00	0.00	0.00	
6200.00	90.74	270.73	4583.56	25.95	-1833.91	1834.09	0.00	0.00	0.00	
6300.00	90.74	270.73	4582.27	27.22	-1933.90	1934.09	0.00	0.00	0.00	
6400.00	90.74	270.73	4580.98	28.49	-2033.88	2034.08	0.00	0.00	0.00	
6500.00	90.74	270.73	4579.69	29.76	-2133.86	2134.07	0.00	0.00	0.00	
6600.00	90.74	270.73	4578.40	31.03	-2233.85	2234.06	0.00	0.00	0.00	
6700.00	90.74	270.73	4577.11	32.30	-2333.83	2334.05	0.00	0.00	0.00	
6800.00	90.74	270.73	4575.82	33.57	-2433.81	2434.04	0.00	0.00	0.00	
6900.00	90.74	270.73	4574.53	34.84	-2533.80	2534.04	0.00	0.00	0.00	
7000.00	90.74	270.73	4573.24	36.11	-2633.78	2634.03	0.00	0.00	0.00	
7100.00	90.74	270.73	4571.95	37.38	-2733.76	2734.02	0.00	0.00	0.00	
7200.00	90.74	270.73	4570.67	38.65	-2833.75	2834.01	0.00	0.00	0.00	
7300.00	90.74	270.73	4569.38	39.92	-2933.73	2934.00	0.00	0.00	0.00	
7400.00	90.74	270.73	4568.09	41.19	-3033.72	3033.99	0.00	0.00	0.00	
7500.00	90.74	270.73	4566.80	42.46	-3133.70	3133.99	0.00	0.00	0.00	
7600.00	90.74	270.73	4565.51	43.73	-3233.68	3233.98	0.00	0.00	0.00	
7700.00	90.74	270.73	4564.22	45.01	-3333.67	3333.97	0.00	0.00	0.00	
7800.00	90.74	270.73	4562.93	46.28	-3433.65	3433.96	0.00	0.00	0.00	
7900.00	90.74	270.73	4561.64	47.55	-3533.63	3533.95	0.00	0.00	0.00	
8000.00	90.74	270.73	4560.35	48.82	-3633.62	3633.94	0.00	0.00	0.00	
8100.00	90.74	270.73	4559.06	50.09	-3733.60	3733.94	0.00	0.00	0.00	
8200.00	90.74	270.73	4557.77	51.36	-3833.58	3833.93	0.00	0.00	0.00	
8300.00	90.74	270.73	4556.48	52.63	-3933.57	3933.92	0.00	0.00	0.00	
8400.00	90.74	270.73	4555.19	53.90	-4033.55	4033.91	0.00	0.00	0.00	
8500.00	90.74	270.73	4553.91	55.17	-4133.54	4133.90	0.00	0.00	0.00	
8600.00	90.74	270.73	4552.62	56.44	-4233.52	4233.89	0.00	0.00	0.00	
8700.00	90.74	270.73	4551.33	57.71	-4333.50	4333.89	0.00	0.00	0.00	
8800.00	90.74	270.73	4550.04	58.98	-4433.49	4433.88	0.00	0.00	0.00	
8880.14	90.74	270.73	4549.00	60.00	-4513.62	4514.01	0.00	0.00	0.00	
8880.53	90.75	270.73	4549.00	60.00	-4514.00	4514.40	3.00	2.95	0.56	

SITE DETAILS

Brazos A 11 Fee #1H

Site Centre Northing: 706555.00
Easting: 433345.00

Ground Level: 3560.00
Positional Uncertainty: 0.00
Convergence: -0.12

WELLPATH DETAILS

Brazos A 11 Fee #1H

Rig:	SITE 3577.00ft		
Ref. Datum:			
V. Section Angle	Origin +N/-S	Origin +E/-W	Starting From TVD
270.76°	0.00	0.00	4549.00

