District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

Form C-144

June 1, 2004

For downstream facilities, submit to Santa Fe office

Pit	or Be	elow-	Grade	Tank	Regist	ration o	r Closure

Is pit or below-grade tank covered by a "general plan"? Yes \(\sqrt{\omega} \) No \(\sqrt{\omega} \) Type of action: Registration of a pit or below-grade tank \(\subseteq\) Closure of a pit or below-grade tank \(\subseteq\) Operator: Yates Petroleum Corporation Telephone: 505-748-4500 e-mail address: mikes@ypcnm.com Address: 105 South 4th Street, Artesia, N.M. 88210 Facility or well name: Stare BEA State Com 1 API #: 30-005-63569 U/L or Qtr/Qtr D Sec 8 T 9S R 27E Latitude 33.55248 Longitude 104.22169 NAD: 1927 ☑ 1983 ☐ Surface Owner: Federal ☐ State ☒ Private ☐ Indian ☐ Pit Below-grade tank RECEIVED Type: Drilling Production Disposal Volume: ____bbl Type of fluid: ___ DEC 28 2005 Work over ☐ Emergency ☐ Construction material: Double-walled, with leak detection? Yes If not, explain why not. Lined Unlined Liner type: Synthetic 🛛 Thickness 12 mil Clay Pit Volume 12,000 bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal high 50 feet or more, but less than 100 feet (10 points) water elevation of ground water.) 100 feet or more (0 points) XXXX Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic water No (0 points) XXXX source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) XXXX Ranking Score (Total Points) **0 POINTS** If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite offsite If offsite, name of facility NA . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🗆 Yes 🔲 If yes, show depth below ground surface______ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Closure work plan for drilling pit. The drilling pit contents will be mixed to stiffen the pit contents. Encapsulation trench will be excavated and lined with a 12 mil. Synthetic liner on former drilling pit site. Drilling pit contents will then be emplaced into the encapsulation trench. A 20 mil. Synthetic liner will then be placed over the pit contents with a min. of a 3' over lap of the underlying trench areas. The encapsulation trenches will then be backfilled back to grade using a min. of 3' of clean soil and like material. A one call & 48 hour notice will be provided to the Oil Conservation Division before pit closure actions begin. Pit Closure actions to begin by NA. Ending date NA I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines \square , a general permit \boxtimes , or an (attached) alternative OCD-approved plan \square . mer Stillie Date: 12/26/2005 Printed Name/Title Mike Stubblefield / Regulatory Agent Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval:
Printed Name/Title Mike Gratcher Gray Signature Will Benzuex

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144

June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Dit on Dalom C					
Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No					
Type of action: Registration of a pit	or below-grade tank Closure of a pit or below-grade	tank 🗵			
Operator: Yates Petroleum Corporation Telephone: 505-748-4500 e-mail Address: 105 South 4th Street, Artesia, N.M. 88210 Facility or well name: Stare BEA State Com 1 API #: 30-005-63569 U/L or County: Chaves Latitude 33.55248 Longitude Surface Owner: Federal State Private Indian	Qtr/Qtr <u>D</u> Sec <u>8 T 9S</u> R <u>27E</u>				
<u>Pit</u>	Below-grade tank	RECEIVED			
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	DEC 2 8 2005			
Work over Emergency	Construction material:				
Lined Unlined	Double-walled, with leak detection? Yes If not, ex	plain why not.			
Liner type: Synthetic ☑ Thickness 12_mil Clay ☐ Pit Volume 12,000 bbl					
11 Tolune 12,000 001	Less than 50 feet	(20 points)			
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points)			
water elevation of ground water.)	100 feet or more	(0 points) XXXX			
7 d 000 C C	Yes	(20 points)			
Wellhead protection area: (Less than 200 feet from a private domestic water	No	(0 points) XXXX			
source, or less than 1000 feet from all other water sources.)					
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)			
·	1000 feet of finite	(0 points) XXXX			
	Ranking Score (Total Points)	0 POINTS			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relatin place) onsite ☐ If offsite, name of facility NA (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground so Attach soil sample results and a diagram of sample locations and excavations.	. (3) Attach a general description of remedial action ta surfaceft, and attach sample results.	,			
Additional Comments: Registration for encapsulation trench. The drilling pit c	ontents will be mixed to stiffen the pit contents. Encapsul	lation trench will be excavated and lined with a 12			
mil. Synthetic liner on former drilling pit site. Drilling pit contents will then be					
with a min. of a 3' over lap of the underlying trench areas. The encapsulation t	•	·			
48 hour notice will be provided to the Oil Conservation Division before pit clos		· · · · · · · · · · · · · · · · · · ·			
Pit Closure actions to begin by NA. Ending date NA					
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .					
Date: 12/26/2005 Printed Name/Title Mike Stubblefield / Regulatory Agent	Signature Signature	LA CONTRACTOR OF THE STATE OF T			

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature

Approval:
Printed Name/Title Mike Statcher Assett

Printed Name/Title Mike Stubblefield / Regulatory Agent

Signature Mile Kanzum

District I 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division

For drilling and production facilities, submit to appropriate NMOCD District Office.


For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

1220 South St. Francis Dr. Santa Fe, NM 87505 office

	rade Tank Registration or Closure						
Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐ Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒							
Operator: Yates Petroleum Corporation Telephone: 505-748-4500 e-mail address: mikes@ypcnm.com							
Address: 105 South 4th Street, Artesia, N.M. 88210							
Facility or well name: Stare BEA State Com 1 API #: 30-005-63569 U/L or Qtr/Qtr D Sec 8 T 9S R 27E							
County: <u>Chaves</u> Latitude <u>33.55248</u> Longitude <u>104.22169</u> NAD: 1927 🗵 1983 🗌							
Surface Owner: Federal State Private Indian							
<u>Pit</u>	Below-grade tank						
Type: Drilling A Production Disposal	Volume:bbl Type of fluid:						
Work over ☐ Emergency ☐	Construction material: RECEIV						
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.						
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐	1		DEC 2 8 7005				
Pit Volume 12,000 bbl		•	20UMATERIM				
Dott to an advantage (and all distances from bottom of the control	Less than 50 feet	(20 points)					
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points)					
water elevation of ground water.)	100 feet or more	(0 points) XXXX					
	Yes						
Wellhead protection area: (Less than 200 feet from a private domestic water	No	(20 points)					
source, or less than 1000 feet from all other water sources.)	110	(0 points) XXXX					
Distance to surface content (hasimontal distance to all contlands places	Less than 200 feet	(20 points)					
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)					
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) XXXX					
	D. H. O. (T. (ID.) (A)		0 POINTS				
	Ranking Score (Total Points)	'	UPUINIS				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's rela	ationship to other equipment and tanks. (2) Indicate dispos	sal location: (check the	he onsite box if you are burying				
in place) onsite offsite foffsite, name of facility NA							
(4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground:	•						
(5) Attach soil sample results and a diagram of sample locations and excavations.							
Additional Comments: Closure work plan for encapsulation trench. The drillin	g pit contents will be mixed to stiffen the pit contents. En	capsulation trench wi	Il be excavated and lined				
with a 12 mil. Synthetic liner on former drilling pit site. Drilling pit contents w	vill then be emplaced into the encapsulation trench. A 20 r	nil. Synthetic liner w	ill then be placed over the pit				
contents with a min. of a 3' over lap of the underlying trench areas. The encaps	sulation trenches will then be backfilled back to grade usin	g a min. of 3' of clea	n soil and like material. A				
one call & 48 hour notice will be provided to the Oil Conservation Division bet							
Pit Closure actions to begin by NA. Ending date NA							
I hereby certify that the information above is true and complete to the best of m			low-grade tank has				
been/will be constructed or closed according to NMOCD guidelines □, a general permit ☒, or an (attached) alternative OCD-approved plan □.							
Date: 12/26/2005							
Date: 12/26/2005 Printed Name/Title Mike Stubblefield / Regulatory Agent Signature							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
Approval:							
Printed Name/Title Wike Ara the Alexatt Signature While Departer Date: 12/29/05							



New Mexico Office of the State Engineer POD Reports and Downloads

Township: 09S Range: 27E	Sections:		
NAD27 X: Y:	Zone: Search Radius:		
County: Basin:	Number: Suffix:		
Owner Name: (First) (Last	Non-Domestic ODomestic All		
POD / Surface Data Report Avg Depth to Water Report Water Column Report Clear Form iWATERS Menu Help			

AVERAGE DEPTH OF WATER REPORT 12/27/2005

(Depth Water in Feet)
Bsn Tws Rng Sec Zone X Y Wells Min Max Avg

No Records found, try again