Submit 3 Copies to Appropriate District Office District I

State of New Mexico Energy. Minerals and Natural Resources

Form C-103 Revised March 25, 1999

1625 N. French Dr., Hobbs, NM 88240				WELL API N	0.		
District II	OIL CONSERVA	ATION I	DIVISION		30-015-2840	16	
811 South First, Artesia, NM 88210 District III	OIL CONSERVATION DIVISION 2040 South Pacheco St.			5. Indicate Type of Lease			
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505		STATE FEE X				
District IV 2040 South Pacheco, Santa Fe, NM 87505	Santa re,	, 14141 675	03	6. State Oil &	Gas Lease No.		
SUNDRY NOTICE	ES AND REPORTS	ON WE	LLS	7. Lease Name	e or Unit Agree	ment Name:	_
(DO NOT USE THIS FORM FOR PROP							
DIFFERENT RESERVOIR. USE "APPL PROPOSALS.)	ICATION FOR PERMIT" (F	FORM C-101) FOR SUCH		•		
1. Type of Well:		550			Patriot AIZ	•	
Oil Well X Gas Well	Other	KEC	SEIVED				
2. Name of Operator		DEC	2 3 2005	8. Well No.			
Yates Petroleum Corporation			ANTERM		7		
3. Address of Operator		AAA		9. Pool name	or Wildcat		
105 South Fourth Street, Artesia,	New Mexico 88210			Dagger Draw	Upper Penn, No	orth 15472	
4. Well Location							
Unit Letter: ;	1980' feet from the	South	line and	1980'	feet from the_	East	line
Section 21	Township 1	9S Rai	nge 25E	NMPM	County E	ddy	
Q	10. Elevation	(Show wh	ether DF, RKB, I	RT, GR, etc.)			
			3480' GR				
	Appropriate Box to I	indicate .	1				
NOTICE OF IN	ITENTION TO:		S	UBSEQUEN	IT REPORT	OF:	
PERFORM REMEDIAL WORK	PLUG AND ABANDON		REMEDIAL WOF	RK [ALTE	RING CASING	
TEMPORARILY ABANDON	CHANGE PLANS		COMMENCE DR	ILLING OPNS.	PLUG	AND IDONMENT	
PULL OR ALTER CASING	MULTIPLE		CASING TEST A	AND	ADAN	DONWENT	
	COMPLETION		CEMENT JOB				
OTHER:			OTHER: Exten				XX
12. Describe proposed or complete	d operations. (Clearly	state all pe	rtinent details, a	nd give pertinen	t dates, includi	ng estimated d	ate
of starting any proposed wor	k). SEE RULE 1103. F	or Multip	le Completions:	Attach wellbore	e diagram of pr	oposed comp	letion
or recompletion.					_	-	
•							
Yates Petroleum Corporation wishes		well's APD	expiration date for	or one (1) year to	January 12, 200	07.	
Contingency plan per Rule 118 attac							
Any pit or below-grade tank has bee		losed accor	rding to NMOCD	guidelines with a	an		
approved general permit on file. C-	144 attached						
Thank you.							
I hereby certify that the informati	on above is true and con	nnlete to ti	he hest of my kno	owledge and hel	ief		
SIGNATURE A		-	egulatory Agent/I	-		12/14/05	
Type or print name Cy Cowan							
(This space for State use)	Leng les E-13	audiess:	cy@ypcnm.com	1	elephone No.	(505) 748-43	312
	1.		•			DEC 2 8	2005
APPROVED BY	CATE SA	Horas Contraction			DATE _	28	2003
Conditions of approval, if any:		•					

<u>District 1</u> 1625 N. French Dr., Hobbs, NM 88240 District II No. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Easy Minerals and Natural Resources

March 12, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

Pit or Below-Grade Tank Registration or Closure

	r below-grade tank xx Closure of a pit or below-grade				
Operator: Yates Petroleum Corporation T Address: 105 South 4th Street, Artesia, NM 88210 Facility or well name: Patriot AIZ #7 API #: 30-015-28406 U/L or County: Eddy Latitude Longitude	r Qtr/Qtr <u>J</u> Sec <u>21</u> T <u>19S</u> R <u>25E</u>				
Pit Type: Drilling X Production Disposal Workover Emergency Lined xx Unlined Liner type: Synthetic xx Thickness 12 mil	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes				
Clay Volumebbl Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points) RECEIVED			
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) JAN 1 8 2005			
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)			
	Ranking Score (Total Points)	Points 0			
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: onsite					
has been/will be constructed or closed according to NMOCD guidelines					

30-015-28406

Yates Petroleum Corporation

105 S. Fourth Street Artesia, NM 88210

Hydrogen Sulfide (H₂S) Contingency Plan

For

Patriot AIZ #7
1980' FSL, 1980' FEL
Sec-21, T-19S, R-25E
Eddy County NM


RECEIVED


JAN 1 3 2005

OOD:AHTERIA

Patriot AIZ #7 Location

This is an open drilling site. H₂S monitoring equipment and emergency response equipment will be used within 500' of zones known to contain H₂S, including warning signs, wind indicators and H₂S monitor.





Emergency Procedures

In the case of a release of gas containing H₂S, the first responder(s) must isolate the area and prevent entry by other persons into the 100 ppm ROE. Additionally the first responder(s) must evacuate any public places encompassed by the 100 ppm ROE. First responder(s) must take care not to injure themselves during this operation. Company and/or local officials must be contacted to aid in this operation. Evacuation of the public should be beyond the 100 ppm ROE.

All responders must have training in the detection of H₂S, measures for protection against the gas, equipment used for protection and emergency response. Additionally, responders must be equipped with H₂S monitors and air packs in order to control the release. Use the "buddy system" to ensure no injuries during the response.

Ignition of Gas Source

Should control of the well be considered lost and ignition considered, take care to protect against exposure to Sulfur Dioxide (SO₂). Intentional ignition must be coordinated with the NMOCD and local officials. Additionally the NM State Police may become involved. NM State Police shall be the Incident Command on scene of any major release. Take care to protect downwind whenever there is an ignition of the gas

Characteristics of H₂S and SO₂

Common Name	Chemical Formula	Specific Gravity	Threshold Limit	Hazardous Limit	Lethal Concentr- ation
Hydrogen Sulfide	H ₂ S	1.189 Air = 1	10 ppm	100 ppm/hr	600 ppm
Sulfur Dioxide	\$O ₂	2.21 Air = 1	2 ppm	N/A	1000 ppm

Contacting Authorities

YPC personnel must liaison with local and state agencies to ensure a proper response to a major release. Additionally, the OCD must be notified of the release as soon as possible but no later than 4 hours. Agencies will ask for information such as type and volume of release, wind direction, location of release, etc. Be prepared with all information available. The following call list of essential and potential responders has been prepared for use during a release. YPC Company response must be in coordination with the State of New Mexico's 'Hazardous Materials Emergency Response Plan' (HMER)

· Yates Petroleum Corporation Phone Numbers

YPC Office	(505) 748-1471
Pinson McWhorter/Operations Manager	
Darrel Atkins/Production Manager	(505) 748-4204
Darrel Atkins/Production Manager Ron Beasley/Prod Superintendent	(505) 748-4210
Al Springer/Drilling	(505) 748-4225
Paul Hanes/Prod. Foreman/Roswell	
Jim Krogman/Drilling Superintendent.	
Artesia Answering Service	
(During non-office hours)	(303) /48-4302
(During non-other nours)	
Agency Call List	
Eddy County (505)	
Artesia	
State Police	746-2703
City Police	746-2703
Sheriff's Office	
Ambulance	
Fire Department	
LEPC (Local Emergency Planning Committee)	
NMOCD.	
	/ 10 1200
Carisbad	
State Police	885-3137
City Police	
Sheriff's Office	
Ambulance	
Fire Department	
LEPC (Local Emergency Planning Committee)	
US Bureau of Land Management	
OS Dureau of Land Management	667-05 44
New Mexico Emergency Response Commission (Santa Fe)	(505)476-9600
_ · · · · · · · · · · · · · · · · · · ·	
National Emergency Response Center (Washington, DC)	(800) 424-8802
Other	
Deste & Costs BUC 1 000 450 0000 (201) 021 0004	
Boots & Coots IWC1-800-256-9688 or (281) 931-8884	
Cudd Pressure Control(915) 699-0139 or (915) 563-3356	
Halliburton	
B. J. Services(505) 746-3569	
Elicha Fon Life 4000 0441 Ga Lukharda TV	90 <i>4</i>) 742 0011
Flight For Life -4000 24th St, Lubbock, TX	
Aerocare -Rr 3 Box 49f, Lubbock, TX	
Med Flight Air Amb 2301 Yale Blvd SE #D3, Albuq, NM(
S B Air Med Svc 2505 Clark Carr Loop SE, Albuq, NM(505) 842-4949