If earthen pits are used is association with the drilling of than UO RECEIVED well, an OCD pit permit must be 10 obtained prior to pit construction Form 3160-3 MAR 0 9 2006 OMB No. 1004-0136 (August 1999) GOPARTESIAUNITED STATES Expires November 30, 2000 DEPARTMENT OF THE INTERIOR 5 Lease Serial No. BUREAU OF LAND MANAGEMENT NM-54988 6. If Indian, Allottee or Tribe Name APPLICATION FOR PERMIT TO DRILL OR REENTER **Not Applicable** 7. If Unit or CA Agreement, Name and No. 1a. Type of Work: X DRILL REENTER 12311 8. Lease Name and Well-No. Oil Well Other Multiple Zone b. Type of Well: X Gas Single Getty PS 7 Federal #4 Well Zone 2 API Well No. 2. Name of Operator 0 - 005 -63811 **Yates Petroleum Corporation** 10. Field and Pool, or Exploratory 105 South Fourth Street 3b. Phone No. (include area code) 3A. Address (505) 748-1471 Artesia, New Mexico 88210 Wildcat Precambrian 4. Location of Well (Report location clearly and in accordance with any State requirements.*) 11. Sec., T., R., M., or Blk, and Survey or Area 1930' FSL and 860' FEL At surface same as above Section 7, T6S-R26E At proposed prod. Zone 14. Distance in miles and direction from nearest town or post office* 12. County or Parish 13. State Roswell Basin water **Chaves County New Mexico** 15. Distance from proposed 16. No. of Acres in lease 17. Spacing Unit dedicated to this well location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 313.95 **S/2** Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. 20. BLM/BIA Bond No. on file 19. Proposed Depth 5450' 21. Elevations (Show whether DF, KDB, RT, GL, etc.) 22. Approximate date work will start* 23. Estimated duration 3729' GL **ASAP** 24. Attachments The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form: 1. Well plat certified by a registered surveyor. 4. Bond to cover the operations unless covered by an existing bond on file (see 2. A Drilling Plan. Item 20 above). 3. A Surface Use Plan (if the location is on National Forest System Lands, the 5. Operator certification. SUPO shall be filed with the appropriate Forest Service Office. 6. Such other site specific information and/or plans as may be required by the authorized office. 25. Signatur Name (Printed/Typed) Date Debbie L. Caffall Ph: 505-748-4376 2/3/2006 Title: Regulatory Agent Name (Printed/Typed) /S/LARRY D. BRAY Approved by (Signature) MAR 08 2006 /S/LARRY D. BRAY Title Assistant Field Manager. Office ROSWELL FIELD OFFICE APPROVED FOR 1 YEAR Lands And Minerals Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Conditions of approval, if any, are attached Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Previously Approved

C-144 attached

*(Instructions on reverse)

State of New Mexico

Energy, Minerals and Hatural Resources Departmen

Form C-102 Revised March 17, 1909 Instruction on book Submit to Appropriate District Office

State Lease - 4 Copies Fee Lease - 3 Copies

DISTRICT II
011 South First, Ariesta, NM 88210
DISTRICT III
1000 Etc Brezzo Ed., Aztec, NM 87410
DISTRICT IIV
2040 South Pacheco, Santa Pe, NM 87505

OIL CONSERVATION DIVISION P.O. Box 2088 Santa Fe. New Mexico 87504-2088

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number Pool Code Pool Name										
API N	Pool Code Pool Name 91451 Wildcat Precambrian									
Property Co	Т	Property Name Well Number								
Frohes & cone			GETTY "PS" 7 FEDERAL 4							
OGRID No.			Operator Hame					Elevation		
025575		.		YATES	PETROLEUM	CORPORATION		3729		
Surface Location										
UL or lot No.	Section	Township	Range	Lot Ida	Feet from the	Horth/South line	Feet from the	East/West line	County	
· .	7	<i>6</i> S	26E	ļ	1930	SOUTH	860	EAST	CHAVES	
Bottom Hole Location If Different From Surface										
UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Peet from the	East/West line	County	
Dedicated Acres	Joint o	er infili (consolidation	Code Or	der No.		<u>L </u>	<u> </u>	<u> </u>	
313.95	1				1					
NO ALLO	WABLE 1	VILL BR	ASSIGNED	TO THIS	COMPLETION	UNTIL ALL INTE	RESTS HAVE BE	EN CONSOLIDA	ATED	
NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION										
							OPERATO	R CERTIFICAT	MON	
	i				Ì		/ Aereb	y certify the the in	formation	
	ĺ	İ						t is true and comple	nte to the	
	1						CO By R M			
	.								_ '	
							Cliffe 1. 1 ay			
				 			Signature	D W	ノー	
					ļ		Printed Nam	R. May		
								ory Agent		
	1						Title	•		
	ļ						11-05-0	<u> </u>		
	1			1			GURUMUA	D. OTDOTOLO		
				 		N 90940'07 0"	- SURVEYO	R CERTIFICAT	IUN	
· I	ot 3							ertify that the well location shown If was plotted from field notes of		
				NM-54988		3745 3723	3723 cetual surveye		made by me or under my	
				l		9 860' -	5.5	i that the same is best of my belief		
	1	We11#	²	1		111	71	<u>.</u>	j	
	- 1					3732 3714	1	0/30/2001		
							Date Surveyer	RASSI OF		
		_					Professional	N METICOLE		
Proposed	ot 4			Well	<i>8</i> 1	g	1 /5 VE	N MEXICO NE		
Well #3	, }			Merr	j	-1830,		640)	
0	- 1				•		17387		- 11	
<u>.</u>	Ì				1		Certificate No	Hersen Laches	RLS 3640	
								ONALTHUR COMPANY		
				L			GENTORAL"	SURVETIME COMPANY		

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District (V 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

March 12, 2004

Form C-144

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

105 South Fourth Street, Artesia, NM 88210

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes CheckBoxl Type of action: Registration of a pit or below-grade tank X Closure of a pit or below-grade tank Operator: Yates Petroleum Corporation Telephone: 505-748-4376 e-mail address: debblec@ypcnm.com Address: 104 South 4th Street, Artesia, New Mexico 88210 Facility or well name: Getty PS 7 Federal #4 API #: 30-005-63645 _U/L or Qtr/Qtr_NESE_Sec_7_T_6S__R_26E_ NAD: 1927 🔲 1983 🔲 Surface Owner: Federal 🔁 State 🔲 Private 🔲 Indian 🔲 County: Chaves Latitude __ Longitude Pit Below-grade tank Volume: ____bbl Type of fluid: _ Type: Drilling V Production Disposal RECEIVED Construction material: Double-walled, with leak detection? Yes If not, explain why not. OCT 2:6 2004 Liner type: Synthetic Thickness 12 mil Clay Volume 990:ARTERIA Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal high 50 feet or more, but less than 100 feet (10 points) water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) 10 Ranking Score (Total Points) If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: onsite offsite I If offsite, name of facility ___. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surface_____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has cen/will be constructed or closed according to NMOCD guidelines [], a general per nit Maryang(attached) alternative OCD-approved plan 🗌. Date: 10/26/2004 Printed Name/Title Robert Asher/Regulatory Agent Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Printed Name/Title Signature




Yates Petroleum Corporation


Typical 2,000 psi Pressure System Schematic

Double Ram Preventer Stack

Yates Petroleum Corporation Getty "PS" Federal #4 1930' FSL and 860' FEL Section 7-T6S-R26E Chaves County, New Mexico



Typical 2,000 psi choke manifold assembly with at least these minimun features



YATES PETROLEUM CORPORATION Getty "PS" 7 Federal #4

1930' FSL and 860' FEL Section 7-T6S-R26E Chaves County, New Mexico

1. The estimated tops of geologic markers are as follows:

San Andres	640'
Glorieta	1540'
Yeso	1640'
Tubb	3055'
Abo	3690'
Wolfcamp	4370'
Basement - Granite	5300'
TD	5450'

2. The estimated depths at which anticipated water, oil or gas formations are expected to be encountered:

Water:

150'-200'

Oil or Gas: All potential zones.

3. Pressure Control Equipment: BOPE will be installed on the 11 3/4" casing and rated for 2000 BOP systems will be consistent with API RP 53. Pressure tests will be conducted before drilling out from under all casing strings, which are set and cemented in place. Blowout Preventor controls will be installed prior to drilling the surface plug and will remain in use until the well is completed or abandoned. Preventors will be inspected and operated at least daily to ensure good mechanical working order, and this inspection recorded on the daily drilling report. See Exhibit B.

Auxiliary Equipment:

- A. Auxiliary Equipment: Kelly cock, pit level indicators, flow sensor equipment and a sub with full opening valve to fit the drill pipe and collars will be available on the rig floor in the open position at all times for use when kelly is not in use.
- 4. THE PROPOSED CASING AND CEMENTING PROGRAM:
 - A. Casing Program: (All New)

Hole Size	Casing Size	Wt./Ft	Grade	Coupling	Interval
14 ¾	11 3/4"	42#	H-40	ST&C	0-925'
11	8 5/8"*	24#	J-55	ST&C	0-1500'
7 7/8"	5 1/2"	15.5#	J-55	ST&C	0-5450'

^{*8 5/8&}quot; will only be set if lost circulation is encountered

1. Minimum Casing Design Factors: Collapse 1.125, Burst 1.0, and Tensile Strength 1.8

2. Yates Petroleum Corporation requests that a variance be granted in requiring the casing and BOPE to be tested to 2000 PSI to testing the casing and BOPE to 1000 PSI. The rig pumps will be used to test the casing and BOPE. Rig pumps used in this area cannot safely test above 1000 PSI. We would have to go to the greater expense of hiring an independent service to do the testing. Also, the bottom hole pressure in this field is proven to be near 1000 PSI. Pressure at the surface is much less. We feel that a 1000 PSI test will demonstrate that the BOPE is functioning properly, and in the unlikely event of a gas influx that the BOPE would be sufficient to control the well.

Getty "PS" 7 Federal #4

Page 2

B. CEMENTING PROGRAM:

Surface Casing: 350 sx Lite "C" (YLD 2.0 WT 12.5). Tail in with 200 sx "C" + 2% CaCL2 (YLD 1.32 WT 15.6).

Intermediate Casing: 250 sx Class C+2% CACL2 (YLD 1.32 WT 14.8)

Production Casing: 500 sx Pecos Valley Lite (YLD 1.34 WT 13.0). TOC 3100'.

5. MUD PROGRAM AND AUXILIARY EQUIPMENT:

<u>Interval</u>	<u>Type</u>	<u>Weight</u>	<u>Viscosity</u>	Fluid Loss
0-900'	FW GEL,Paper,LCM	8.6 - 9.0	32-36	N/C
900'-3660'	Cut Brine/Brine	9.0 - 10.2	28	N/C
3660'-5450'	Salt Gel/Starch	9.3 - 10.2	32-40	<6/cc

Sufficient mud material(s) to maintain mud properties, control lost circulation and contain a blow out will be available at the well site during drilling operations. Mud will be checked hourly by rig personnel.

6. EVALUATION PROGRAM:

Samples: 10' samples out from under surface casing.

Logging: Platform Express CNL/LDT, W/NGT TD -Surf csg; with GR/CNL up to Surf:

DLĽ/MŠ FL TD-Surf csg; BHC Sonic TD-Surf csg

Coring: Sidewalls DST's: As warranted.

7. ABNORMAL CONDITIONS, BOTTOM HOLE PRESSURE, AND POTENTIAL HAZARDS:

Anticipated BHP:

From: 0 TO: 900' Anticipated Max. BHP: 375 PSI From: 900' TO: 5450' Anticipated Max. BHP: 2700 PSI

Abnormal Pressures Anticipated: None

Lost Circulation Zones Anticipated: None.

H2S Zones Anticipated: None Anticipated

Maximum Bottom Hole Temperature: 110 F

8. ANTICIPATED STARTING DATE:

Plans are to drill this well as soon as possible after receiving approval. It should take approximately 25 days to drill the well with completion taking another 20 days.

MULTI-POINT SURFACE USE AND OPERATIONS PLAN YATES PETROLEUM CORPORATION

Getty "PS" 7 Federal #4

1930⁷ FSL and 860⁷ FWL Section 7-T6S-R26E Chaves County, New Mexico

This plan is submitted with Form 3160-3, Application for Permit to Drill, covering the above described well. The purpose of this plan is to describe the location of the proposed well, the proposed construction activities and operations plan, the magnitude of the surface disturbance involved and the procedures to be followed in rehabilitating the surface after completion of the operations, so that a complete appraisal can be made of the environmental effect associated with the operations.

1. EXISTING ROADS:

Exhibit A is a portion of the BLM map showing the well and roads in the vicinity of the proposed location. The proposed well site is located approximately 25 miles northeast of Roswell, New Mexico and the access route to the location is indicated in red and green on Exhibit A.

DIRECTIONS:

Go north of Roswell on Highway 285 for approx. 23 miles to Cottonwood Road. Turn east and follow road approx. 14.3 miles to Roosevelt Road. Turn north and go approx. 3.5 miles. The new road will start here and go east through the gravel pit to the northeast corner of the pad.

PLANNED ACCESS ROAD:

- A. The proposed new access will be approximately 2700' in length from the point of origin to the southeast corner of the drilling pad. The road will lie in a east to west direction.
- B. The new road will be 14 feet in width (driving surface) and will be adequately drained to control runoff and soil erosion.
- C. Existing roads will be maintained in the same or better condition.

3. LOCATION OF EXISTING WELL:

- A. There is drilling activity within a one-mile radius of the wellsite.
- B. Exhibit D shows existing wells within a one-mile radius of the proposed wellsite.

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES:

- A. There are production facilities on this lease at the present time.
- B. In the event that the well is productive, the necessary production facilities will be installed on the drilling pad. If the well is productive oil, a gas or diesel self-contained unit will be used to provide the necessary power. No power will be required if the well is productive of gas.

Getty "PS" 7 Federal #4 Page 2

5. LOCATION AND TYPE OF WATER SUPPLY:

A. It is planned to drill the proposed well with a fresh water system. The water will be obtained from commercial sources and will be hauled to the location by truck over the existing and proposed roads shown in Exhibit A.

6. SOURCE OF CONSTRUCTION MATERIALS:

Dirt contractor will locate nearest pit and obtain any permits and materials needed for construction.

7. METHODS OF HANDLING WASTE DISPOSAL:

A. Drill cuttings will be disposed of in the reserve pits.

B. Drilling fluids will be allowed to evaporate in the reserve pits until the pits are dry.

C. Water produced during operations will be collected in tanks until hauled to an approved disposal system, or separate disposal application will be submitted.

D. Oil produced during operations will be stored in tanks until sold.

E. Current laws and regulations pertaining to the disposal of human waste will be complied with.

F. All trash, junk, and other waste materials will be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary land fill. Burial on site is not approved.

8. ANCILLARY FACILITIES: None

9. WELLSITE LAYOUT:

- A. Exhibit C shows the relative location and dimensions of the well pad, the reserve pits, the location of the drilling equipment, rig orientation and access road approach.
- B. The reserve pits will be plastic lined.
- C. A 400' x 400' area has been staked and flagged.

10. PLANS FOR RESTORATION:

- A. After finishing drilling and/or completion operations, all equipment and other material not needed for further operations will be removed. The location will be cleaned of all trash and junk to leave the wellsite in as aesthetically pleasing a condition as possible.
- B. Unguarded pits, if any, containing fluids will be fenced until they have dried and been leveled.
- C. If the proposed well is non-productive, all rehabilitation and/or vegetation requirements of the Bureau of Land Management will be complied with and will be accomplished as expeditiously as possible. All pits will be filled level after they have evaporated and dried.

, Getty "PS" 7 Federal #4 Page 3

11. SURFACE OWNERSHIP:

Corn Brothers, Inc. Roswell, New Mexico

An Agreement has been reached with the landowner

Concerning surface use in drilling this well.

12. OTHER INFORMATION:

A. Topography: Refer to the existing archaeological report for a description of the topography, flora, fauna, soil characteristics, dwellings, historical and cultural sites.

B. The primary surface use is for grazing.

13. OPERATOR'S REPRESENTATIVE:

A. Through A.P.D. Approval:
Debbie L. Caffall
Yates Petroleum Corporation
105 South Fourth Street
Artesia, New Mexico 88210
Phone (505) 748-1471

B. Through Drilling, Completions & Prod. Pinson McWhorter, Operations Manager Yates Petroleum Corporation 105 South Fourth Street Artesia, New Mexico 88210 Phone (505) 748-1471

14. CERTIFICATION:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route, that I am familiar with the conditions which presently exist; that the statements made in this plan are to the best of my knowledge, true and correct; and , that the work associated with the operations proposed herein will be performed by Yates Petroleum Corporation and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

2/1/2006

Regulatory Agent