	INTERIOR AGEMENT	TERIOR JEMENT		OMB NO. 1004-0135 Expires: July 31, 2010 5. Lease Serial No.		
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.			-	NMNM88138         6.         If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on reverse side.					7. If Unit or CA/Agreement, Name and/or No. NMNM134543	
<ol> <li>Type of Well</li> <li>B Oil Well Gas Well Other</li> </ol>				8. Well Name and No. CEDAR CANYON 23 2H		
2. Name of Operator OXY USA INCORPORATED Contact: DAVID STEW			ART 9. API Well No. 30-015-41194-00		00-S1	
3a. Address3b. Phone5 GREENWAY PLAZA STE 110Ph: 432HOUSTON, TX 77046-0521Ph: 432			clude area code 717	10. Field and Pool, or Exploratory PIERCE CROSSING		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, and State		
Sec 23 T24S R29E SWSW 650FSL 660FWL 32.197313 N Lat, 103.961140 W Lon					EDDY COUNTY, NM	
12. CHECK AF	PROPRIATE BOX(ES) T	O INDICATE NA	ATURE OF 1	NOTICE, RE	PORT, OR OTHE	R DATA
TYPE OF SUBMISSION		TYPE OF ACTION				
Notice of Intent	Acidize	Deepen		Production (Start/Resume)		□ Water Shut-Off
_	Alter Casing	Fracture	Fracture Treat		ion	🗖 Well Integrity
Subsequent Report	Casing Repair	🗖 New Co	nstruction	Recomplete		Other
Final Abandonment Notice	Change Plans	Plug and	Plug and Abandon		rily Abandon	Onshore Order Va
<u>.</u> .	Convert to Injection	n 🗖 Plug Ba	ck	🗖 Water Di	sposal	
If the proposal is to deepen directi Attach the Bond under which the following completion of the invol	onally or recomplete horizontally work will be performed or provid yed operations. If the operation r	<ol> <li>give subsurface loca le the Bond No. on file esults in a multiple co</li> </ol>	tions and measu with BLM/BI/ moletion or reco	red and true vert A. Required subs pumletion in a ne	ical depths of all pertin equent reports shall be winterval a Form 316	ent markers and zones. filed within 30 days
f the proposal is to deepen direction	onally or recomplete horizontally work will be performed or provid ved operations. If the operation r Abandonment Notices shall be f or final inspection.) requests to install a permai	v, give subsurface loca le the Bond No. on file esults in a multiple co iled only after all requ nent LACT with a 3	tions and measu with BLM/BI/ mpletion or rec- irements, includ 3" Micro-Mot	ared and true vert A. Required subs completion in a ne ling reclamation,	ical depths of all pertin equent reports shall be winterval, a Form 31( have been completed, NM OIL CONS ARTESIA D	ient markers and zones. filed within 30 days i0-4 shall be filed once and the operator has <b>CERVATION</b> ISTRICT
Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for OXY USA Inc. respectfully	onally or recomplete horizontally work will be performed or provid ved operations. If the operation r Abandonment Notices shall be f or final inspection.) requests to install a permar Canyon 23 #2H. Please so 0 bbl/hr Serial No. 14452835 or 316SS, 3" 150# ons, standard ire epoxy painted ons	7, give subsurface loca le the Bond No. on file results in a multiple co iled only after all requinant nent LACT with a is ee below for addition with a standard below for addition of the below for addition	tions and measi with BLM/BL/ mpletion or rec irements, includ 3" Micro-Mot ional detail.	ATTACH DITIONS	ical depths of all pertin equent reports shall be winterval, a Form 316 have been completed, <b>NM OIL CONS</b> ARTESIA D SEP 2 1 RECE	tent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has <b>SERVATION</b> ISTRICT 2015
If the proposal is to deepen directi Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for OXY USA Inc. respectfully in Meter located at the Cedar 3" Flow Meter max rate 130 CMF300M355NRAUEZZZ 3" Micro Motion Elite Senso WNRF flange end connectin Pressure containment, 9- w Jbox, 3/4" conduit connectin 2700C12ABUEAZX - Serial	onally or recomplete horizontally work will be performed or provid yed operations. If the operation r Abandonment Notices shall be f or final inspection.) requests to install a permai Canyon 23 #2H. Please so 0 bbl/hr Serial No. 14452835 or 316SS, 3" 150# ons, standard ire epoxy painted ons No. 3297630	7, give subsurface loca le the Bond No. on file results in a multiple co iled only after all required nent LACT with a ree below for addition with a subsurface below for addition with a subsurf	tions and measu with BLM/BLM/BLM/ mpletion or rec- irements, includ 3" Micro-Mot ional detail. 3" Micro-Mot ional detail. SEE 23/, CON d for reco MOCD	II Information	ical depths of all pertin equent reports shall be winterval, a Form 316 have been completed, ARTESIA D SEP 2 1 RECE ED FOR OF APPROV	tent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has <b>SERVATION</b> ISTRICT 2015
If the proposal is to deepen directi Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for OXY USA Inc. respectfully in Meter located at the Cedar 3" Flow Meter max rate 130 CMF300M355NRAUEZZZ 3" Micro Motion Elite Senso WNRF flange end connectin Pressure containment, 9- w Jbox, 3/4" conduit connectin 2700C12ABUEAZX - Serial	onally or recomplete horizontally work will be performed or provid ved operations. If the operation r Abandonment Notices shall be f or final inspection.) requests to install a permai Canyon 23 #2H. Please so 0 bbl/hr Serial No. 14452835 or 316SS, 3" 150# ons, standard ire epoxy painted ons No. 3297630	7, give subsurface loca le the Bond No. on file results in a multiple co iled only after all required nent LACT with a ree below for addition with a subsurface below for addition with a subsurf	tions and measu with BLM We poletion or rec- irements, includ 3" Micro-Mot ional detail. SEE SSEE SSEE SSEE SSEE SSEE SSEE SSE	II Information	ical depths of all pertin equent reports shall be winterval, a Form 316 have been completed, <b>NM OIL CONS</b> ARTESIA D SEP 2 1 RECE ED FOR OF APPROV	tent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has <b>SERVATION</b> ISTRICT 2015
If the proposal is to deepen directi Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for OXY USA Inc. respectfully is Meter located at the Cedar 3" Flow Meter max rate 130 CMF300M355NRAUEZZZ 3" Micro Motion Elite Senso WNRF flange end connectin Pressure containment, 9- w Jbox, 3/4" conduit connectin 2700C12ABUEAZX - Serial 14. Thereby certify that the foregoin Name ( <i>Printed/Typed</i> ) DAVID	onally or recomplete horizontally work will be performed or provid ved operations. If the operation r Abandonment Notices shall be f or final inspection.) requests to install a permai Canyon 23 #2H. Please so 0 bbl/hr Serial No. 14452835 or 316SS, 3" 150# ons, standard ire epoxy painted ons No. 3297630 g is true and correct. Electronic Submission For OXY US committed to AFMSS for proc	7, give subsurface loca te the Bond No. on file esults in a multiple co iled only after all required nent LACT with a ee below for addition with a subsurface below for addition with a subsurfac	tions and measu with BLM Web irements, includ 3" Micro-Mot ional detail. SEE SSEE SSEE SSEE SSEE SSEE SSEE SSE	ATTACH DITIONS	ical depths of all pertin equent reports shall be winterval, a Form 316 have been completed, <b>NM OIL CONS</b> ARTESIA D SEP 2 1 RECE ED FOR OF APPROV	tent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has <b>SERVATION</b> ISTRICT 2015
If the proposal is to deepen directi Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for OXY USA Inc. respectfully in Meter located at the Cedar 3" Flow Meter max rate 130 CMF300M355NRAUEZZZ 3" Micro Motion Elite Senso WNRF flange end connectin Pressure containment, 9- w Jbox, 3/4" conduit connectin 2700C12ABUEAZX - Serial 14. Thereby certify that the foregoin Name (Printed/Typed) DAVID	onally or recomplete horizontally work will be performed or provid ved operations. If the operation r Abandonment Notices shall be f or final inspection.) requests to install a perman Canyon 23 #2H. Please so 0 bbl/hr Serial No. 14452835 or 316SS, 3" 150# ons, standard ire epoxy painted ons No. 3297630 g is true and correct. Electronic Submission For OXY US pormmitted to AFMSS for proc STEWART	7, give subsurface loca ie the Bond No. on file esults in a multiple co iled only after all required nent LACT with a ee below for addition with a subsurface below for addition with a subsurfac	tions and measu with BLM With BLM We irements, includ 3" Micro-Mot ional detail. 3" Micro-Mot ional detail. 3" Micro-Mot ional detail. 3" Micro-Mot ional detail. 3" Micro-Mot ional detail. 4 for reco MocD 4 for reco MocD 4 for reco MocD 5 the BLM We b, sent to the DENNISTON of the REGUL atte 03/04/2	ATTACH DITIONS ATTACH DITIONS AC	ical depths of all pertin equent reports shall be winterval, a Form 316 have been completed, <b>NM OIL CONS</b> ARTESIA D SEP 2 1 RECE ED FOR OF APPROV System 15LD0479SE) ISOR	tent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has <b>SERVATION</b> ISTRICT 2015
If the proposal is to deepen directi Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for OXY USA Inc. respectfully in Meter located at the Cedar 3" Flow Meter max rate 130 CMF300M355NRAUEZZZ 3" Micro Motion Elite Senso WNRF flange end connectin Pressure containment, 9- w Jbox, 3/4" conduit connectin 2700C12ABUEAZX - Serial 14. Thereby certify that the foregoin Name (Printed/Typed) DAVID	onally or recomplete horizontally work will be performed or provid ved operations. If the operation r Abandonment Notices shall be f or final inspection.) requests to install a perman Canyon 23 #2H. Please so 0 bbl/hr Serial No. 14452835 or 316SS, 3" 150# ons, standard ire epoxy painted ons No. 3297630 g is true and correct. Electronic Submission : For OXY US committed to AFMSS for proc STEWART ic Submission) THIS SPACE F	<pre>/, give subsurface loca le the Bond No. on file results in a multiple co iled only after all required nent LACT with a if ee below for addition www.copfed.com/ www.copfed.com/ www.copfed.com/ wwww.com/ www.com/ wwww.com/ www.com/ www.com/ www.com/ ww</pre>	tions and measu with BLM With BLM We irements, includ 3" Micro-Mot ional detail. 3" Micro-Mot ional detail. 3" Micro-Mot ional detail. 3" Micro-Mot ional detail. 3" Micro-Mot ional detail. 4 for reco MocD 4 for reco MocD 4 for reco MocD 5 the BLM We b, sent to the DENNISTON of the REGUL atte 03/04/2	International and true vert A. Required subs- ompletion in a neiting reclamation, ion Coriolis ATTACH DITIONS and III Information Carlsbad on 07/24/2015 ( ATORY ADV 2015 OFFICE US	ical depths of all pertin equent reports shall be winterval, a Form 316 have been completed, <b>NM OIL CONS</b> ARTESIA D SEP 2 1 RECE ED FOR OF APPROV System 15LD0479SE) ISOR	ent markers and zones. filed within 30 days i0-4 shall be filed once and the operator has <b>SERVATION</b> ISTRICT 2015 IVED 7AL
If the proposal is to deepen directi Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for OXY USA Inc. respectfully in Meter located at the Cedar 3" Flow Meter max rate 130 CMF300M355NRAUEZZZ 3" Micro Motion Elite Senso WNRF flange end connectin Pressure containment, 9- w Jbox, 3/4" conduit connectin 2700C12ABUEAZX - Serial 14. Thereby certify that the foregoin Name ( <i>Printed/Typed</i> ) DAVID Signature (Electron	onally or recomplete horizontally work will be performed or provid ved operations. If the operation r Abandonment Notices shall be f or final inspection.) requests to install a permar Canyon 23 #2H. Please so 0 bbl/hr Serial No. 14452835 or 316SS, 3" 150# ons, standard ire epoxy painted ons No. 3297630 g is true and correct. Electronic Submission a For OXY US committed to AFMSS for proc STEWART ic Submission) THIS SPACE F	7, give subsurface loca le the Bond No. on file esults in a multiple co iled only after all required nent LACT with a if ee below for addition with the subject lease of the s	tions and measu with BLM/Mit irements, includ 3" Micro-Mot ional detail. 3" Micro-Mot ional detail. 4 Comparison 4 C	ATTACH DITIONS Carlsbad On 07/24/2015 ( ATORY ADV 2015 AL LPET	ical depths of all pertin equent reports shall be winterval, a Form 316 have been completed, <b>NM OIL CONS</b> ARTESIA D SEP 2 1 RECE ED FOR OF APPROV System 15LD0479SE) ISOR	tent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has <b>SERVATION</b> ISTRICT 2015

٠

.

~

•

\*\* BLM REVISED \*\*

## $\sqrt{2}$ Additional data for EC transaction #293935 that would not fit on the form

## 32. Additional remarks, continued

Micro Motion Coriolis MVD multivariable flow and Density transmitter, 9 wire remote transmitter with Integral core processor, 18-30 VDC and 85-235 VAC Self switching, dual line display, one MA, one frequency, RS 485, UL Listed, English Quick Reference, W/API software

ŝ

## **Coriolis LACT Meter Conditions of Approval**

Cedar Canyon 23 2H NM88138, Sec. 23, SWSW, T24S, R29E Oxy USA INC

- 1. Approval is for meter number <u>CMF300M355NRAUEZZZ Serial No. 14452835</u> and transmitter number <u>2700C12ABUEAZX- Serial No. 3297630</u>.
- 2. The Coriolis meter shall be designed, installed and operated in accordance with all applicable API standards, including API 5.6, as may be amended or revised from time to time.
- 3. The metering facility shall include a temperature probe to monitor the actual oil temperature during custody transfer. This information will be recorded and used in calculating the volume of oil metered during each transaction.
- 4. The meter shall have a non-resettable totalizer.
- 5. The custody transfer meter shall be proven monthly in conformance with Onshore Oil and Gas Order No. 4.III.D. The meter proving is to be *witnessed by BLM, contact 575-361-2822; a minimum of 24 hours prior to meter proving.* Meter proving records shall be maintained for a period of six years from the date of generation and will be made available for audit upon request.
- 6. A copy of the monthly meter proving will be submitted to the appropriate BLM office within 30 days of proving.
- 7. The run ticket associated with each oil transfer shall include the measured or calculated BS&W, oil gravity, temperature recorded during the transfer and beginning & ending totalizer readings. Such records shall be maintained for a period of six years from the date of generation and will be made available for audit upon request.
- 8. A copy of run ticket shall be submitted to the appropriate BLM office within 30 days of ticket generation and will be made available for audit upon request.
- 9. Operator to maintain tank gauging data to be used as a comparison with the LACT meter readings.
- 10. All other provisions of the Onshore Oil and Gas Orders, especially No. 3 and No. 4 shall be met.
- 11. This approval may be subject to future review and if determined inadequate with regards to accurate measurement, the approval will be withdrawn.
- 12. Upon installation of LACT, submit an updated facility diagram as per Onshore Order No. 3.

**JDW 9.14.2015**