Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD-ARTESIA

FORM APPROVED

O	MB N	O. 10	04-	0135
Ex	pires:	July	31,	2010

Expires: July 31, 2010	
Lease Serial No.	
NINANIA ACCO AC	

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on reverse side.					NMNM06245 If Indian, Allottee or Tribe Name 7. If Unit or CA/Agreement, Name and/or No.										
								Type of Well ☐ Gas Well ☐ Other				· ·	8. Well Name and No. MISTY 35 FEDERAL COM 4H		
								Name of Operator OXY USA WTP LP	VART		9. API Well No. 30-015-41413-00-S1				
3a. Address	(include area code) 10. Field and Pool, or E 5-5717 LEO			r Exploratory											
HOUSTON, TX 77210	. D. W. G	Fx: 432-685-5742 UNKNOWN													
4. Location of Well (Footage, Sec., 7, Sec 35 T18S R30E SESE 122 32.699902 N Lat, 103.934820			11. County or Parish, and State EDDY COUNTY, NM												
12. CHECK APPI	ROPRIATE BOX(ES) TO) INDICATE	NATURE OF	NOTICE, RE	EPORT, OR OTHE	ER DATA									
TYPE OF SUBMISSION			ТҮРЕ С	F ACTION											
Notice of Intent	☐ Acidize	☐ Dee	pen	☐ Production (Start/Resume)		■ Water Shut-Off									
_	☐ Alter Casing	☐ Frac	ture Treat	☐ Reclama	ntion .	☐ Well Integrity									
☐ Subsequent Report	□ Casing Repair	☐ Nev	Construction	☐ Recomplete		⊠ Other									
☐ Final Abandonment Notice	☐ Change Plans	Plug	and Abandon Tempor		arily Abandon	Onshore Order Varian									
	☐ Convert to Injection	Plug	g Back	· 🗖 Water D	isposal										
testing has been completed. Final Aldetermined that the site is ready for final Aldetermined that the site is ready for final CNY USA WTP LP respectfully Meter located at the Misty 35. 3" Flow Meter max rate 1300 ICMF300M355NRAUEZZZ - S. 3" Micro Motion Elite Sensor 3. WNRF flange end connections.	inal inspection.) ly requests to install a per Federal Com. CTB . Pleas bbl/hr erial No. 14439430 816SS, 3" 150#	manent LAC	T with a 3" Micr for additional d	o-Motion Cori letail. 9/23/1 ad for reco	olis NM OIL AR	CONSERVATION TESIA DISTRICT									
Pressure containment, 9- wire Jbox, 3/4" conduit connections	epoxy painted		SEE ATTA		PPROVAL	SEP 2 1 2015									
2700C12ABUEAZX - Serial No. 14452835					F	RECEIVED									
14. I hereby certify that the foregoing is Common Name (Printed/Typed) DAVID ST	#Electronic Submission #2 For OXY nitted to AFMSS for proces	297812 verifie USA WTP LP ssing by DUNI	sent to the Car CAN WHITLOCK	ell Information rlsbad on 09/14/2015 EGULATORY	(15DW0096SE)										
Signature (Electronic 5	Submission)		Date 04/09/	2015											
(Assertance)	THIS SPACE FO	OR FEDERA			SE										
						- 									
Approved By DUNCAN WHITLOCK			TitleTECHNICAL LPET Date 09/14/2			Date 09/14/2015									
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			Office Carlsbad												
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s	U.S.C. Section 1212, make it a statements or representations as	crime for any pe to any matter w	erson knowingly an ithin its jurisdiction	d willfully to ma 1.	ke to any department o	r agency of the United									

Additional data for EC transaction #297812 that would not fit on the form

32. Additional remarks, continued

Micro Motion Coriolis MVD multivariable flow and Density transmitter, 9 wire remote transmitter with Integral core processor, 18-30 VDC and 85-235 VAC Self switching, dual line display, one MA, one frequency, RS 485, UL Listed, English Quick Reference, W/API software

Coriolis LACT Meter Conditions of Approval

Misty 35 Federal Com 4H NM06245, Sec. 35, NESE, T18S, R30E Oxy USA INC

- 1. Approval is for meter number <u>CMF300M355NRAUEZZZ Serial No. 14439430</u> and transmitter number <u>2700C12ABUEAZX- Serial No. 14452835</u>.
- 2. The Coriolis meter shall be designed, installed and operated in accordance with all applicable API standards, including API 5.6, as may be amended or revised from time to time.
- 3. The metering facility shall include a temperature probe to monitor the actual oil temperature during custody transfer. This information will be recorded and used in calculating the volume of oil metered during each transaction.
- 4. The meter shall have a non-resettable totalizer.
- 5. The custody transfer meter shall be proven monthly in conformance with Onshore Oil and Gas Order No. 4.III.D. The meter proving is to be witnessed by BLM, contact 575-361-2822; a minimum of 24 hours prior to meter proving. Meter proving records shall be maintained for a period of six years from the date of generation and will be made available for audit upon request.
- 6. A copy of the monthly meter proving will be submitted to the appropriate BLM office within 30 days of proving.
- 7. The run ticket associated with each oil transfer shall include the measured or calculated BS&W, oil gravity, temperature recorded during the transfer and beginning & ending totalizer readings. Such records shall be maintained for a period of six years from the date of generation and will be made available for audit upon request.
- 8. A copy of run ticket shall be submitted to the appropriate BLM office within 30 days of ticket generation and will be made available for audit upon request.
- 9. Operator to maintain tank gauging data to be used as a comparison with the LACT meter readings.
- 10. All other provisions of the Onshore Oil and Gas Orders, especially No. 3 and No. 4 shall be met.
- 11. This approval may be subject to future review and if determined inadequate with regards to accurate measurement, the approval will be withdrawn.
- 12. Upon installation of LACT, submit an updated facility diagram as per Onshore Order No. 3.

JDW 9.14.2015