## UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

OCD-ARTESIA

FORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010

ase Serial No. ANM88137

SUNDRY NOTICES AND REPORTS ON WELLS	5. Lea
Do not use this form for proposals to drill or to re-enter an	6. If Ir
abandoned well. Use form 3160-3 (APD) for such proposals.	6. If

	 Allottee or Trik	

SUBMIT IN TRIPLICATE - Other instructions on reverse side.					7. If Unit or CA/Agreement, Name and/or No. NMNM134544		
I. Type of Well  ☑ Oil Well ☐ Gas Well ☐ Other					8. Well Name and No. CEDAR CANYON 15 FEDERAL COM 5H		
Name of Operator     OXY USA INCORPORATED	/ART		9. API Well No. 30-015-42421-0	0-S1			
3a. Address 5 GREENWAY PLAZA STE 1 HOUSTON, TX 77046-0521	(include area cod 5.5717	le)	10. Field and Pool, or Exploratory PIERCE CROSSING				
4. Location of Well (Footage, Sec., T.	, R., M., or Survey Description	i)			11. County or Parish,	and State	
Sec 15 T24S R29E NWNW 10 32.221751 N Lat, 103.979488			EDDY COUNTY	′, NM			
12. CHECK APPR	ROPRIATE BOX(ES) TO	O INDICATE	NATURE OF	NOTICE, RE	EPORT, OR OTHE	R DATA ·	
TYPE OF SUBMISSION			TYPE	OF ACTION			
Notice of Intent     ■	☐ Acidize	☐ Dee	pen	☐ Product	ion (Start/Resume)	☐ Water Shut-Off	
	Alter Casing	☐ Frac	ture Treat	Reclam:	ation	■ Well Integrity	
☐ Subsequent Report	Casing Repair	□ New	Construction	☐ Recomp	lete	Other	
☐ Final Abandonment Notice	□ Change Plans	Plug	and Abandon	□ Tempor	arily Abandon	Önshore Order Varian ce	
	☐ Convert to Injection	Plug	Back	□ Water D	Pisposal		
If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)  OXY USA Inc. respectfully requests to install a temporary LACT with a 3? Micro-Motion Coriolis located at the Cedar Canyon 15 Federal Com. #15H. Please see below for additional detail.  LACT will be proved and verified on the first load of oil measured from the Cedar Canyon 15 Federal Com. #5H location. Upon completion, test results and meter factor will be submitted to the BLM for SEP 21 2015  3? Flow Meter max rate 1300 bbl/hr CMF300M355NRAUEZZZ? Serial No. 14278448 3? Micro Motion Elite Sensor 316SS, 3? 150# WNRF flange end connections, standard Pressure containment, 9- wire epoxy painted  **SEE ATTACHED FOR RECEIVED**  **SEE ATTACHED FOR RECEIVED**  **NACCOMPANIENT CONTRIBUTIONS**  **SEE ATTACHED FOR RECEIVED**  **NACCOMPANIENT CONTRIBUT							
14. I hereby certify that the foregoing is true and correct.  Electronic Submission #291994 verified by the BLM Well Information System  For OXY USA INCORPORATED, sent to the Carlsbad  Committed to AFMSS for processing by DEBORAH HAM on 02/19/2015 (15DMH0601SE)							
Name (Printed/Typed) DAVID ST	EWART		Title REGU	JLATORY AD	VISOR		
Signature (Electronic S	, <u></u>		Date 02/17				
THIS SPACE FOR FEDERAL OR STATE OFFICE USE							
Approved By_DUNCAN WHITLOCK			TitleTECHNI	CAL LPET	,	Date 09/14/2015	
certify that the applicant holds legal or equ which would entitle the applicant to condu	Office Carlsb						
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.							

## Additional data for EC transaction #291994 that would not fit on the form

## 32. Additional remarks, continued

Jbox, 3/4? conduit connections

2700C12ABUEAZX ? Serial No. 3196280
Micro Motion Coriolis MVD multivariable flow and
Density transmitter, 9 wire remote transmitter with
Integral core processor, 18-30 VDC and 85-235 VAC
Self switching, dual line display, one MA, one frequency,
RS 485, UL Listed, English Quick Reference, W/API software

## **Coriolis LACT Meter Conditions of Approval**

Cedar Canyon 15 Federal Com 5H NM88137, Sec. 15, NWNW, T24S, R29E Oxy USA INC

- 1. Approval is for meter number <u>CMF300M355NRAUEZZZ Serial No. 14278448</u> and transmitter number <u>2700C12ABUEAZX- Serial No. 3196280</u>.
- 2. The Coriolis meter shall be designed, installed and operated in accordance with all applicable API standards, including API 5.6, as may be amended or revised from time to time.
- 3. The metering facility shall include a temperature probe to monitor the actual oil temperature during custody transfer. This information will be recorded and used in calculating the volume of oil metered during each transaction.
- 4. The meter shall have a non-resettable totalizer.
- 5. The custody transfer meter shall be proven monthly in conformance with Onshore Oil and Gas Order No. 4.III.D. The meter proving is to be witnessed by BLM, contact 575-361-2822; a minimum of 24 hours prior to meter proving. Meter proving records shall be maintained for a period of six years from the date of generation and will be made available for audit upon request.
- 6. A copy of the monthly meter proving will be submitted to the appropriate BLM office within 30 days of proving.
- 7. The run ticket associated with each oil transfer shall include the measured or calculated BS&W, oil gravity, temperature recorded during the transfer and beginning & ending totalizer readings. Such records shall be maintained for a period of six years from the date of generation and will be made available for audit upon request.
- 8. A copy of run ticket shall be submitted to the appropriate BLM office within 30 days of ticket generation and will be made available for audit upon request.
- 9. Operator to maintain tank gauging data to be used as a comparison with the LACT meter readings.
- 10. All other provisions of the Onshore Oil and Gas Orders, especially No. 3 and No. 4 shall be met.
- 11. This approval may be subject to future review and if determined inadequate with regards to accurate measurement, the approval will be withdrawn.
- 12. Upon installation of LACT, submit an updated facility diagram as per Onshore Order No. 3.

JDW 9.14.2015