Submit To Appropriate District Office Form C-105 StateMM SHANCONSERVATION Two Copies Revised August 1, 2011 Energy, Minerals and Materal Steventures District 1 1625 N. French Dr., Hobbs, NM 88240 1. WELL API NO. District II MAY 2.6 2015 Oil Conservation Division 30-015-40418 811 S. First St., Artesia, NM 88210 2. Type of Lease District III 1220 South St. Francis Dr. Santa Fe, NW 87505 1000 Rio Brazos Rd., Aztec, NM 87410 STATE ☐ FED/INDIAN ☐ FEE District IV 3. State Oil & Gas Lease No. 1220 S. St. Francis Dr., Santa Fe, NM 87505 SALES TO A SECTION OF THE SECTION OF WELL COMPLETION OR RECOMPLETION REPORT AND LOG 4. Reason for filing: 5. Lease Name or Unit Agreement Name COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) Ouimet State Com 6. Well Number: 23H #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC) 7. Type of Completion: 🖾 NEW WELL. 🗀 WORKOVER 🗀 DEEPENING 🔝 PLUGBACK 🗀 DIFFERENT RESERVOIR 🗀 OTHER 8. Name of Operator 9. OGRID COG OPERATING LLC 229137 10. Address of Operator 11. Pool name or Wildcat One Concho Center Empire: Glorieta-Yeso, East 96610 600 W. Illinois Ave. Midland, TX 79701 Unit Ltr Section Township Feet from the N/S Line Feet from the E/W Line Range 1.ot County 12.Location Surface: 17S 29E 1800 North 150 East Eddy BH: E 2 178 29F 1674 North 353 West Eddy 13. Date Spudded 14. Date T.D. Reached 15. Date Rig Released 16. Date Completed (Ready to Produce) 17. Elevations (DF and RKB, 3/31/15 4/11/15 4/12/15 5/12/15 RT, GR, etc.) 3664' GR 18. Total Measured Depth of Well 19. Plug Back Measured Depth 20. Was Directional Survey Made? 21. Type Electric and Other Logs Run 9386 9313 CN,MCFL/HNGS 22. Producing Interval(s), of this completion - Top, Bottom, Name 5037 - 9293 Yeso **CASING RECORD** (Report all strings set in well) 23. HOLE SIZE CEMENTING RECORD AMOUNT PULLED CASING SIZE WEIGHT LB./FT. DEPTH SET 13-3/8 54.5 325 17 - 1/2400sx 9-5/8 40 1183 12-1/4 500sx 29 7 4216 8-3/4 0 5 - 1/217 9382 7 - 7/81950sx 24. LINER RECORD 25. TUBING RECORD DEPTH SET BOTTOM SACKS CEMENT | SCREEN PACKER SET SIZE TOP SIZE 2 - 7/83897 Perforation record (interval, size, and number) 27. ACID. SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. 5037 - 9293 13 stages .43 468 holes. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED Acidize w/53,394 gals 15% HCL. Frac w/1,578,517 5037 - 9293 gals gel, 176,186 gals treated water, 109,343 gals WaterFrac R3, 67,204 gals Waterfrac R9, 3,280,199# 20/40 white sand, 645,329# 20/40 CRC. **PRODUCTION** Date First Production Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod. or Shut-in) 5/17/15 ESP Producing Date of Test Hours Tested Choke Size Prod'n For Oil - Bbl Gas - MCF Water - Bbl. Gas - Oil Ratio 5/17/15 Test Period 24 160 149 717 Water - Bbl. Oil - Bbl. Flow Tubing Casing Pressure Calculated 24-Gas - MCF Oil Gravity - API - (Corr.) Hour Rate Press. 160 149 717 38 4 29. Disposition of Gas (Sold, used for fuel, vented, etc.) 30. Test Witnessed By Ron Beasley Sold 31. List Attachments Logs, C102, C103, Deviation Report, C104, C144
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit. 33. If an on-site burial was used at the well, report the exact location of the on-site burial: NAD 1927 1983 Latitude Longitude I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed

Name Chasity Jackson

Signature

E-mail Address cjackson@concho.com

Title Regulatory Analyst

Date 5/21/15

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeas	stern New Mexico	Northwestern New Mexico				
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A" T. Penn. "B"			
T. Salt	T. Strawn	T. Kirtland				
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"			
T. Yates <u>1074</u>	T. Miss	T. Pictured Cliffs	T. Penn. "D" T. Leadville T. Madison T. Elbert T. McCracken			
T. 7 Rivers	T. Devonian	T. Cliff House				
T. Queen	T. Silurian	T. Menefee				
T. Grayburg 2335	T. Montoya	T. Point Lookout				
T. San Andres 2642	T. Simpson	T. Mancos				
T. Glorieta 4048	T. McKee	T. Gallup	T. Ignacio Otzte			
T. Paddock 4109	T. Ellenburger	Base Greenhorn	T.Granite			
T. Blinebry	T. Gr. Wash	T. Dakota				
T.Tubb	T. Delaware Sand	T. Morrison				
T. Drinkard	T. Bone Springs	T.Todilto				
T. Abo	Т	T. Entrada				
T. Wolfcamp	T.	T. Wingate				
T. Penn	Т.	T. Chinle				
T. Cisco (Bough C)	Т	T. Permian				

No. 1, from... to ... No. 3, from... to ... No. 4, from... to ... No. 4, from... to ... IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from... to ... feet... feet... No. 2, from... to ... feet... feet... No. 3, from... to ... feet... LITHOLOGY RECORD (Attach additional sheet if necessary)

	From	То	Thickness In Feet	Lithology		From	То	Thickness In Feet	Lithology
								}	
								<u> </u>	
	:								
		ĺ					i		
	,	į							
		}		·	Ì				
ļ						İ			
									COD