-	DEPARTMENT OF THE I BUREAU OF LAND MANA	GEMENT MONTERIOR	ISTRIC ISTRIC	OMB N Expires:	O. 1004-0135 July 31, 2010	
SU	NDRY NOTICES AND REPO	RTS ON WELLS	218912	<ol> <li>Lease Serial No. NMLC063873A</li> </ol>		
Do not abandoi	use this form for proposals to ned well. Use form 3160-3 (AP	D) for such proposals.	THED	6. If Indian, Allottee of	or Tribe Name	
Form 3160-5 (August 2007) UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an CT 1 4 2015 abandoned well. Use form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on reverse side. RECEIVED			CEL	<ol> <li>If Unit or CA/Agreement, Name and/or No. 891000303X</li> </ol>		
1. Type of Well □.Gas Well □ Other				8. Well Name and No. POKER LAKE UNIT CVX JV BS 008H		
2. Name of Operator Contact: TRACIE J CHERRY BOPCO LP E-Mail: tjcherry@basspet.com				9. API Well No. 30-015-39508-00-S1		
3a. Address P O BOX 2760 MIDLAND, TX 79702		3b. Phone No. (include area code) Ph: 432-221-7379		10. Field and Pool, or Exploratory WILDCAT		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description		n)		11. County or Parish, and State		
Sec 14 T25S R30E SESW 300FSL 1980FWL			EDDY COL		7, NM	
12. CHEC	APPROPRIATE BOX(ES) TO	D INDICATE NATURE OF	NOTICE, REI	PORT, OR OTHE	R DATA	
TYPE OF SUBMISSIO	N	TYPE OF ACTION				
Notice of Intent		Deepen	Productio	n (Start/Resume)	U Water Shut-Off	
	□ Alter Casing .	Fracture Treat	🗖 Reclamati	ion	Well Integrity	
□ Subsequent Report )	Casing Repair	New Construction	🗆 Recomple		☑ Other Venting and/or Fla	
Final Abandonment N	otice Change Plans	• – •		ily Abandon posal	ng	
Attach the Bond under whic following completion of the testing has been completed. determined that the site is re	litectionally or recomplete horizontally, h the work will be performed or provide involved operations. If the operation re Final Abandonment Notices shall be fil- ady for final inspection.)	give subsurface locations and measu the Bond No. on file with BLM/BI/ sults in a multiple completion or rece ed only after all requirements, include	ured and true verti A. Required subse ompletion in a nev ling reclamation, l	cal depths of all pertin equent reports shall be winterval, a Form 316	ent markers and zones. filed within 30 days 0-4 shall be filed once	
If the proposal is to deepen of Attach the Bond under whic following completion of the testing has been completed. determined that the site is re BOPCO, LP respectfull 90-days, July - Septerm Wells going to this batto ✓ Poker Lake Unit CVX J Poker Lake Unit CVX J Poker Lake Unit CVX J Poker Lake Unit CVX J Poker Lake Unit CVX J	frectionally or recomplete horizontally, h the work will be performed or provide involved operations. If the operation re- Final Abandonment Notices shall be fil- ady for final inspection.) y submits this sundry for Notice ber 2015.	give subsurface locations and measi- the Bond No. on file with BLMBIJ sults in a multiple completion or rec- ed only after all requirements, includ of Intent to intermittently flare SEE SI SEE	A Required subsection of the vertion of the vertice	cal depths of all pertin requent reports shall be * interval, a Form 316 have been completed, a HED FOR S OF APPF /////	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has	
If the proposal is to deepen of Attach the Bond under whic following completion of the testing has been completed. determined that the site is re BOPCO, LP respectfull 90-days, July - Septerm Wells going to this batto ✓ Poker Lake Unit CVX J Poker Lake Unit CVX J Poker Lake Unit CVX J Poker Lake Unit CVX J Poker Lake Unit CVX J	firectionally or recomplete horizontally, h the work will be performed or provide involved operations. If the operation re Final Abandonment Notices shall be file ady for final inspection.) y submits this sundry for Notice ber 2015. ery are as follows: V PB 005H / 30-015-40763-00-5 V BS 008H / 30-015-39508-00-5 V BS 008H / 30-015-39508-00-5 V BS 022H / 30-015-41693-00-5 V BS 025H / 30-015-41639 V BS 025H / 30-015-41639 going is true and correct. Electronic Submission #3	give subsurface locations and measi the Bond No. on file with BLM Wel sults in a multiple completion or rece ed only after all requirements, includ of Intent to intermittently flare SEE SEE CON 31	ured and true verti A. Required subsecompletion in a new ling reclamation, I for ATTACI IDITION COPIECT NUTO II Information S	cal depths of all pertin rquent reports shall be w interval, a Form 316 have been completed, a HED FOR S OF APPF //// CD	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has	
If the proposal is to deepen of Attach the Bond under whic following completion of the testing has been completed. determined that the site is re BOPCO, LP respectfull 90-days, July - Septerm Wells going to this bath Vells going to this bath Poker Lake Unit CVX J Poker Lake Unit CVX J Poker Lake Unit CVX J Poker Lake Unit CVX J Poker Lake Unit CVX J	firectionally or recomplete horizontally, h the work will be performed or provide involved operations. If the operation re Final Abandonment Notices shall be file ady for final inspection.) y submits this sundry for Notice ber 2015. ery are as follows: V PB 005H / 30-015-40763-00-5 V BS 008H / 30-015-39508-00-5 V BS 008H / 30-015-39508-00-5 V BS 022H / 30-015-41693-00-5 V BS 025H / 30-015-41639 V BS 025H / 30-015-41639 going is true and correct. Electronic Submission #3	give subsurface locations and measi- the Bond No. on file with BLMWel sults in a multiple completion or rec- ed only after all requirements, includ of Intent to intermittently flare SEE SEE CON SI SI SI SI SI SI SI SI SI SI SI SI SI	ured and true verif A. Required subsecompletion in a new ing reclamation, b for ATTACI NDITION COPIECT NUIC	cal depths of all pertin squent reports shall be winterval, a Form 316 have been completed, a HED FOR S OF APPF	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has	
If the proposal is to deepen of Attach the Bond under whic following completion of the testing has been completed. determined that the site is re BOPCO, LP respectfull 90-days, July - Septerm Wells going to this bath Vells going to this bath Poker Lake Unit CVX J Poker Lake Unit CVX J Poker Lake Unit CVX J Poker Lake Unit CVX J Poker Lake Unit CVX J	firectionally or recomplete horizontally, h the work will be performed or provide involved operations. If the operation re- Final Abandonment Notices shall be fil- ady for final inspection.) y submits this sundry for Notice ber 2015. ery are as follows: V PB 005H / 30-015-40763-00-S V BS 008H / 30-015-39508-00-S V BS 008H / 30-015-39508-00-S V BS 002H / 30-015-41693-00-S V BS 022H / 30-015-41693-00-S V BS 025H / 30-015-41639 going is true and correct. Electronic Submission #S For B Committed to AFMSS for proces	give subsurface locations and measi the Bond No. on file with BLM/BL/ sults in a multiple completion or rece ed only after all requirements, includ of Intent to intermittently flare SEE CON SI SI SI SI SI SI SI SI SI SI SI SI SI	A Required subsection A Required subsection and the vertical subsection ing reclamation, b for ATTACI IDITION CODICION IDITION Information S d on 10/02/2015 (1 ATQRY-ANAL	cal depths of all pertin equent reports shall be * interval, a Form 316 have been completed, a S OF APPF (5/55 CP (1000) (5) (5) (5) (5) (5) (5) (5) (5) (5) (5	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has	
If the proposal is to deepen of Attach the Bond under whic following completion of the testing has been completed. determined that the site is re BOPCO, LP respectfull 90-days, July - Septern Wells going to this bath Vells going to this bath Poker Lake Unit CVX J Poker Lake Unit CVX J	firectionally or recomplete horizontally, h the work will be performed or provide involved operations. If the operation re- Final Abandonment Notices shall be fil- ady for final inspection.) y submits this sundry for Notice ber 2015. ery are as follows: V PB 005H / 30-015-40763-00-S V BS 008H / 30-015-39508-00-S V BS 008H / 30-015-39508-00-S V BS 022H / 30-015-41693-00-S V BS 022H / 30-015-41693-00-S V BS 025H / 30-015-41639 going is true and correct. Electronic Submission #3 For B Committed to AFMSS for process ACIE J CHERRY	give subsurface locations and measi the Bond No. on file with BLM/BI/ Sulfs in a multiple completion or rece ed only after all requirements, includ of Intent to intermittently flare SEE CON SI SI SI SI SI SI SI SI SI SI SI SI SI	A Required subsection ompletion in a new ling reclamation, b for ATTACI IDITION COPIECT NUTO II Information S d in 10/02/2015 (1 ATORY-ANAL	cal depths of all pertin equent reports shall be winterval, a Form 316 have been completed, a S OF APPF S OF APPF (15/15 c: 10-cord CD ystem 6JAS0113SE)	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has	
If the proposal is to deepen of Attach the Bond under whic following completion of the testing has been completed. determined that the site is re BOPCO, LP respectfull 90-days, July - Septern Wells going to this bath Vells going to this bath Poker Lake Unit CVX J Poker Lake Unit CVX J	firectionally or recomplete horizontally, h the work will be performed or provide involved operations. If the operation re- Final Abandonment Notices shall be fil- ady for final inspection.) y submits this sundry for Notice ber 2015. ery are as follows: V PB 005H / 30-015-40763-00-5 V BS 008H / 30-015-39508-00-5 V BS 008H / 30-015-39508-00-5 V BS 022H / 30-015-41693-00-5 V BS 022H / 30-015-41693-00-5 V BS 025H / 30-015-41639 going is true and correct. Electronic Submission #2 For B Committed to AFMSS for process ACIE J CHERRY ctronic Submission)	give subsurface locations and measu the Bond No. on file with BLM/BL/ sults in a multiple completion or rece ed only after all requirements, includ of Intent to intermittently flare SEE SEE CON SI SI SI SI SI SI SI SI SI SI SI SI SI	ured and true verif A. Required subsecompletion in a new ling reclamation, b for ATTACI IDITION CCODICC NUIC II Information S d 10/02/2015 (1 ATORY-ANAL ACCEFF 015	cal depths of all pertin squent reports shall be * interval, a Form 316 have been completed, a BED FOR S OF APPF (15/15 c:ficord CD ystem 6JAS0113SE) YST TED FOR R	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has	
If the proposal is to deepen of Attach the Bond under whic following completion of the testing has been completed. determined that the site is re BOPCO, LP respectfull 90-days, July - Septern Wells going to this bath Vells going to this bath Poker Lake Unit CVX J Poker Lake Unit CVX J 14. Thereby certify that the fore Name (Printed/Typed) TR/	firectionally or recomplete horizontally, h the work will be performed or provide involved operations. If the operation re- Final Abandonment Notices shall be fil- ady for final inspection.) y submits this sundry for Notice ber 2015. ery are as follows: V PB 005H / 30-015-40763-00-5 V BS 008H / 30-015-39508-00-5 V BS 008H / 30-015-39508-00-5 V BS 022H / 30-015-41693-00-5 V BS 022H / 30-015-41693-00-5 V BS 025H / 30-015-41639 going is true and correct. Electronic Submission #2 For B Committed to AFMSS for process ACIE J CHERRY ctronic Submission)	give subsurface locations and measi the Bond No. on file with BLM/BI/ Sulfs in a multiple completion or rece ed only after all requirements, includ of Intent to intermittently flare SEE CON SI SI SI SI SI SI SI SI SI SI SI SI SI	ured and true verif A. Required subsecompletion in a new ling reclamation, b for ATTACI IDITION CCODICC NUIC II Information S d 10/02/2015 (1 ATORY-ANAL ACCEFF 015	cal depths of all pertin squent reports shall be * interval, a Form 316 have been completed, a BED FOR S OF APPF (15/15 c:ficord CD ystem 6JAS0113SE) YST TED FOR R	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has	
If the proposal is to deepen of Attach the Bond under whic following completion of the testing has been completed. determined that the site is re BOPCO, LP respectfull 90-days, July - Septern Wells going to this bath Vells going to this bath Poker Lake Unit CVX J Poker Lake Unit CVX J Signature (Ele Approved By Conditions of approval, if any, are certify that the applicant holds leg	firectionally or recomplete horizontally, h the work will be performed or provide involved operations. If the operation re- Final Abandonment Notices shall be fil- ady for final inspection.) y submits this sundry for Notice ber 2015. ery are as follows: V PB 005H / 30-015-40763-00-S V BS 008H / 30-015-39508-00-S V BS 008H / 30-015-39508-00-S V BS 008H / 30-015-41693-00-S V BS 022H / 30-015-41693-00-S V BS 022H / 30-015-41639 regoing is true and correct. Electronic Submission #S For B Committed to AFMSS for proces: ACIE J CHERRY etronic Submission) THIS SPACE FO attached. Approval of this notice does al or equitable title to those rights in the	give subsurface locations and measi the Bond No. on file with BLM/BL/ sults in a multiple completion or rece ed only after all requirements, includ of Intent to intermittently flare SEE SEE CON Status Stat	A Required subsection ompletion in a new ling reclamation, to for ATTACI IDITION CCOPIECT NUTO II Information S don 10/02/2015 (1 ATORY-ANAL OFFICE USE BUREA	cal depths of all pertin squent reports shall be * interval, a Form 316 have been completed, a BED FOR S OF APPF (5) (5) (5) (5) (5) (5) (5) (5) (5) (5)	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has COVAL	
If the proposal is to deepen of Attach the Bond under whic following completion of the testing has been completed. determined that the site is re BOPCO, LP respectfull 90-days, July - Septerm Wells going to this batto Poker Lake Unit CVX J Poker Lake Unit CVX J Signature (Ele Approved By Conditions of approval, if any, are certify that the applicant holds leg which would entitle the applicant Title 18 U.S.C. Section 1001 and	firectionally or recomplete horizontally, h the work will be performed or provide involved operations. If the operation re- Final Abandonment Notices shall be fil- ady for final inspection.) y submits this sundry for Notice ber 2015. ery are as follows: V PB 005H / 30-015-40763-00-S V BS 008H / 30-015-39508-00-S V BS 008H / 30-015-39508-00-S V BS 008H / 30-015-41693-00-S V BS 022H / 30-015-41693-00-S V BS 022H / 30-015-41639 regoing is true and correct. Electronic Submission #S For B Committed to AFMSS for proces: ACIE J CHERRY etronic Submission) THIS SPACE FO attached. Approval of this notice does al or equitable title to those rights in the	give subsurface locations and measi the Bond No. on file with BLM/BI/ Sulfs in a multiple completion or rec- ed only after all requirements, includ of Intent to intermittently flare SEE CON SI SI SI SI SI SI SI SI SI SI SI SI SI	ared and true verif A. Required subsecompletion in a new ing reclamation, I for ATTACI IDITION COPIECT NUICE II Information S d MUICE ATORY ANAL ACCLIF 015 OFFICE USE BUREA	cal depths of all pertin requent reports shall be * interval, a Form 316 have been completed, a HED FOR S OF APPF (15/15 C: To cord CD ystem 6JAS0113SE) YST VED FOR OCT OV FAND MANAO LSBAD FIELD OFF	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has COVAL	

t.

÷.

## Additional data for EC transaction #311185 that would not fit on the form

## 32. Additional remarks, continued

Í

Estimated amount to flare is 200 MCFD, depending on pipeline conditions. Flaring will be intermittent and is necessary due to restricted pipeline capacity.

Gas volumes will be metered prior to flaring, allocated back to each well and reported on monthly production reports

## **Flaring Conditions of Approval**

1. Report all volumes on OGOR B as disposition code 08.

2. Comply with NTL-4A requirements

3. Subject to like approval from NMOCD

Flared volumes will still require payment of royalties

5. Install gas meter on vent/flare line to measure gas prior to venting/flaring operations if it is not equipped as such at this time. Gas meter to meet all requirements for sale meter as Federal Regulations and Onshore Order #5. Include meter serial number on sundry.

6. This approval does not authorize any additional surface disturbance.

7. Submit updated facility diagram as per Onshore Order #3.

8. Approval not to exceed 90 days from date requested on sundry.

9. Submit Subsequent Report to this sundry with actual volumes of gas flared monthly on 3160-5 (sundry notice).

10. If flaring is still required past 90 days submit new request for approval.

11. If a portable unit is used to flare gas it must be monitored at all times.

12. Comply with any restrictions or regulations when on State or Fee surface.

**JAM 100615**