C						UCD		
	Form 2160 \$				Art	esia		
	Form 3160-5 (August 2007) UNITED STATES DEPARTMENT OF THE INTERIOR					FORM APPROVED OMB NO. 1004-0135		
	BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					Expires: July 31, 2010 5. Lease Serial No. NMLC061705B 6. If Indian, Allottee or Tribe Name		
	SUBMIT IN TRIPLICATE - Other instructions on reverse side.						<ol> <li>If Unit or CA/Agreement, Name and/or No. 891000303E</li> </ol>	
	I. Type of Well Gas Well D Other					8. Well Name and No. POKER LAKE UNIT 89		
	2. Name of Operator Contact: T BOPCO LP E-Mail: tjcherry@bas				HERRY		9. API Well No. 30-015-27787-00-S1	
	3a, Address P O BOX 2760 MIDLAND, TX	3b. Phone N Ph: 432-2	o. (include area code 21-7379	:)	10. Field and Pool, or Exploratory POKER LAKE			
	4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				· ·		11. County or Parish,	and State
	Sec 25 T24S R30E SWNE 2310FNL 1980FEL						EDDY COUNT	Y, NM <sub>c</sub>
	12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA							
	TYPE OF SUE	BMISSION			ΤΥΡΕ Ο	F ACTION		
	Notice of Inte	ent	C Acidize	🗖 De	· ·	—	ion (Start/Resume)	🗋 Water Shut-Off
	_		Alter Casing	_	cture Treat	🔲 Reclama		□ Well Integrity
	□ Subsequent R		Casing Repair		w Construction	C Recomp		Other Venting and/or Flari
	Final Abando	nment Notice	Change Plans Convert to Injection	_	Plug and Abandon Temp Plug Back Water Water		arily Abandon Disposal	ng
	If the proposal is to Attach the Bond us following complete testing has been co	o deepen directiona nder which the wor ion of the involved impleted. Final Ab	ration (clearly state all pertine illy or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices shall be fil	nt details, inclus, give subsurface the Bond No. of sults in a multir	ling estimated startin locations and measu file with BLM/BI/ le completion or reco	g date of any pr ired and true ve A. Required sub completion in a n	oposed work and appro rtical depths of all perti- psequent reports shall be new interval, a Form 316	nent markers and zones. filed within 30 days 0-4 shall be filed once
•	If the proposal is to Attach the Bond us following complet testing has been co determined that the	o deepen directiona nder which the wor ion of the involved ompleted. Final Ab e site is ready for fi spectfully subm	ration (clearly state all pertine lly or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices shall be fil nal inspection.) its this sundry for Notice	nt details, inclua , give subsurface e the Bond No. c sults in a multip led only after al	ling estimated startin e locations and measu in file with BLM/BI/ ile completion or recor- requirements, include	g date of any pr rred and true ve A. Required sub ompletion in a n ling reclamation	oposed work and appro rtical depths of all perti- psequent reports shall be new interval, a Form 316	nent markers and zones. filed within 30 days 0-4 shall be filed once
	If the proposal is to Attach the Bond us following complet testing has been co determined that the BOPCO, LP re:	o deepen directiona nder which the wor ion of the involved ompleted. Final Ab e site is ready for fi spectfully subm September 201	ration (clearly state all pertine lify or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices shall be fil nal inspection.) its this sundry for Notice 15.	nt details, inclua , give subsurface e the Bond No. c sults in a multip led only after al	ling estimated startin e locations and measu in file with BLM/BI/ ile completion or recor- requirements, include	g date of any pr rred and true ve A. Required sub ompletion in a n ling reclamation	oposed work and appro rtical depths of all perti- psequent reports shall be new interval, a Form 316	nent markers and zones. filed within 30 days 0-4 shall be filed once
	If the proposal is to Attach the Bond un following complet testing has been co determined that the BOPCO, LP re 90-days, July -	o deepen directiona nder which the wor ion of the involved mpleted. Final Ab e site is ready for fi spectfully subm September 201 g to this battery	ration (clearly state all pertine lly or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices shall be fil nal inspection.) its this sundry for Notice 15. are as follows:	nt details, inclua , give subsurface e the Bond No. c sults in a multip led only after al	ing estimated startin e locations and measu on file with BLM/BI/ e completion or recorrequirements, include requirements, include intermittently flare	g date of any pr ired and true ve A. Required sub ompletion in a n ting reclamation for	oposed work and appro rical depths of all pertin sequent reports shall be tew interval, a Form 316 n, have been completed,	nent markers and zones. filed within 30 days 0-4 shall be filed once
	If the proposal is to Attach the Bond un following complet testing has been co determined that the BOPCO, LP re 90-days, July - Wells producing POKER LAKE POKER LAKE	o deepen directiona nder which the wor ion of the involved ompleted. Final Ab e site is ready for fi spectfully subm September 201 g to this battery UNIT 084 / 300 UNIT 085 / 300	ration (clearly state all pertine lly or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices shall be fil nal inspection.) its this sundry for Notice 5. are as follows: 152910300S1 152791100S1	nt details, inclua , give subsurface e the Bond No. c sults in a multip led only after al	ling estimated startin e locations and measu on file with BLM/BI/ e completion or recor- requirements, includ ntermittently flare SEE	g date of inty pr ired and true ve A. Required sub completion in a r ling reclamation for ATTAC	oposed work and appro rtical depths of all pertin sequent reports shall be new interval, a Form 316 have been completed,	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has
	If the proposal is to Attach the Bond un following complet testing has been co determined that the BOPCO, LP re: 90-days, July - Wells producing POKER LAKE POKER LAKE POKER LAKE POKER LAKE	o deepen directiona nder which the wor ion of the involved ompleted. Final Ab e site is ready for fi spectfully subm September 201 g to this battery UNIT 084 / 300 UNIT 087 / 300 UNIT 089 / 300	ration (clearly state all pertine lly or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices shall be fil nal inspection.) its this sundry for Notice 5, are as follows: 152910300S1 152791100S1 152778700S1	nt details, inclua , give subsurface e the Bond No. c sults in a multip led only after al	ling estimated startin e locations and measu on file with BLM/BI/ e completion or recor- requirements, includ ntermittently flare SEE	g date of inty pr ired and true ve A. Required sub completion in a n ling reclamation for ATTAC	oposed work and appro rical depths of all pertin sequent reports shall be tew interval, a Form 316 n, have been completed,	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has
	If the proposal is to Attach the Bond un following complet testing has been co determined that the BOPCO, LP re: 90-days, July - Wells producing POKER LAKE POKER LAKE POKER LAKE	o deepen directiona nder which the wor ion of the involved impleted. Final Ab e site is ready for fi spectfully subm September 201 g to this battery UNIT 084 / 300 UNIT 085 / 300 UNIT 087 / 300 UNIT 103 / 300 UNIT 105 / 300	ration (clearly state all pertine lly or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices shall be fil nal inspection.) its this sundry for Notice 15. are as follows: 152910300S1 152791100S1 152778700S1 152778700S1 152778900S1 152778900S1	nt details, inclua , give subsurface e the Bond No. c sults in a multip led only after al	ling estimated startin e locations and measu on file with BLM/BI/ e completion or recor- requirements, includ ntermittently flare SEE	g date of inty pr ired and true ve A. Required sub completion in a n ling reclamation for ATTAC	roposed work and appro rtical depths of all pertin sequent reports shall be we interval, a Form 316 h, have been completed, CHED FOR NS OF APP	nent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has ROVAL
	If the proposal is to Attach the Bond un following complet testing has been co determined that the 90-days, July - Wells producing POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE	o deepen directiona nder which the wor ion of the involved impleted. Final Ab e site is ready for fi spectfully subm September 201 g to this battery UNIT 084 / 300 UNIT 085 / 300 UNIT 087 / 300 UNIT 103 / 300 UNIT 105 / 300	ration (clearly state all pertine lly or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices shall be fil nal inspection.) its this sundry for Notice 15. are as follows: 152910300S1 152791100S1 152778700S1 152778700S1 152778900S1 152778900S1	nt details, inclua , give subsurface e the Bond No. c sults in a multip led only after al	ling estimated startin e locations and measu on file with BLM/BI/ e completion or recor- requirements, includ ntermittently flare SEE	g date of inty pr ired and true ve A. Required sub completion in a n ling reclamation for ATTAC	roposed work and appro rtical depths of all pertin sequent reports shall be we interval, a Form 316 h, have been completed, CHED FOR NS OF APP	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has
	If the proposal is to Attach the Bond un following complet testing has been co determined that the 90-days, July - Wells producing POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE	o deepen directiona nder which the wor ion of the involved impleted. Final Ab e site is ready for fi spectfully subm September 201 g to this battery UNIT 084 / 300 UNIT 085 / 300 UNIT 087 / 300 UNIT 103 / 300 UNIT 105 / 300 UNIT 106 / 300	ration (clearly state all pertine lly or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices shall be fil nal inspection.) its this sundry for Notice (5, are as follows: 152910300S1 152791100S1 152798600S1 152778700S1 1527791900S1 15279900S1 152792000S1	nt details, include give subsurface the Bond No. 6 soults in a multipled only after all of Intent to it	ling estimated startin e locations and measu on file with BLM/BI/ e completion or recor- requirements, include ntermittently flare SEE CON	g date of any pri red and true ve A. Required sub ompletion in a ri ling reclamation for ATTA( VDITIO)	CHED FOR NS OF APP	ent markers and zones. filed within 30 days 00-4 shall be filed once and the operator has ROVAL DIL CONSERVAT ARTESIA DISTRICT
	If the proposal is to Attach the Bond un following complet testing has been co determined that the BOPCO, LP re: 90-days, July - Wells producing POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE	o deepen directiona nder which the wor ion of the involved ompleted. Final Ab e site is ready for fi spectfully subm September 201 g to this battery UNIT 084 / 300 UNIT 085 / 300 UNIT 087 / 300 UNIT 089 / 300 UNIT 105 / 300 UNIT 105 / 300	ration (clearly state all pertine lly or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices shall be fil nal inspection.) its this sundry for Notice (5, are as follows: 152910300S1 152791000S1 152798600S1 152778700S1 152778700S1 152778900S1 152789500S1 152792000S1	nt details, includ, give subsurface the Bond No. d sults in a multipled only after all of Intent to in With the subscription of Intent to in Sality of the subscription of Subscription of the subscription of the subscription of the subscription of Subscription of the subscription of the subscription of the subscription of Subscription of the subscription of	ting estimated startin e locations and measu on file with BLM/BI/ e completion or recorrequirements, include ntermittently flare SEE CON	g date of any prived and true ve N. Required sub- completion in a n ting reclamation for ATTAC NDITIO II Information d	oposed work and appro- rical depths of all pertin- sequent reports shall be ewinterval, a Form 316 h, have been completed, NS OF APP NM (	ent markers and zones. filed within 30 days 00-4 shall be filed once and the operator has ROVAL DIL CONSERVAT ARTESIA DISTRICT
	If the proposal is to Attach the Bond un following complet testing has been co determined that the BOPCO, LP re: 90-days, July - Wells producing POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE	o deepen directiona nder which the wor ion of the involved ompleted. Final Ab e site is ready for fi spectfully subm September 201 g to this battery UNIT 084 / 300 UNIT 085 / 300 UNIT 085 / 300 UNIT 087 / 300 UNIT 103 / 300 UNIT 105 / 300 UNIT 106 / 300	ration (clearly state all pertine lly or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices shall be fil nal inspection.) its this sundry for Notice 15. are as follows: 152910300S1 152791100S1 152798600S1 152778700S1 152778700S1 1527789500S1 1527792000S1 152792000S1	nt details, includ, give subsurface the Bond No. d sults in a multipled only after all of Intent to in With the subscription of Intent to in Sality of the subscription of Subscription of the subscription of the subscription of the subscription of Subscription of the subscription of the subscription of the subscription of Subscription of the subscription of	ing estimated startin e locations and measu in file with BLM/BI/ ile completion or recorrequirements, include intermittently flare SEE CON	g date of any prived and true ve N. Required sub- completion in a n ting reclamation for ATTAC NDITIO II Information d	oposed work and appro- rical depths of all pertin- sequent reports shall be ewinterval, a Form 316 have been completed, NS OF APP NM ( System (16JAS0086SE)	nent markers and zones. filed within 30 days 60-4 shall be filed once and the operator has ROVAL DIL CONSERVAT ARTESIA DISTRICT OCT 1 4 2015
	If the proposal is to Attach the Bond un following complet testing has been co determined that the BOPCO, LP re: 90-days, July - Wells producing POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE	o deepen directiona nder which the wor ion of the involved ompleted. Final Ab e site is ready for fi spectfully subm September 201 g to this battery UNIT 084 / 300 UNIT 085 / 300 UNIT 087 / 300 UNIT 105 / 300 UNIT 105 / 300 UNIT 105 / 300 UNIT 106 / 300 INIT 106 / 300	ration (clearly state all pertine lly or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices shall be fil nal inspection.) its this sundry for Notice (5. are as follows: 152910300S1 152791000S1 152798600S1 152778700S1 152778700S1 152789500S1 1527992000S1 152792000S1	nt details, includ, give subsurface the Bond No. d sults in a multipled only after all of Intent to in With the subscription of Intent to in Sality of the subscription of Subscription of the subscription of the subscription of the subscription of Subscription of the subscription of the subscription of the subscription of Subscription of the subscription of	ing estimated startin e locations and measu on file with BLM/BI/ le completion or rec- requirements, include ntermittently flare SEE CON CON CON CON CON CON CON CON CON CON	g date of any pri red and true ve A. Required sub ompletion in a n ling reclamation for ATTAC NDITIO	oposed work and appro rical depths of all pertin sequent reports shall be rew interval, a Form 316 , have been completed, CHED FOR NS OF APP NM ( System (16JAS0086SE) ALYST	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has ROVAL DIL CONSERVAT ARTESIA DISTRICT OCI 1 4 2015 RECEIVED
	If the proposal is to Attach the Bond un following complet testing has been co determined that the BOPCO, LP re: 90-days, July - Wells producing POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE	o deepen directiona nder which the wor ion of the involved ompleted. Final Ab e site is ready for fi spectfully subm September 201 g to this battery UNIT 084 / 300 UNIT 085 / 300 UNIT 085 / 300 UNIT 087 / 300 UNIT 103 / 300 UNIT 105 / 300 UNIT 106 / 300	ration (clearly state all pertine lly or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices shall be fil nal inspection.) its this sundry for Notice (5, are as follows: 152910300S1 152791100S1 152798600S1 152778700S1 152779900S1 15279900S1 15279900S1 152792000S1 true and correct. Electronic Submission # For f itted to AFMSS for proces CHERRY	nt details, inclue give subsurface the Bond No. c sults in a multip led only after all of Intent to in USA	ing estimated startin e locations and measu on file with BLM/BI/ e completion or recorrequirements, include ntermittently flare SEE CON CON CON CON CON CON CON CON CON CON	g date of any prived and true ve A. Required sub- completion in a miling reclamation for ATTAC NDITIO II Information d n 10/02/2015 ATORY AN/ OACCEP	coposed work and appro- rical depths of all pertin- psequent reports shall be rew interval, a Form 316 h, have been completed, NS OF APP NM C System (16JAS0086SE) ALYST/ TED FOR BE	ent markers and zones. filed within 30 days 60-4 shall be filed once and the operator has ROVAL DIL CONSERVAT ARTESIA DISTRICT OCI 1 4 2015 RECEIVED
	If the proposal is to Attach the Bond un following complet testing has been co determined that the BOPCO, LP re: 90-days, July - Wells producing POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE	o deepen directiona nder which the wor ion of the involved ompleted. Final Ab e site is ready for fi spectfully subm September 201 g to this battery UNIT 084 / 300 UNIT 085 / 300 UNIT 087 / 300 UNIT 105 / 300 UNIT 105 / 300 UNIT 105 / 300 UNIT 106 / 300 INIT 106 / 300	ration (clearly state all pertine lly or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices shall be fil nal inspection.) its this sundry for Notice (5. are as follows: 152910300S1 152791000S1 152798600S1 152778700S1 152778700S1 152789500S1 1527992000S1 152792000S1	nt details, inclue give subsurface the Bond No. c sults in a multip led only after all of Intent to in USA	ing estimated startin e locations and measu on file with BLM/BI/ e completion or recorrequirements, include ntermittently flare SEE CON CON CON CON CON CON CON CON CON CON	g date of any primed and true ve A. Required sub- completion in a mining reclamation for ATTAC ADITIO II Information d n 10/02/2015 ATORY AN/ OACCEP GFFICE / S	oposed work and appro- rical depths of all pertin- psequent reports shall be ewinterval, a Form 316 have been completed, NS OF APP NM C System (16JAS0086SE) ALYST/ TED FOR RE	ent markers and zones. filed within 30 days 60-4 shall be filed once and the operator has ROVAL DIL CONSERVAT ARTESIA DISTRICT OCI 1 4 2015 RECEIVED
	If the proposal is to Attach the Bond un following complet testing has been co determined that the BOPCO, LP re: 90-days, July - Wells producing POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE POKER LAKE	o deepen directiona nder which the wor ion of the involved ompleted. Final Ab e site is ready for fi spectfully subm September 201 g to this battery UNIT 084 / 300 UNIT 085 / 300 UNIT 087 / 300 UNIT 105 / 300 UNIT 105 / 300 UNIT 105 / 300 UNIT 106 / 300 INIT 106 / 300	ration (clearly state all pertine lly or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices shall be fil nal inspection.) its this sundry for Notice (5, are as follows: 152910300S1 152791100S1 152798600S1 152778700S1 152779900S1 15279900S1 15279900S1 152792000S1 true and correct. Electronic Submission # For f itted to AFMSS for proces CHERRY	nt details, inclue give subsurface the Bond No. c sults in a multip led only after all of Intent to in USA	ing estimated startin e locations and measu on file with BLM/BI/ e completion or recorrequirements, include ntermittently flare SEE CON CON CON CON CON CON CON CON CON CON	g date of any primed and true ve A. Required sub- completion in a mining reclamation for ATTAC ADITIO II Information d n 10/02/2015 ATORY AN/ OACCEP GFFICE / S	coposed work and appro- rical depths of all pertin- psequent reports shall be rew interval, a Form 316 h, have been completed, NS OF APP NM C System (16JAS0086SE) ALYST/ TED FOR BE	ent markers and zones. filed within 30 days 60-4 shall be filed once and the operator has ROVAL DIL CONSERVAT ARTESIA DISTRICT OCI 1 4 2015 RECEIVED
	If the proposal is to Attach the Bond un following complet testing has been co determined that the BOPCO, LP re: 90-days, July - Wells producing POKER LAKE POKER LAKE	o deepen directiona nder which the wor ion of the involved impleted. Final Ab e site is ready for fi spectfully subm September 201 g to this battery UNIT 084 / 300 UNIT 085 / 300 UNIT 085 / 300 UNIT 087 / 300 UNIT 105 / 300 UNIT 105 / 300 UNIT 106 / 300 INIT 106 / 300 INIT 106 / 300 INIT 106 / 300 INIT 106 / 300	ration (clearly state all pertine lly or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices shall be fil nal inspection.) its this sundry for Notice 15. are as follows: 152910300S1 152791100S1 152798600S1 152779100S1 152779900S1 15279900S1 152792000S1 152792000S1 true and correct. Electronic Submission # For fitted to AFMSS for proces CHERRY ubmission) THIS SPACE FC	nt details, includ, give subsurface the Bond No. c sults in a multipled only after all of Intent to it of Intent to it subsurface and the subsurface subsurface and the subsurface and t	ing estimated startin e locations and measu on file with BLM/BI/ e completion or recorrequirements, include ntermittently flare SEE CON CON SEE CON SE	g date of any primed and true ve A. Required sub- completion in a mining reclamation for ATTAC ADITIO II Information d 10/02/2015 ATORY AN/ OACCEP OFFICE US	oposed work and appro- rical depths of all pertin- sequent reports shall be ewinterval, a Form 316 have been completed, NS OF APP NM C System (16JAS0086SE) ALYST/ TED FOR RE SE OCT 5 2019	ROVAL ROVAL DIL CONSERVAT ARTESIA DISTRICT OCI 1 4 2015 RECEIVED CORD
(	If the proposal is to Attach the Bond un following complet testing has been co determined that the BOPCO, LP re: 90-days, July - Wells producing POKER LAKE POKER LAKE	o deepen directiona nder which the wor ion of the involved impleted. Final Ab e site is ready for fi spectfully subm September 201 g to this battery UNIT 084 / 300 UNIT 085 / 300 UNIT 085 / 300 UNIT 087 / 300 UNIT 105 / 300 UNIT 105 / 300 UNIT 106 / 300 in the foregoing is Comm red) TRACIE J	ration (clearly state all pertine lly or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices shall be fil nal inspection.) its this sundry for Notice 15. are as follows: 152910300S1 152791100S1 152798600S1 152778700S1 152779900S1 152789500S1 152792000S1 152792000S1 true and correct. Electronic Submission # For fitted to AFMSS for proces CHERRY ubmission) THIS SPACE FC	nt details, inclue give subsurface the Bond No. 6 sults in a multipled only after all of Intent to in of Intent to in USA 311152 verifie BOPCO LP, s sign by JENI DR FEDER/	ling estimated startin e locations and measu on file with BLM/BI/ le completion or recorrequirements, include ntermittently flare SEE CON O/05/155 CON D/05/155 C	g date of any pri red and true ve A. Required sub ompletion in a ri fing reclamation for ATTAC JDITIO UIINFORMATION II Information on 10/02/2015 ATORY AN/ OFFICE US BUREA	oposed work and appro inicial depths of all pertin- psequent reports shall be rew interval, a Form 316 h have been completed, CHED FOR NS OF APP NM C System (16JAS00865E) ALYST/ TED FOR RE SE OCT 5 2015 H H H MAR RLSBAD FIELD OFFI	ent markers and zones. filed within 30 days 60-4 shall be filed once and the operator has ROVAL DIL CONSERVAT ARTESIA DISTRICT OCI 1 4 2015 RECEIVED CORD AMENT CE
(	If the proposal is to Attach the Bond un following complet testing has been co determined that the BOPCO, LP re: 90-days, July - Wells producing POKER LAKE POKER LAKE	o deepen directiona nder which the wor ion of the involved impleted. Final Ab- e site is ready for fi spectfully subm September 201 g to this battery UNIT 084 / 300 UNIT 085 / 300 UNIT 085 / 300 UNIT 108 / 300 UNIT 105 / 300 UNIT 106 / 300 UNIT 106 / 300 int the foregoing is Comm red) TRACIE J (Electronic S if any, are attached tholds legal or equi applicant to conduc	ration (clearly state all pertine lly or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices shall be fil nal inspection.) its this sundry for Notice (5, are as follows: 152910300S1 152791100S1 152798600S1 152778700S1 152779900S1 15279900S1 15279900S1 152792000S1 152792000S1 true and correct. Electronic Submission # For f itted to AFMSS for process CHERRY ubmission) THIS SPACE FC	nt details, inclue, give subsurface the Bond No. 6 sults in a multipled only after all of Intent to in of Intent to in USA 311152 verifie BOPCO LP, s assing by JENI DR FEDER/	ing estimated startin e locations and measu on file with BLM/BI/ e completion or recorrequirements, include ntermittently flare SEE CON CON SEE SEE CON SEE SEE CON SEE SEE CON SEE SEE CON SEE SEE CON SEE SEE CON SEE SEE SEE SEE CON SEE SEE SEE SEE SEE SEE SEE SEE SEE SE	g date of any pri red and true ve A. Required sub ompletion in a ri fing reclamation for ATTAC JDITIO UIINFORMATION II Information on 10/02/2015 ATORY AN/ OFFICE US BUREA	oposed work and appro inicial depths of all pertin- psequent reports shall be rew interval, a Form 316 h have been completed, CHED FOR NS OF APP NM C System (16JAS00865E) ALYST/ TED FOR RE SE OCT 5 2015 H H H MAR RLSBAD FIELD OFFI	ent markers and zones. filed within 30 days 60-4 shall be filed once and the operator has ROVAL DIL CONSERVAT ARTESIA DISTRICT OCI 1 4 2015 RECEIVED CORD AMENT CE

.

.

## Additional data for EC transaction #311152 that would not fit on the form

32. Additional remarks, continued

4

POKER LAKE UNIT 108 / 300152808600S1 POKER LAKE UNIT 111 / 300152808700S1 POKER LAKE UNIT 114 / 300152810200S1 POKER LAKE UNIT 115 / 300152818000S1 POKER LAKE UNIT 118 / 300152921300S1 POKER LAKE UNIT 102 / 300153516200S1 POKER LAKE UNIT 308H / 300153772800S1 POKER LAKE UNIT 344H / 300153948700S1 POKER LAKE UNIT 345H / 300153948800S1 POKER LAKE UNIT 346H / 30015394800S1

Estimated amount to flare is 100 MCFD, depending on pipeline conditions. Flaring will be intermittent and is necessary due to restricted pipeline capacity.

Gas is commingled at the flare to reduce the number flare stacks that would be needed for individual well locations.

Gas volumes will be metered prior to flaring, allocated back to each well and reported on monthly production reports

## **Flaring Conditions of Approval**

1. Report all volumes on OGOR B as disposition code 08.

2. Comply with NTL-4A requirements

3. Subject to like approval from NMOCD

4. Flared volumes will still require payment of royalties

5. Install gas meter on vent/flare line to measure gas prior to venting/flaring operations if it is not equipped as such at this time. Gas meter to meet all requirements for sale meter as Federal Regulations and Onshore Order #5. Include meter serial number on sundry.

6. This approval does not authorize any additional surface disturbance.

7. Submit updated facility diagram as per Onshore Order #3.

8. Approval not to exceed 90 days from date requested on sundry.

9. Submit Subsequent Report to this sundry with actual volumes of gas flared monthly on 3160-5 (sundry notice).

10. If flaring is still required past 90 days submit new request for approval.

11. If a portable unit is used to flare gas it must be monitored at all times.

12. Comply with any restrictions or regulations when on State or Fee surface.

**JAM 100215**