NM OIL CONSERVATION

State of New Mexico Energy Minerals and Natural Resources

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240

1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

811 S. First St., Artesia, NM 88210

District II

District III

District IV

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 ARTESIA DISTRICT

Form C-141

DEC 0 2 2015 Revised August 8, 2011

200-3422

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

RECEIVED

Release Notification and Corrective Action

Name of Company Devon Energy Production Company Contact Garry Michael Production Foreman Address 6488 Seven Rivers Hwy Artesia, NM 88210 Telephone No. 575-513-4895	al Repor
Surface Owner State	
Surface Owner State	
Unit Letter Section Township Range Feet from the North/South Line Feet from the East/West Line County	
Unit Letter Section Township Range Feet from the North/South Line Feet from the East/West Line County	
Unit Letter Section Township Range Feet from the North/South Line Feet from the South 2200 West Eddy Latitude: N 32 16 71.55" Longitude: W -103 73 23.14" NATURE OF RELEASE Type of Release Produced Water Volume of Release 40bbls 38bbls Source of Release 9 inch water trunk line split Date and Hour of Occurrence November 30, 2015 1:00 PM If YES, To Whom? Kellie Jones, OCD By Whom? Matt Nettles, Assistant Production Foreman December 1, 2015 10:15 AM If YES, Volume Impacting the Watercourse N/A If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.* The water trunk line had an 8" split causing a 40bbls produced water release. The line going to the water trunk was closed, isolated and locked ou	
Latitude: N 32 16 71.55" Longitude: W -103 73 23.14"	
Latitude: N 32'16'71.55" NATURE OF RELEASE Type of Release Produced Water Source of Release Produced Water Source of Release Inch water trunk line split Was Immediate Notice Given? Yes No Not Required Not Required Pate and Hour Not Required If YES, To Whom? Kellie Jones, OCD Was a Watercourse Reached? Yes No If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.* The water trunk line had an 8" split causing a 40bbls produced water release. The line going to the water trunk was closed, isolated and locked ou	
Type of Release Produced Water Source of Release 8 inch water trunk line split Was Immediate Notice Given? Was Iwhom? Matt Nettles, Assistant Production Foreman Was a Watercourse Reached? If YES, Volume Impacting the Watercourse N/A Describe Cause of Problem and Remedial Action Taken.* The water trunk line had an 8" split causing a 40bbls produced water release. The line going to the water trunk was closed, isolated and locked ou	
Type of Release Produced Water Source of Release Produced Water Source of Release 8 inch water trunk line split Was Immediate Notice Given? Was Immediate Notice Given? Was a Watercourse Reached? Yes No Not Required Date and Hour of Occurrence November 30, 2015 1:00 PM If YES, To Whom? Relie Jones, OCD By Whom? Matt Nettles, Assistant Production Foreman December 1, 2015 10:15 AM Was a Watercourse Reached? Yes No N/A If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.* The water trunk line had an 8" split causing a 40bbls produced water release. The line going to the water trunk was closed, isolated and locked ou	
Type of Release Produced Water Source of Release 8 inch water trunk line split Was Immediate Notice Given? By Whom? Matt Nettles, Assistant Production Foreman Was a Watercourse Reached? If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.* The water trunk line had an 8" split causing a 40bbls produced water release. The line going to the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated and locked out the water trunk was closed, isolated water the water trunk was closed.	
Produced Water Source of Release 8 inch water trunk line split Was Immediate Notice Given? Was Immediate Notice Given? Was Immediate Notice Given? Was a Watercourse Reached? Yes No Not Required Date and Hour of Occurrence November 30, 2015 1:00 PM If YES, To Whom? Kellie Jones, OCD By Whom? Matt Nettles, Assistant Production Foreman Was a Watercourse Reached? Yes No Not Not Required If YES, Volume Impacting the Watercourse N/A If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.* The water trunk line had an 8" split causing a 40bbls produced water release. The line going to the water trunk was closed, isolated and locked out	
8 inch water trunk line split Was Immediate Notice Given? Yes No Not Required By Whom? Matt Nettles, Assistant Production Foreman Was a Watercourse Reached? Yes No Not Required Date and Hour December 1, 2015 10:15 AM If YES, Volume Impacting the Watercourse N/A If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.* The water trunk line had an 8" split causing a 40bbls produced water release. The line going to the water trunk was closed, isolated and locked ou	
Was Immediate Notice Given? Yes	
By Whom? Matt Nettles, Assistant Production Foreman Was a Watercourse Reached? If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.* The water trunk line had an 8" split causing a 40bbls produced water release. The line going to the water trunk was closed, isolated and locked out	
Matt Nettles, Assistant Production Foreman Was a Watercourse Reached? Yes No If YES, Volume Impacting the Watercourse N/A If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.* The water trunk line had an 8" split causing a 40bbls produced water release. The line going to the water trunk was closed, isolated and locked ou	
Was a Watercourse Reached? ☐ Yes ☑ No If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.* The water trunk line had an 8" split causing a 40bbls produced water release. The line going to the water trunk was closed, isolated and locked ou	
Yes No N/A If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.* The water trunk line had an 8" split causing a 40bbls produced water release. The line going to the water trunk was closed, isolated and locked ou	
N/A Describe Cause of Problem and Remedial Action Taken.* The water trunk line had an 8" split causing a 40bbls produced water release. The line going to the water trunk was closed, isolated and locked ou	
Describe Cause of Problem and Remedial Action Taken.* The water trunk line had an 8" split causing a 40bbls produced water release. The line going to the water trunk was closed, isolated and locked ou	
LIDEVENI TOTTICE TELEVASE ARE LEDATIS BAVE DECELHIAGE TO THE WORK THIC.	t to
Describe Area Affected and Cleanup Action Taken.* The affected area is a 20' x 15' area on the East side of the facility on a Devon right of way. The total release was 40bbls produced water with 38t	able
recovered via vacuum truck. Environmental agency will be contacted for remediation.	7015
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules	
regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endan public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liab	gei oility
should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human	health
or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other	
federal, state, or local laws and/or regulations.	
Signature: Sheila Fisher OIL CONSERVATION DIVISION	
Printed Name: Sheila Fisher Signed By 1/1/4 Examples. Approved by Environmental Specialist:	
Title: Field Admin Support Approval Date: 12/3/15 Expiration Date: 1/14	
E-mail Address: Sheila.Fisher@dvn.com Conditions of Approval: Demodiation now O. D. Bulan & Gutta HAttached	
Date: 12.2.2015 Phone: 575.748.1829 Conditions of Approval: Remediation per O.C.D. Rules & Guidellines SUBMIT REMEDIATION PROPOSAL NO	
Attach Additional Sheets If Necessary ATER THAN: 13/10 20/10	