Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

NMOCD Artesia

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

5. Lease Serial No.

NMLC	061705B	
If Indian	Allottee or Tribe Name	

Do not use th	NOTICES AND REPORTS					
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.			6. If Indian, Allotte	6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on reverse side.			7. If Unit or CA/Aş	7. If Unit or CA/Agreement, Name and/or No.		
Type of Well				8. Well Name and No. POKER LAKE 68		
Name of Operator BOPCO LP Contact: TRACIE J CHERRY E-Mail: tjcherry@basspet.com			9. API Well No. 30-015-25781	9. API Well No. 30-015-25781-00-\$1		
3a, Address 3b. Phone No. (include area code) P O BOX 2760 Ph: 432-221-7379 MIDLAND, TX 79702 Ph: 432-221-7379				10. Field and Pool, or Exploratory POKER LAKE		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			11. County or Paris	11. County or Parish, and State		
Sec 20 T24S R31E NWNE			EDDY COUN	EDDY COUNTY, NM		
12. СНЕСК АРРІ	ROPRIATE BOX(ES) TO IN	DICATE NATURE OF	NOTICE, REPORT, OR OTH	ER DATA		
TYPE OF SUBMISSION		ТУРЕ О	F ACTION .	ION		
Notice of Intent	☐ Acidize	□ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off		
	☐ Alter Casing	☐ Fracture Treat	☐ Reclamation	■ Well Integrity		
☐ Subsequent Report	☐ Casing Repair	■ New Construction	☐ Recomplete	Other		
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abandon	□ Temporarily Abandon	Venting and/or Flari		
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	<u> </u>		
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Attackers and the size is ready for feeters.	ally or recomplete horizontally, give it will be performed or provide the B operations. If the operation results in pandonment Notices shall be filed on	subsurface locations and meast Bond No. on file with BLM/BI/ in a multiple completion or reco	 Required subsequent reports shall to completion in a new interval, a Form 3 	tinent markers and zones. be filed within 30 days 160-4 shall be filed once		
Attach the Bond under which the wor following completion of the involved	ally or recomplete horizontally, give a rk will be performed or provide the B operations. If the operation results in pandomment Notices shall be filed on inal inspection.)	subsurface locations and meast 3 and No. on file with BLM/BI/ in a multiple completion or rec- ly after all requirements, include	red and true vertical depths of all per A. Required subsequent reports shall simpletion in a new interval, a Form 3 ling reclamation, have been complete	tinent markers and zones. be filed within 30 days 160-4 shall be filed once d, and the operator has		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fi BOPCO, LP respectfully subm 90-days, July - September 20 Wells producing to this battery	ally or recomplete horizontally, give a rk will be performed or provide the B operations. If the operation results i andonment Notices shall be filed on inal inspection.) nits this sundry for Notice of In 15. y are as follows:	subsurface locations and meast 3 and No. on file with BLM/BI/ in a multiple completion or rec- ly after all requirements, include	red and true vertical depths of all per A. Required subsequent reports shall simpletion in a new interval, a Form 3 ling reclamation, have been complete	tinent markers and zones. be filed within 30 days 160-4 shall be filed once		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fi BOPCO, LP respectfully subm 90-days, July - September 20	alty or recomplete horizontally, give in the will be performed or provide the B coperations. If the operation results in andonment Notices shall be filed on inal inspection.) In this sundry for Notice of In 15. In are as follows: In 152955200S1	subsurface locations and measing and No. on file with BLM/BI/in a multiple completion or receive after all requirements, include attent to intermittently flare SEE	red and true vertical depths of all per A. Required subsequent reports shall completion in a new interval, a Form 3 ling reclamation, have been complete for NN E ATTACHED FOR NDITIONS OF AP	tinent markers and zones. be filed within 30 days 160-4 shall be filed once d, and the operator has I OIL CONSERVAT ARTESIA DISTRICT OCT 3 0 2015		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fi BOPCO, LP respectfully subm 90-days, July - September 20' Wells producing to this battery POKER LAKE UNIT 129 / 300 POKER LAKE UNIT 129 / 300 POKER LAKE UNIT 392H / 30 POKER LAKE UNIT 393H / 30 POKER LAKE UNIT 393H / 30 POKER LAKE UNIT 394H / 30 POKER LAKE	ally or recomplete horizontally, give in k will be performed or provide the B coperations. If the operation results in andomment Notices shall be filed only in a spection.) This this sundry for Notice of Inc. The areas follows: 152955200S1	subsurface locations and measing and No. on file with BLM/Bl/ in a multiple completion or recomply after all requirements, including the state of th	Ted and true vertical depths of all per A. Required subsequent reports shall simpletion in a new interval, a Form 3 ling reclamation, have been complete for NN E ATTACHED FOR NDITIONS OF AP	tinent markers and zones. be filed within 30 days 160-4 shall be filed once d, and the operator has I OIL CONSERVAT ARTESIA DISTRICT OCT 3 0 2015		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fit BOPCO, LP respectfully subm 90-days, July - September 20' Wells producing to this battery POKER LAKE UNIT 129 / 300 POKER LAKE UNIT 1068 / 300 POKER LAKE UNIT 392H / 30 POKER LAKE UNIT 392H / 30 POKER LAKE UNIT 393H / 30 POKER LAKE UNIT 394H / 30 POKER LAKE UNIT 395H / 30 POKER LAKE	ally or recomplete horizontally, give in k will be performed or provide the B coperations. If the operation results in andomment Notices shall be filed only in a sunder of the filed only in the sunder of th	subsurface locations and measing and No. on file with BLM/Bl/ in a multiple completion or recoily after all requirements, include the state of the s	Tred and true vertical depths of all per A. Required subsequent reports shall per	tinent markers and zones. be filed within 30 days 160-4 shall be filed once d, and the operator has I OIL CONSERVAT ARTESIA DISTRICT OCT 3 0 2015		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fi BOPCO, LP respectfully subm 90-days, July - September 20' Wells producing to this battery POKER LAKE UNIT 129 / 300 POKER LAKE UNIT 1068 / 300 POKER LAKE UNIT 392H / 30 POKER LAKE UNIT 392H / 30 POKER LAKE UNIT 393H / 30 POKER LAKE UNIT 394H / 30 POKER LAKE UNIT 395H / 30 POKER LAKE	ally or recomplete horizontally, give in k will be performed or provide the B coperations. If the operation results in andomment Notices shall be filed only in a sunder of the filed only in the sunder of th	subsurface locations and measing and No. on file with BLM/Bl/ in a multiple completion or recoily after all requirements, include the state of the s	Tred and true vertical depths of all per A. Required subsequent reports shall per	tinent markers and zones. be filed within 30 days 160-4 shall be filed once d, and the operator has I OIL CONSERVAT ARTESIA DISTRICT OCT 3 0 2015 RECORD OF CORD		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fit BOPCO, LP respectfully subm 90-days, July - September 20' Wells producing to this battery POKER LAKE UNIT 129 / 300 POKER LAKE UNIT 1068 / 300 POKER LAKE UNIT 392H / 30 POKER LAKE UNIT 393H / 30 POKER LAKE UNIT 393H / 30 POKER LAKE UNIT 394H / 30 POKER LAKE UNIT 395H / 30 POKER LAKE	ally or recomplete horizontally, give in k will be performed or provide the B coperations. If the operation results in pandomment Notices shall be filed on inal inspection.) and this sundry for Notice of Info. are as follows: 152955200S1 15295200S1 152955200S1 152955200S1	subsurface locations and meast 3 and No. on file with BLM/Bl/ in a multiple completion or receive after all requirements, include the state of the s	red and true vertical depths of all per A. Required subsequent reports shall per	tinent markers and zones. be filed within 30 days 160-4 shall be filed once d, and the operator has I OIL CONSERVAT ARTESIA DISTRICT OCT 3 0 2015		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fit BOPCO, LP respectfully subm 90-days, July - September 20' Wells producing to this battery POKER LAKE UNIT 129 / 300 POKER LAKE UNIT 1068 / 300 POKER LAKE UNIT 392H / 30 POKER LAKE UNIT 392H / 30 POKER LAKE UNIT 393H / 30 POKER LAKE UNIT 394H / 30 POKER LAKE UNIT 395H / 30 POKER LAKE	ally or recomplete horizontally, give in k will be performed or provide the Biscoperations. If the operation results in andomment Notices shall be filed only in all inspection.) In this sundry for Notice of In 15. In are as follows: In 152955200S1 In 15295200S1 In	subsurface locations and measing and No. on file with BLM/Bl/ in a multiple completion or recomply after all requirements, including the state of th	red and true vertical depths of all per A. Required subsequent reports shall simpletion in a new interval, a Form 3 ling reclamation, have been complete for NN E ATTACHED FOR NDITIONS OF AP For record DCD 10 10 10 10 10 10 10 10 10 10 10 10 10	tinent markers and zones. be filed within 30 days 160-4 shall be filed once d, and the operator has I OIL CONSERVAT ARTESIA DISTRICT OCT 3 0 2015 RECEIVED PROVAL		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fit BOPCO, LP respectfully subm 90-days, July - September 20' Wells producing to this battery POKER LAKE UNIT 129 / 300 POKER LAKE UNIT 1068 / 300 POKER LAKE UNIT 392H / 30 POKER LAKE UNIT 393H / 30 POKER LAKE UNIT 393H / 30 POKER LAKE UNIT 394H / 30 POKER LAKE UNIT 395H / 30 POKER LAKE	ally or recomplete horizontally, give in k will be performed or provide the Biscoperations. If the operation results in andomment Notices shall be filed only in all inspection.) In this sundry for Notice of In 15. In are as follows: In 152955200S1 In 15295200S1 In	subsurface locations and meast 3 and No. on file with BLM/Bl/ in a multiple completion or receive after all requirements, include the state of the s	red and true vertical depths of all per A. Required subsequent reports shall simpletion in a new interval, a Form 3 ling reclamation, have been complete for NN E ATTACHED FOR NDITIONS OF AP For record DCD 10 10 10 10 10 10 10 10 10 10 10 10 10	tinent markers and zones. be filed within 30 days 160-4 shall be filed once d, and the operator has I OIL CONSERVAT ARTESIA DISTRICT OCT 3 0 2015 RECEIVED PROVAL		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fit BOPCO, LP respectfully subm 90-days, July - September 20. Wells producing to this battery POKER LAKE UNIT 129 / 300 POKER LAKE UNIT 168 / 300 POKER LAKE UNIT 393H / 30 POKER LAKE UNIT 395H / 30 POKER LAKE	ally or recomplete horizontally, give in k will be performed or provide the Biscoperations. If the operation results in andomment Notices shall be filed only in all inspection.) In this sundry for Notice of In 15. In are as follows: In 152955200S1 In 15295200S1 In	subsurface locations and measing and No. on file with BLM/Bl/ in a multiple completion or reciply after all requirements, including the state of the	red and true vertical depths of all per A. Required subsequent reports shall sompletion in a new interval, a Form 3 ling reclamation, have been complete for NN E ATTACHED FOR NDITIONS OF AP TOT TECOTO TOT TOTAL TO	tinent markers and zones. be filed within 30 days 160-4 shall be filed once d, and the operator has I OIL CONSERVAT ARTESIA DISTRICT OCT 3 0 2015 RECORD		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fit BOPCO, LP respectfully subm 90-days, July - September 20' Wells producing to this battery POKER LAKE UNIT 129 / 300 POKER LAKE UNIT 1068 / 300 POKER LAKE UNIT 392H / 30 POKER LAKE UNIT 393H / 30 POKER LAKE UNIT 393H / 30 POKER LAKE UNIT 394H / 30 POKER LAKE UNIT 395H / 30 POKER LAKE	alty or recomplete horizontally, give in k will be performed or provide the B coperations. If the operation results in andonment Notices shall be filed on inal inspection.) In this sundry for Notice of Info.	subsurface locations and measing and No. on file with BLM/Bl/ in a multiple completion or receive after all requirements, included the substitution of the substitutio	red and true vertical depths of all per A. Required subsequent reports shall simpletion in a new interval, a Form 3 ling reclamation, have been complete for NN E ATTACHED FOR NDITIONS OF AP For record DCD 10 10 10 10 10 10 10 10 10 10 10 10 10	tinent markers and zones. be filed within 30 days 160-4 shall be filed once d, and the operator has I OIL CONSERVAT ARTESIA DISTRICT OCT 3 0 2015 RECORD RECORD		

Additional data for EC transaction #311131 that would not fit on the form

32. Additional remarks, continued

Estimated amount to flare is 150 MCFD, depending on pipeline conditions. Flaring will be intermittent and is necessary due to restricted pipeline capacity.

Gas is commingled at the flare to reduce the number flare stacks that would be needed for individual well locations.

Gas volumes will be metered prior to flaring, allocated back to each well and reported on monthly production reports

Flaring Conditions of Approval.

- 1. Report all volumes on OGOR B as disposition code 08.
- 2. Comply with NTL-4A requirements
- 3. Subject to like approval from NMOCD
- 4. Flared volumes will still require payment of royalties
- 5. Install gas meter on vent/flare line to measure gas prior to venting/flaring operations if it is not equipped as such at this time. Gas meter to meet all requirements for sale meter as Federal Regulations and Onshore Order #5. Include meter serial number on sundry.
- 6. This approval does not authorize any additional surface disturbance.
- 7. Submit updated facility diagram as per Onshore Order #3.
- 8. Approval not to exceed 90 days from date requested on sundry.
- 9. Submit Subsequent Report to this sundry with actual volumes of gas flared monthly on 3160-5 (sundry notice).
- 10. If flaring is still required past 90 days submit new request for approval.
- 11. If a portable unit is used to flare gas it must be monitored at all times.
- 12. Comply with any restrictions or regulations when on State or Fee surface.

JAM 101415