Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

NMÔĆĎ

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS

5. Lease Serial No. NMNM0437523

SONDKI	MOTION WILL OF	A				
Do not use this form for proposals to drill or to re-enter an Artesia abandoned well. Use form 3160-3 (APD) for such proposals.			6. If Indian. Allottee or Tribe Name			
SUBMIT IN TRIPLICATE - Other instructions on reverse side. 1. Type of Well Soli Well Gas Well Other				7. If Unit or CA/Agreement, Name and/or No. NMNM129302 8. Well Name and No. GRATEFUL BOD FEDERAL COM 2H		
						Name of Operator Contact: GARRETT SANDERS YATES PETROLEUM CORPORATIONE-Mail: gsanders@yatespetroleum.com
		3b. Phone No. (include area co Ph: 575-748-4203			10. Field and Pool, or Exploratory WILDCAT	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, and State		
Sec 13 T18S R29E SENE 1650FNL 330FEL			EDDY COUNTY, NM			
12. CHECK APPI	ROPRIATE BOX(ES) TO) INDICATE NATURE O	F NOTICE, RI	L EPORT, OR OTHE	R DATA	
TYPE OF SUBMISSION		. ТҮРЕ	OF ACTION			
■ Notice of Intent	☐ Acidize	☐ Deepen	☐ Product	ion (Start/Resume)	☐ Water Shut-Off	
_	☐ Alter Casing	□ Fracture Treat	□ Reclam	ation	☐ Well Integrity	
☐ Subsequent Report	Casing Repair	☐ New Construction	☐ Recomp	olete	™ Other	
☐ Final Abandonment Notice	☐ Change Plans	Plug and Abandon	☐ Tempor	arily Abandon	Venting and/or Flaring	
	Convert to Injection	□ Plug Back	■ Water D	Disposal	,	
If the proposal is to deepen directions Attach the Bond under which the wo following completion of the involved testing has been completed. Final At determined that the site is ready for f Yates Petroleum respectfully i	ally or recomplete horizontally, and the will be performed or provide to a operation. If the operation restrained on the file in all inspection.) requests permission to flar	give subsurface locations and me the Bond No. on file with BLM/I tuts in a multiple completion or red only after all requirements, inc	asured and true ve BIA. Required sul ecompletion in a re luding reclamation	rtical depths of all pertin psequent reports shall be new interval, a Form 316	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has	
If the proposal is to deepen directions Attach the Bond under which the wo following completion of the involved testing has been completed. Final At determined that the site is ready for f Yates Petroleum respectfully i 30,2016 due to abnormal syst Grateful BOD Fed Com Batter Grateful BOD Fed Com #1H (ally or recomplete horizontally, g rk will be performed or provide t d operations. If the operation res- bandonment Notices shall be file inal inspection.) requests permission to flar em pressures. ry consists of: 30-015-38990) & Grateful	give subsurface locations and me the Bond No. on file with BLM/I sults in a multiple completion or red only after all requirements, income for a period of 90 days on BOD Fed Com #2H (30-01)	asured and true versions as in the second subsection in a relation of the second subsection in a relation or until March	rtical depths of all pertin prequent reports shall be new interval, a Form 316 n, have been completed, a NMNM 28	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has	
If the proposal is to deepen directions Attach the Bond under which the wo following completion of the involved testing has been completed. Final At determined that the site is ready for f Yates Petroleum respectfully i 30,2016 due to abnormal syst Grateful BOD Fed Com Batter Grateful BOD Fed Com #1H (ally or recomplete horizontally, g rk will be performed or provide t d operations. If the operation res- bandonment Notices shall be file inal inspection.) requests permission to flar em pressures. ry consists of: 30-015-38990) & Grateful	give subsurface locations and me the Bond No. on file with BLM/I sults in a multiple completion or red only after all requirements, income for a period of 90 days on BOD Fed Com #2H (30-01)	asured and true versity. Required sulecompletion in a reluding reclamation r until March 5-38518) y/daily/AC	rtical depths of all pertin psequent reports shall be lew interval, a Form 316 n, have been completed, a NMM 128 HED FORMI IS OF APPR	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has	
If the proposal is to deepen directions Attach the Bond under which the wo following completion of the involved testing has been completed. Final At determined that the site is ready for f Yates Petroleum respectfully is 30,2016 due to abnormal syst Grateful BOD Fed Com Batter Grateful BOD Fed Com #1H (ally or recomplete horizontally, g rk will be performed or provide t d operations. If the operation res- bandonment Notices shall be file inal inspection.) requests permission to flar em pressures. ry consists of: 30-015-38990) & Grateful	give subsurface locations and me the Bond No. on file with BLM/I sults in a multiple completion or red only after all requirements, income for a period of 90 days on BOD Fed Com #2H (30-01)	asured and true ve BIA. Required sul ecompletion in a i luding reclamation r until March 5-38518) ly/daily/TAC 10/TION Accepte	rtical depths of all pertin psequent reports shall be lew interval, a Form 316 n, have been completed, a NMOM 128 HED FORM IS OF APPR	nent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has # OIL CONSERVA OWNATEJIA DISTRICT JAN 0 4 2016	
If the proposal is to deepen directions Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Yates Petroleum respectfully i 30,2016 due to abnormal syst Grateful BOD Fed Com Batter Grateful BOD Fed Com #1H (The possibility to flare will not Estimated Flare per day = 260. This flare could result longer the cumulative authorized under No.	ally or recomplete horizontally, good will be performed or provide a loperations. If the operation restandonment Notices shall be file inal inspection.) requests permission to flar em pressures. ry consists of: 30-015-38990) & Grateful be consistent, therefore, the consistent of	give subsurface locations and me the Bond No. on file with BLM/I sults in a multiple completion or red only after all requirements, income for a period of 90 days on BOD Fed Com #2H (30-01)	asured and true versity. Required sultecompletion in a reluding reclamation r until March 15-38518) Ily,daily, AC ACCORD	rtical depths of all pertin psequent reports shall be lew interval, a Form 316 n, have been completed, a NMM 128 HED FORMI IS OF APPR	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has	
If the proposal is to deepen directions Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Yates Petroleum respectfully i 30,2016 due to abnormal syst Grateful BOD Fed Com Batter Grateful BOD Fed Com #1H (i The possibility to flare will not Estimated Flare per day = 260 This flare could result longer to cumulative authorized under N 4. I hereby certify that the foregoing is	ally or recomplete horizontally, good will be performed or provide a logerations. If the operation restandonment Notices shall be file inal inspection.) requests permission to flar em pressures. ry consists of: 30-015-38990) & Grateful be consistent, therefore, the hand the 24 hour period and NTL4A III.A. true and correct. Electronic Submission #3: For YATES PETRO	give subsurface locations and me the Bond No. on file with BLM/I sults in a multiple completion or red only after all requirements, income for a period of 90 days on BOD Fed Com #2H (30-01)	asured and true ve BIA. Required sul ecompletion in a r luding reclamation r until March 5-38518) ly/daily/TAC 44 hours Accepte (et) Information to the Carlsba	rtical depths of all pertin psequent reports shall be new interval, a Form 316 n, have been completed, a NMIVM 128 HED FORM HED FORM US OF APPR de tor record system	nent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has # OIL CONSERVA OWNATEJIA DISTRICT JAN 0 4 2016	
If the proposal is to deepen directions Attach the Bond under which the wo following completion of the involved testing has been completed. Final At- determined that the site is ready for f Yates Petroleum respectfully i 30,2016 due to abnormal syst Grateful BOD Fed Com Batter Grateful BOD Fed Com #1H (The possibility to flare will not Estimated Flare per day = 260 This flare could result longer to cumulative authorized under N 4. Thereby certify that the foregoing is	ally or recomplete horizontally, good will be performed or provide a logerations. If the operation restandonment Notices shall be file inal inspection.) requests permission to flar em pressures. ry consists of: 30-015-38990) & Grateful be consistent, therefore, the hand the 24 hour period and NTL4A III.A. true and correct. Electronic Submission #3: For YATES PETRO	give subsurface locations and me the Bond No. on file with BLM/I BLM V BLM W B	asured and true ve BIA. Required sul ecompletion in a r luding reclamation r until March 5-38518) ly/daily/TAC 44 hours Accepte (et) Information to the Carlsba	rtical depths of all pertin psequent reports shall be tew interval, a Form 316 n, have been completed, a NMIVM 128 HED FORM IS OF APPR IS OF APPR Is to record to r	nent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has # OIL CONSERVA OWNATEJA DISTRICT JAN 0 4 2016	
If the proposal is to deepen directions Attach the Bond under which the wo following completion of the involved testing has been completed. Final Aldetermined that the site is ready for f Yates Petroleum respectfully i 30,2016 due to abnormal syst Grateful BOD Fed Com Batter Grateful BOD Fed Com #1H (3). The possibility to flare will not Estimated Flare per day = 260. This flare could result longer the cumulative authorized under No. 1 hereby certify that the foregoing is	ally or recomplete horizontally, good will be performed or provide respondence to operations. If the operation respondence to operations. If the operation respondence to operation in the operation respondence to operation respondence to operation respondence to operation requests permission to flar rem pressures. The operation of the operation requests permission to flar rem pressures. The operation of the op	give subsurface locations and me the Bond No. on file with BLM/I BLM V B	asured and true ve BIA. Required sul ecompletion in a r luding reclamation r until March 5-38518) ly/daily/TAC 44 hours Accepte (et Information to the Carlsba 2 on 12/17/2015	rtical depths of all pertin psequent reports shall be tew interval, a Form 316 n, have been completed, a NMIVM 128 HED FORM IS OF APPR IS OF APPR Is to record to r	nent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has # OIL CONSERVA OWNATEJIA DISTRICT JAN 0 4 2016	
If the proposal is to deepen directions Attach the Bond under which the wo following completion of the involved testing has been completed. Final At determined that the site is ready for f Yates Petroleum respectfully i 30,2016 due to abnormal syst Grateful BOD Fed Com Batter Grateful BOD Fed Com #1H (in the possibility to flare will not Estimated Flare per day = 260. This flare could result longer the cumulative authorized under No. 1 hereby certify that the foregoing is Common Name (Printed/Typed) GARRETI	ally or recomplete horizontally, good will be performed or provide a operations. If the operation restandonment Notices shall be file inal inspection.) requests permission to flar em pressures. ry consists of: 30-015-38990) & Grateful be consistent, therefore, the consistent of t	give subsurface locations and me the Bond No. on file with BLM/I BLM V B	asured and true versions are decompletion in a reluding reclamation reclamation reclamation reclamation reclamation from the foliation of the Carlsbatton 12/17/2015	rtical depths of all pertin psequent reports shall be tew interval, a Form 316 n, have been completed, a NMIVM 128 HED FORMUS OF APPR IN OF APPR	nent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has # OIL CONSERVA OWNATEJA DISTRICT JAN 0 4 2016	
If the proposal is to deepen directions Attach the Bond under which the wo following completion of the involved testing has been completed. Final At determined that the site is ready for f Yates Petroleum respectfully i 30,2016 due to abnormal syst Grateful BOD Fed Com Batter Grateful BOD Fed Com #1H (in the possibility to flare will not Estimated Flare per day = 260. This flare could result longer the cumulative authorized under No. 14. I hereby certify that the foregoing is Common Name (Printed/Typed) GARRETI	ally or recomplete horizontally, good will be performed or provide a operations. If the operation restandonment Notices shall be file inal inspection.) requests permission to flar em pressures. ry consists of: 30-015-38990) & Grateful be consistent, therefore, the consistent of t	give subsurface locations and me the Bond No. on file with BLM/I BLM/I BLM/I and it in a multiple completion or red only after all requirements, income for a period of 90 days on BOD Fed Com #2H (30-01 the flare volumes could verified by the BLM V LEUM CORPORATION, sepsing by JENNIFER SANCHEZ Title PROBATION.	asured and true versions. Required sufficiently a leading reclamation in a relation in	rtical depths of all pertin psequent reports shall be tew interval, a Form 316 n, have been completed, a NMIVM 128 HED FORMUS OF APPR IN OF APPR	nent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has # OIL CONSERVA OWNATEJA DISTRICT JAN 0 4 2016	

Additional data for EC transaction #326074 that would not fit on the form

32. Additional remarks, continued

Flare volumes will be reported on OGOR.

Flaring Conditions of Approval

- 1. Report all volumes on OGOR B as disposition code 08.
- 2. Comply with NTL-4A requirements
- Subject to like approval from NMOCD 1
- 4. Flared volumes will still require payment of royalties
- 5. Install gas meter on vent/flare line to measure gas prior to venting/flaring operations if it is not equipped as such at this time. Gas meter to meet all requirements for sale meter as Federal Regulations and Onshore Order #5. Include meter serial number on sundry.
- 6. This approval does not authorize any additional surface disturbance.
- 7. Submit updated facility diagram as per Onshore Order #3.
- 8. Approval not to exceed 90 days from date requested on sundry.
- 9. Submit Subsequent Report to this sundry with actual volumes of gas flared monthly on 3160-5 (sundry notice).
- 10. If flaring is still required past 90 days submit new request for approval.
- 11. If a portable unit is used to flare gas it must be monitored at all times.
- 12. Comply with any restrictions or regulations when on State or Fee surface.

JAM 121615