Submit 1 Copy To Appropriate District Office	State of New 1	Mexico	Form C-103	
<u>District I</u> – (575) 393-6161	Energy, Minerals and N	atural Resources	Revised July 18, 2013	
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283			WELL API NO. 30-015-40693	
811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION		5. Indicate Type of Lease	
District [II] – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr.		STATE STATE FEE	
District IV - (505) 476-3460	Santa Fe, NM 87505		6. State Oil & Gas Lease No.	
1220 S. St. Francis Dr., Santa Fe, NM 87505				
SUNDRY NOTICES AND REPORTS ON WELLS			7. Lease Name or Unit Agreement Name	
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A			Burton Flat Deep Unit	
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)			8. Well Number	
1. Type of Well: Oil Well 🛛 Gas Well 🗌 Other			52H	
2. Name of Operator			9. OGRID Number	
DEVON ENERGY PRODUCTION COMPANY, LP.			6137 10. Pool name or Wildcat	
3. Address of Operator 333 WEST SHERIDAN AVENUE, OKC, OK 73102			3713 Avalon; Bone Spring, East	
4. Well Location	EST SHERIBIH TAVENCE, OF	C, OK 75102	3713 Avaion, Bone Spring, East	
Unit Letter 16: 4000	feet from theNorth	line and50	feet from the <u>East</u> line	
Section 3		<u>'</u>		
Section 3	Township 21S 11. Elevation (Show whether I		NMPM Eddy, County	
	3207.3'	JR, RR <i>D</i> , R1, OR, etc.	'	
	3201.0		,	
12 Check	Appropriate Box to Indicate	Nature of Notice	Report or Other Data	
12. Oncon	appropriate Box to marcute		report of other Bata	
	NTENTION TO:		SEQUENT REPORT OF:	
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING				
TEMPORARILY ABANDON CONTROL OF ALTER CARRIED	CHANGE PLANS	COMMENCE DR		
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN	I JOB	
DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM				
OTHER: Flare Extension	\boxtimes	OTHER:		
13. Describe proposed or com			d give pertinent dates, including estimated date	
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of				
proposed completion or recompletion.				
Devon Energy Production Company, LP respectfully requests to flare the Burton Flat Deep Unit 52H\56H Battery				
			15 days to beginning 01.28.16 to 02.12 .16	
Wells contributing to the tor Burton Flat Deep Unit 49H	tal flare volume are: (30-015-40707)	en Unit 54H (30-015-40	503) - 10 N	
Burton Flat Deep Unit 50H	(30-015-40758) Burton Flat Dec	ep Unit 56H (30-015-40	683)	
Burton Flat Deep Unit 51H	(30-015-40681) Burton Flat Dec	ep Unit 58H (30-015-41	057) A OIL CONDISTRICT	
Burton Flat Deep Unit 52H	(30-015-40693) Burton Flat Dec	ep Unit 55H (30-015-40	estrial PELEZING SOIP	
Burton Flat Deep Unit 49H (30-015-40707) Burton Flat Deep Unit 50H (30-015-40758) Burton Flat Deep Unit 50H (30-015-40681) Burton Flat Deep Unit 51H (30-015-40681) Burton Flat Deep Unit 52H (30-015-40693) Attachments: C-129 Burton Flat Deep Unit 54H (30-015-40503) Burton Flat Deep Unit 56H (30-015-40683) Burton Flat Deep Unit 58H (30-015-40683) Burton Flat Deep Unit 55H (30-015-40683) Burton Flat Deep Unit 55H (30-015-40683) Attachments: C-129				
		··-	RECEIVED	
		_	, ,	
Spud Date:	Rig Rele	ase Date:		
			11 1: 6	
I hereby certify that the information	above is true and complete to the	e best of my knowledg	ge and belief.	
SIGNATURE	TITLE Re	gulatory Compliance	Professional DATE 01.28.16	
	rkmanE-mail address:E	<u> Erin.workman@dvn.co</u>	om PHONE: (405) 552-7970	
For State Use Only		1	1 10	
APPROVED BY: SUCCE TITLE DIST HOPEWISO DATE 2/9/16				
Conditions of Approval (if any): A See Atlacted CAS				
	11. 1 / 2005			
A Son A	tacked CEHS			
p ore //l	P			

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No. ____

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

A.	Applicant Devon Energy Prod	uction Company, LP ,			
	whose address is 333 West Sheridan A	Avenue, OKC, OK 73102			
	hereby requests an exception to Rule 19.15.1	8.12 for			
	N/A, Yr, for the	e following described tank battery (or LACT):			
	Name of Lease NMNM70798X Name of Pool 3713 Avalon; Bone Spring, East				
	Location of Battery: Unit Letter 16 Section	on 3 Township 21S Range 27E			
		ELLS-BFDU 49H (30-015-40707), 50H (30-015-40758), 51H 0503), 55H (30-015-40682), 56H (30-015-40683), 58H(30-015-41057)			
B.	Based upon oil production of barrels per day, the estimated * volume				
	of gas to be flared isMC	F; Valueper day.			
C.	Name and location of nearest gas gathering facility: <u>Currently tied into DCP Midstream</u>				
D.	Distance Estimated cost of connection				
E.	This exception is requested for the following reasons:				
Devon requesting flare due to DCP plant going down. We are requesting 15 days starting					
01.28.16 to 02.12.16. Verbal received 01.28.16					
OPERATOR I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.		OIL CONSERVATION DIVISION			
		Approved Until 963 29 2016			
Signature		By Allolo			
Printed Name		1 / Um (TIX)			
& Title <u>Er</u>	in Workman, Regulatory Compliance Prof.	Title VS A CLIENCE			
E-mail Address <u>Erin.workman@dvn.com</u>		Date 2/9//6			
Date 01.28.	16 Telephone No. (405) 552-7970	A See Albyred Will			

^{*} Gas-Oil ratio test may be required to verify estimated gas volume.

NEW MEXICO OIL CONSERVATION DIVISION **DISTRICT 2 OFFICE** 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- **3.** Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- **6.** No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- **8.** Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- $10.\underline{\mathsf{Flaring}}$ of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.
- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here

DATE: 2/9/2016

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

John Bemis
Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary David Catanach
Division Director
Oil Conservation Division



March 19, 2013

FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth
 within 30 feet of each structure. Single trees and shrubs may be retained if they are well
 spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for
 any vegetation near structures.
- Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: http://activefiremaps.fs.fed.us/current.php

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

David Martin
Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary David R. Catanach, Division Director Oil Conservation Division



October 19, 2015

NOTICE TO OPERATORS

The Oil Conservation Division ("OCD") has been tasked to study flaring and develop a gas capture plan by the end of the year with the ultimate goal to reduce natural gas emissions.

Current OCD reporting has no specific method to differentiate flared and vented volumes reported on C-115 reports. This prevents the OCD from having quantifiable flaring data per Rule 19.15.18.12.F NMAC.

Therefore, to collect flaring volumes and differentiate actual vented volumes going forward, NMOCD will implement a new "Non-Transported Disposition" Code (for gas) to be reported on the C-115 reports. The new code will be "F" for Flared. The new code "F" is to be used to report the volume of gas that is flared on a well basis, or total volume if flared at a common battery or gathering system and reported under one point of disposition. Operators must report vented and flared volumes separately to their respective "Non Transported Disposition" code ("V" for vented and "F" for flared).

The change will become effective for the November 2015 production month with reporting due by January 15, 2016.

The NMOCD will be conducting operator outreach training sessions in the Southeast and Northwest to provide information and answer questions regarding the process.

Meeting notices will be posted on NMOCD website at: http://www.emnrd.state.nm.us/OCD/announcements.html

The C-115 instructions are available on NMOCD website at: http://www.emnrd.state.nm.us/OCD/documents/eC115 FullInstructions.pdf