<u>District I</u> – (575) 393-6161	State of New M Energy, Minerals and Na			Form C-103 August I, 2011
1625 N. French Dr., Hobbs, NM 88240	chergy, minerals and Na	itural itespullees	WELL API NO.	
<u>District II</u> – (\$75) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATIO	N DIVISION	5. Indicate Type of Lease	
District III - (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr.		STATE STATE	
<u>District IV</u> – (505) 476-3460 I220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM	87505	6. State Oil & Gas Lease No.	
SUNDRY NOT DO NOT USE THIS FORM FOR PROP	FICES AND REPORTS ON WELL OSALS TO DRILL OR TO DEEPEN OR F	PLUG BACK TO A	7. Lease Name or Unit Agree	ment Name
DIFFERENT RESERVOIR. USE "APPL PROPOSALS.)	JCATION FOR PERMIT" (FORM C-101)	FOR SUCH	A State 40 Battery 8. Well Number	
<ol> <li>Type of Well: Oil Well </li> <li>Name of Operator</li> </ol>	Gas Well Other	· · · · · · · · · · · · · · · · · · ·	9. OGRID Number	
pache Corporation		·	873	
<ol> <li>Address of Operator</li> <li>Veterans Airpark Lane, Suite 3</li> </ol>	3000 Midland, TX 79705		10. Pool name or Wildcat Yeso	
4. Well Location				
Unit Letter	feet from the	line and		line
Section 26	Township 17S 11. Elevation (Show whether D	Range 28E	NMPM County E	ddy
No. 1 - A. Sie - Andrew State - Andr			A Star A Star And A Star And A Star A	the same for a surface
NOTICE OF II	CHANGE PLANS	REMEDIAL WOR		=: CASING □ □
OTHER: Flare Permit	- [2]	OTHER:		-
of starting any proposed v proposed completion or re Apache is requesting permission	pleted operations. (Clearly state a work). SEE RULE 19.15.7.14 NM. ccompletion. to flare gas from the A State #40 B need to flare it. Gas will be measu	AC. For Multiple Co Battery, Intermittent fl	ompletions: Attach wellbore diag	gram of inability to take
- ,		. –	······································	die 65 1010443.
30-015-38545 A State #40 30-015-38549 A State #48 30-015-38963 A State #49 30-015-38967 A State #59 30-015-38968 A State #60 30-015-41053 A State #73 30-015-41054 A State #74 30-015-41010 A State #79	30-015-41022 A Si 30-015-41023 A Si 30-015-41181 A Si	tate #80 tate #81	· · · · · · · · · · · · · · · · · · ·	
30-015-38545 A State #40 30-015-38549 A State #48 30-015-38963 A State #49 30-015-38967 A State #59 30-015-38968 A State #60 30-015-41053 A State #73 30-015-41054 A State #74	30-015-41022 A S 30-015-41023 A S	tate #80 tate #81 tate #82	· · ·	
30-015-38545 A State #40 30-015-38549 A State #48 30-015-38963 A State #49 30-015-38967 A State #59 30-015-38968 A State #60 30-015-41053 A State #73 30-015-41054 A State #74 30-015-41010 A State #79	30-015-41022 A S 30-015-41023 A S 30-015-41181 A S	tate #80 tate #81 tate #82 Date:	· ·	
30-015-38545 A State #40 30-015-38549 A State #48 30-015-38963 A State #49 30-015-38967 A State #59 30-015-38968 A State #60 30-015-41053 A State #73 30-015-41054 A State #74 30-015-41010 A State #79 pud Date:	30-015-41022 A S 30-015-41023 A S 30-015-41181 A S Rig Release n above is true and complete to the	tate #80 tate #81 tate #82 Date:	· ·	
30-015-38545       A State #40         30-015-38549       A State #48         30-015-38963       A State #49         30-015-38967       A State #49         30-015-38967       A State #59         30-015-38968       A State #60         30-015-41053       A State #73         30-015-41054       A State #74         30-015-41010       A State #79         Spud Date:	30-015-41022       A S         30-015-41023       A S         30-015-41181       A S         30-015-41181       A S         Rig Release       Rig Release         m above is true and complete to the         Hubson       TITLE Reg	tate #80 tate #81 tate #82 Date:	Igc and belief.	/2016
30-015-38545 A State #40 30-015-38549 A State #48 30-015-38963 A State #49 30-015-38967 A State #59 30-015-38968 A State #60 30-015-41053 A State #73 30-015-41054 A State #74 30-015-41010 A State #79	30-015-41022       A S         30-015-41023       A S         30-015-41181       A S         30-015-41181       A S         Rig Release       Rig Release         m above is true and complete to the         Hubson       TITLE Reg	tate #80 tate #81 tate #82 Date: e best of my knowled gulatory Analyst	Igc and belief.	/2016

<u>District 1</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No.

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12 (See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

**Apache Corporation** Α. Applicant 1945 Bluestem Road, Artesia, NM 88210 whose address is 90 hereby requests an exception to Rule 19.15.18.12 for days or until , Yr \_\_\_\_\_, for the following described tank battery (or LACT): A State 40 Battery Name of Pool Yeso Name of Lease Location of Battery: Unit Letter \_\_\_\_\_ Section \_\_\_\_\_ Township \_\_\_\_\_ 17S 28E Range 11 Number of wells producing into battery 1000 barrels per day, the estimated \* volume Β. Based upon oil production of MCF; Value \_\_\_\_\_ per day. 2.3M of gas to be flared is C. Name and location of nearest gas gathering facility: Frontier Empire Abo Unit D. Distance Estimated cost of connection This exception is requested for the following reasons: Frontier Empire Abo Unit Gas Plant E. cannot take our gas at this new battery. This is an extension to the permit that expires 02/29/2016. **OIL CONSERVATION DIVISION** OPERATOR I hereby certify that the rules and regulations of the Oil Conservation 2016 Division have been complied with and that the information given above Approved Until is true and complete to the best of my knowledge and belief, Sapel Houson Signature By Printed Name Isabel Hudson - Regulatory Analyst Title & Title Isabel.Hudson@apachecorp.com Date E-mail Address 02/10/2016 (432) 818-1142 Telephone No. Date

\* Gas-Oil ratio test may be required to verify estimated gas volume.

## NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

## CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. <u>http://www.gacc.nifc.gov/swcc</u> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- 9. If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.
- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here HU

DATE: 2/12/14

Jami Bailey, Division Director

Oil Conservation Division

Susana Martinez Governor

David Martin Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

## Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <u>www.nmforestry.com</u> for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: <u>http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa\_monthly.pdf</u>

####

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.



Jami Balley, Division Director

**Oil Conservation Division** 

Susana Martinez Governor

David Martin Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE Contact: JIm Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

## Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <u>www.nmforestry.com</u> for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa\_monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.

> 1220 South St. Francis Drive • Santa Fe, New Mexico 87505 Phone (505) 476-3460 • Fax (505) 476-3462 • www.emnrd.state.nm.us/ocd

