

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-31401
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. KK 06527
7. Lease Name or Unit Agreement Name Eddy FV State
8. Well Number #5
9. OGRID Number 16875
10. Pool name or Wildcat Avalon Delaware

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Premier Oil & Gas, Inc.

3. Address of Operator
PO BOX 1246 Artesia, NM 88211-1246

4. Well Location

Unit Letter M : 660 feet from the South line and 810 feet from the West line
Section 25 Township 20S Range 27E NMPM Eddy County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3304'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☒
CASING/CEMENT JOB ☒

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. P&A work was completed on 12/10/2014 - 12/12/2014. I have enclosed a final Wellbore Diagram to satisfy conditions.

Approved for plugging of well bore only.
Liability under bond is retained pending receipt of C-103 (Subsequent Report of Well Plugging) which may be found at OCD Web Page under Forms, www.emard.state.nm.us/oed.

Spud Date: 11/9/2000

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Vice President DATE 2/12/2016

Type or print name Daniel Jones E-mail address: dan.jones@premieroilgas.com PHONE: 972-470-0228

For State Use Only

APPROVED BY: [Signature] TITLE Dist # Supervisor DATE 2/12/2016
Conditions of Approval (if any):


NM OIL CONSERVATION
ARTESIA DISTRICT

FEB 12 2016

RECEIVED

* Submit Subsequent C-103 for well release After inspection

✱ FINAL P&A Wellbore
Eddy FV State #5
660 FSL, 810 FWL
M-25-20S-27E
Eddy, NM



9/18/2009 - Squeeze off Perfs 2513-2892' w/ 289 sx CMT.

9/24-9/25/2009 - Squeeze off Perfs 3019-3188 w/ 63 sx DO to 3150'

10/9-10/12/09 - 3674-3757(13). Acidize 7 1/2% NeFe 1000gal. No show. Set
CIBP @ 31620'.

10/13/2009 - Perf 3506-3563(18). Acidize w/ 1000 gal 7 1/2% NEFF. No show. Set CIBP @ 3440'.

10/14/2009 - Perf 3279-3373(20). Acidize w/ 1000 gal 7 1/2% NEFF. No show.

11/9-11/10/09 - Set CIBP @ 3237. Perf 2839-2847(5) and 2671-2683, 2512-2514(9).

Acidize perfs (2839-2847) w/ 1000 gal 7 1/2% NEFF. No show. Set RBP @ 2800'.

11/11/2009 - Acidize Perfs (2512-2671) w/ 1000 gal 7 1/2% NEFF. No show.

11/12/2009 - Retrieve RBP @ 2800'. CIBP @ 2500'.

RU Closed loop system.

12/10/2014 - 12/12/2014 - A Tag existing CIBP @ 2500' w/
35' CMT. Spot 35 sx @ 1300'. WOC & Tag. Perf @ 340',
Circulat cmt inside and outside of CSG to Surf.
Cut off WH and installed dry hole marker.