Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

OCD ARRESTM	FORM APPROVED
	OMB No. 1004-0137
	Expires: January 31, 2018
h 	

STINIDOV NOTICES	AND	DEDADTO	ONIMEL	c

5. Lease Serial No. NMNM-117807


Do not use this		ORTS ON WELLS to drill or to re-enter an IPD) for such proposals		6. If Indian, Allottee or N/A	Tribe Name
SUBMIT IN	TRIPLICATE - Other instr	uctions on page 2		7. If Unit of CA/Agreer	ment, Name and/or No.
1. Type of Well				9 Wall Name and No.	
✓ Oil Well ☐ Gas V				ŀ	EAGLE 35 A FEDERAL 30
2. Name of Operator LIME ROCK RE	SOURCES II-A, L. P.			9. API Well No. 30-015	5-400ec 43180
3a. Address 1111 BAGBY, SUITE 4	600	3b. Phone No. (include area code	e)	10. Field and Pool or Ex	xploratory Area
HOUSTON TX 77002		(713) 292-9528		RED LAKE; GLORIETA-YESO, NE	
4. Location of Well (Footage, Sec., T., I	R.,M., or Survey Description,)		11. Country or Parish, S	State
SHL: 985' FNL & 660' FEL 35-17	S-27E NMPM & BHL: 985	5' FNL & 330' FEL 35-17\$-27E	NMPM	EDDY COUNTY, N	M
12. CHE	CK THE APPROPRIATE B	OX(ES) TO INDICATE NATURE	E OF NOT	ICE, REPORT OR OTHE	ER DATA
TYPE OF SUBMISSION		TY	PE OF AC	TION	
✓ Notice of Intent	Acidize	Deepen	Prod	luction (Start/Resume)	Water Shut-Off
The second second	Alter Casing	Hydraulic Fracturing	Recl	amation	Well Integrity
Subsequent Report	Casing Repair	✓ New Construction	Reco	omplete	Other
	Change Plans	Plug and Abandon	Tem	porarily Abandon	
Final Abandonment Notice	Convert to Injection	Plug Back	Wate	er Disposal	
the Bond under which the work will completion of the involved operation	ally or recomplete horizontal Il be perfonned or provide th ons. If the operation results in	ly, give subsurface locations and n e Bond No. on file with BLM/BIA n a multiple completion or recomp	neasured a Required detion in a	nd true vertical depths of subsequent reports must new interval, a Form 316	'all pertinent markers and zones. Attach
Propose to build 544.8' long ra Corridor will not be bladed.	ptor safe overhead 3-phas	se power line within 30' wide co	orridor.		

All on lease.

NM OIL CONSERVATION
ARTESIA DISTRICT MAR 08 2016

RECEIVED

14. I hereby certify	that the foregoing is true and correct. Name (Printed/Typed)	······································		
BRIAN WOOD (505 466-8120)		CONSULTANT Title		
Signature	J. Wood Di	ate	08/31/2015	
	THE SPACE FOR FEDER	AL OR STATE OFICE USE		
Approved by	Steve, Caffey	Title FIELD MANAGER	Date FEB 2 9 2016	
certify that the appl	oval, if any, are attached. Approval of this notice does not warrant or licant holds legal or equitable title to those rights in the subject lease at the applicant to conduct operations thereon.	omc C ARLSBAD FIELD OFFIC	E	
Title 19 II C Capt	tion 1001 and Title 43 U.S.C. Section 1212, make it a crime for any n	erson knowingly and willfully to make	to any department or agency of the United State	



ELECTRIC LINE PLAT ELECTRIC LINE TO CONNECT THE EAGLE "35A" FEDERAL 30 LIME ROCK RESOURCES II-A. L.P. CENTERLINE SURVEY OF AN ELECTRIC LINE CROSSING
SECTION 35, TOWNSHIP 17 SOUTH, RANGE 27 EAST, N.M.P.M.
EDDY COUNTY, STATE OF NEW MEXICO
APRIL 23, 2015 27 26 BC 1941 S89'00'57"E BC 1941 25 _2662.28 FT S89'02'08"E 2661,93 34 35 (TIÉ) NŠ4"53"02"E 35 36 1307.62 FT (TIE) N36 39 41 E 1102.08 FT N00.48,08.W EXIST. 4/W POWER LINE EAGLE "35A" FEDERAL 30 SEO 35 T. 17S., R. 27E BC 1941 찚 BLM O&G lease CL DRY WASH POLE 11 PI RICHT POLE 1 E.O.L. METER POL AT EXIST. NMNM-117807 \$ 25 25 25 2687.19 . |60 1000 1000 = 1000 34 | 35 35 🛔 36 BC 1941 \$89°51'15"W 2630.24 FT 2629.73 FT SURVEYOR CERTIFICATE I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY, IS JTRUE-AND-CORRECT TO THE BEST OF MY KNOWLEGGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO. CENERAL NOTES 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT. IN WITNESS WHEREOF, THIS CERTIFICATE IS EXECUTED AT CARLSBAD, 2.) BASIS OF BEARING IS NMSP EAST MODIFIED TO SURFACE COORDINATES. NEW MEXICO, MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220

FHIMONEY. JARAMILLO PLOX 1279

MADRON SURVEYING, (INC. 361 SOUTH CAME, CARLSBAD,

Phone (575) 234-3341

NEW MEXICO

SURVEY NO. 2286A

ELECTRIC LINE PLAT

ELECTRIC LINE TO CONNECT THE EAGLE "35A" FEDERAL 30

LIME ROCK RESOURCES II-A, L.P. CENTERLINE SURVEY OF AN ELECTRIC LINE CROSSING SECTION 35, TOWNSHIP 17 SOUTH, RANCE 27 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO APRIL 23, 2015

DESCRIPTION

A STRIP OF LAND 30 FEET WIDE CROSSING BUREAU OF LAND MANAGEMENT LAND IN SECTION 35, TOWNSHIP 17 SOUTH, RANGE 27 EAST, N.M.P.M., EDDY COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE

BEGINNING AT A POINT WITHIN THE NE/4 NE/4 OF SAID SECTION 35, TOWNSHIP 17 SOUTH, RANGE 27 EAST, N.M.P.M., WHENCE THE NORTHEAST CORNER OF SAID SECTION 35, TOWNSHIP 17 SOUTH, RANGE 27 EAST, N.M.P.M. BEARS N54"53"02"E, A DISTANCE OF 1307.62 FEET:

THENCE N89'49'18"E A DISTANCE OF 411.60 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE SOO'00'33"W A DISTANCE OF 133.16 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE NORTHEAST CORNER OF SAID SECTION 35, TOWNSHIP 17 SOUTH, RANGE 27 EAST, N.M.P.M. BEARS N36'39'41"E, A DISTANCE OF 1102.08 FEET;

SAID STRIP OF LAND BEING 544.76 FEET OR 33.02 RODS IN LENGTH, CONTAINING 0.375 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

NE/4 NE/4 544.76 L.F. 33.02 RODS 0.375 ACRES

SURVEYOR CERTIFICATE

CENERAL NOTES

(

- 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.
- 2.) BASIS OF BEARING IS NMSP EAST MODIFIED TO SURFACE COORDINATES.

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797. HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY, IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY, AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.

IN WITNESS WHEREOF THIS CERTIFICATE IS EXECUTED AT CARLSBAD.

'n. NEW MEXICO, THIS

> MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341

PILLUON F. PARAMULO SURVEY NO. 2286A

MADRON SURVEYING

INC. 30: SOUTH CAMAL CARLSBAD, *NEW MEXICO*

Boone Arch Services of NM, LLC 506 E. Chapman Road Carlsbad, NM 88220



August 20, 2015

Lime Rock Resources II-A, L.P. 1111 Bagby St. Suite 4700A Houston, TX 77002 Attn: Jerry Smith

Re: Eagle 35A Fed #30 Electric Line

Dear Mr. Smith,

A records search was conducted on June 18, 2015 at the Bureau of Land Management Carlsbad Field Office for an electric line which lies in T17S R27E Section 35. During the records search it was noted that the proposed project area contains adequate archaeological survey coverage, NMCRIS #'s 12011, 77772, 104420, and 130088; therefore, after consultation with BLM archaeologist H. Nelson, it was determined that no further survey is required. Lime Rock Resources II-A, L.P.'s project is recommended for approval as currently staked without further archaeological survey.

Legal Description: (NE ¼ NE ¼) of S35, T17S R27E in Eddy County, New Mexico

Map Reference: U.S.G.S. 7.5' Quadrangle Map Red Lake 32104-G2 T17S R27E S35

Project No.: BASNM 05-15-86

Sincerely,


Rebecca Hill Officer (source) of the Decision of the Decision


Rebecca Hill Owner/Principal Investigator Boone Arch Services of NM, LLC

Encl: (1) Project Map (2) NMCRIS Map (3) BLM Map

Office: 575-885-1352 Cell: 575-361-1353 Fax: 575-887-7667

Lime Rock Resources II-A, L.P. Eagle 35A Fed #30 Electric Line





Lime Rock Resources II-A, L.P. Eagle 35 A Federal #30

STANDARD STIPULATIONS FOR OVERHEAD ELECTRIC DISTRIBUTION LINES

A copy of the grant and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
- 2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. There will be no clearing or blading of the right-of-way unless otherwise agreed to in writing by the Authorized Officer.
- 5. Power lines shall be constructed and designed in accordance to standards outlined in "Suggested Practices for Avian Protection on Power lines: The State of the Art in 2006" Edison Electric Institute, APLIC, and the California Energy Commission 2006. The holder shall assume the burden and expense of proving that pole designs not shown in the above publication deter raptor perching, roosting, and nesting. Such proof shall be provided by a raptor expert approved by the Authorized Officer. The BLM reserves the right to require modification or

additions to all powerline structures placed on this right-of-way, should they be necessary to ensure the safety of large perching birds. Such modifications and/or additions shall be made by the holder without liability or expense to the United States.

Raptor deterrence will consist of but not limited to the following: triangle perch discouragers shall be placed on each side of the cross arms and a nonconductive perching deterrence shall be placed on all vertical poles that extend past the cross arms.

- 6. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting the fence. No permanent gates will be allowed unless approved by the Authorized Officer.
- 7. The BLM serial number assigned to this authorization shall be posted in a permanent, conspicuous manner where the power line crosses roads and at all serviced facilities. Numbers will be at least two inches high and will be affixed to the pole nearest the road crossing and at the facilities served.
- 8. Upon cancellation, relinquishment, or expiration of this grant, the holder shall comply with those abandonment procedures as prescribed by the Authorized Officer.
- 9. All surface structures (poles, lines, transformers, etc.) shall be removed within 180 days of abandonment, relinquishment, or termination of use of the serviced facility or facilities or within 180 days of abandonment, relinquishment, cancellation, or expiration of this grant, whichever comes first. This will not apply where the power line extends service to an active, adjoining facility or facilities.
- 10. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

11. Special Stipulations:

- For reclamation remove poles, lines, transformer, etc. and dispose of properly.
- Fill in any holes from the poles removed.

Powerline Avian Protection

Power lines shall be constructed and designed in accordance to standards outlined in "Suggested Practices for Avian Protection on Power lines: The State of the Art in 2006" Edison Electric Institute, APLIC, and the California Energy Commission 2006. The holder shall assume the burden and expense of proving that pole designs not shown in the above publication deter raptor perching, roosting, and

nesting. Such proof shall be provided by a raptor expert approved by the Authorized Officer. The BLM reserves the right to require modification or additions to all powerline structures placed on this right-of-way, should they be necessary to ensure the safety of large perching birds. Such modifications and/or additions shall be made by the holder without liability or expense to the United States.

Raptor deterrence will consist of but not limited to the following: triangle perch discouragers shall be placed on each side of the cross arms and a nonconductive perching deterrence shall be placed on all vertical poles that extend past the cross arms.

Caves & Karst

Smaller powerlines will be routed around sinkholes and other karst features to avoid or lessen the possibility of encountering near surface voids and to minimize changes to runoff or possible leaks and spills from entering karst systems. Larger powerlines will adjust their pole spacing to avoid cave and karst features. The BLM, Carlsbad Field Office, will be informed immediately if any subsurface drainage channels, cave passages, or voids are penetrated during construction and no further construction will be done until clearance has been issued by the Authorized Officer. Special restoration stipulations or realignment may be required