Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Artesia

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

5. Lease Serial No. NMNM2748

SUNDRY NOTICES AND REPORTS ON WELLS	
Do not use this form for proposals to drill or to re-enter ar	7
abandoned well. Use form 3160-3 (APD) for such proposal	c

Do not use thi abandoned we	is form for proposals to drill on the form for 3160-3 (APD) for	such proposals.	6. If Indian, Allottee or Tribe Name
SUBMIT IN TRI	PLICATE - Other instructions	on reverse side.	7. If Unit or CA/Agreement, Name and/or
1. Type of Well			K. Well Name and No. GISSLER B 51
☑ Oil Well ☐ Gas Well ☐ Oth 2. Name of Operator	Contact: LESL	E GARVIS	9. API Well No.
BURNETT OIL COMPANY IN	C E-Mail: Igarvis@burnettoi	l.com	30-015-37240-00-S1
3a. Address 801 CHERRY STREET UNIT FORT WORTH, TX 76102-68	9 (Ph:	Phone No. (include area code 817,583.8730	10. Field and Pool, or Exploratory LOCO HILLS
4. Location of Well (Footage, Sec., T.	., R., M., or Survey Description)	,	11. County or Parish, and State
Sec 11 T17S R30E NWNE 99	OFNL 1650FEL		EDDY COUNTY, NM
12. CHECK APPE	ROPRIATE BOX(ES) TO IND	ICATE NATURE OF 1	NOTICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE O	ACTION
Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume) ☐ Water Shut-C
	□ Alter Casing	☐ Fracture Treat	☐ Reclamation ☐ Well Integrity
☐ Subsequent Report	☐ Casing Repair	■ New Construction	☐ Recomplete
☐ Final Abandonment Notice	☐ Change Plans	□ Plug and Abandon	☐ Temporarily Abandon Venting and/or I
	□ Convert to Injection	□ Plug Back	☐ Water Disposal
testing has been completed. Final Ab determined that the site is ready for fi Burnett is requesting permission.	operations. If the operation results in a andonment Notices shall be filed only a nat inspection.) on to flare at the Gissler B 3-1 b	a multiple completion or reconstruction or reconstruction at the requirements, including attery for an additional	mpletion in a new interval, a Form 3160-4 shall be filed once ng reclamation, have been completed, and the operator has
following completion of the involved testing has been completed. Final Abdetermined that the site is ready for file Burnett is requesting permission months from the date of our cuneeded (i.e during DCP maintelocation and an updated batter. The Gissler B 3-1 battery is location.	operations. If the operation results in a andonment Notices shall be filed only a nat inspection.) on to flare at the Gissler B 3-1 burrent approval which expires or enance) We have previously recry diagram showing the flare located at:	a multiple completion or reconstrer all requirements, include attery for an additional attery for an additional at 10/3/15. We will only the tived approval to instation is on file. SE CC	mpletion in a new interval, a Form 3160-4 shall be filed once ng reclamation, have been completed, and the operator has three se flaring as a flare at this E ATTACHED FOR3 NDITIONS OF APPROVAL RECEIVED
following completion of the involved testing has been completed. Final Abdetermined that the site is ready for file Burnett is requesting permission months from the date of our cuneeded (i.e during DCP maintelocation and an updated batter. The Gissler B 3-1 battery is location.	operations. If the operation results in a candonment Notices shall be filed only a nal inspection.) on to flare at the Gissler B 3-1 burrent approval which expires or enance) We have previously recycled y diagram showing the flare located at: JNIT B, NWNE	a multiple completion or reconstrer all requirements, include attery for an additional attery for an additional at 10/3/15. We will only the tived approval to instation is on file. SE CC	three per flare at this E ATTACHED FOR3 NDITIONS OF APPROVAL
following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fire Burnett is requesting permission months from the date of our cuneeded (i.e during DCP maintelocation and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated battery is location.	operations. If the operation results in a andonment Notices shall be filed only a nat inspection.) on to flare at the Gissler B 3-1 burrent approval which expires or enance) We have previously recy diagram showing the flare located at: UNIT B, NWNE and reported as per BLM require true and correct. Electronic Submission #317761	a multiple completion or reconstrer all requirements, included attery for an additional attery for a state attery for	mpletion in a new interval, a Form 3160-4 shall be filed once ng reclamation, have been completed, and the operator has three be flaring as a flare at this ARTESIA DISTRICT NDITIONS OF APPROVAL Pled for record NMOCD Information System Carlsbad 1 10/09/2015 (16JAS013/SE)
following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fire Burnett is requesting permission months from the date of our cuneeded (i.e during DCP maintelocation and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated battery is location.	operations. If the operation results in a andonment Notices shall be filed only a nal inspection.) on to flare at the Gissler B 3-1 burrent approval which expires or enance) We have previously recy diagram showing the flare located at: UNIT B, NWNE INIT B, NWNE Ind reported as per BLM require true and correct. Electronic Submission #317761 For BURNETT OIL CO itted to AFMSS for processing by	a multiple completion or reconstrer all requirements, included attery for an additional attery for a state attery for	mpletion in a new interval, a Form 3160-4 shall be filed once ng reclamation, have been completed, and the operator has three be flaring as I a flare at this E ATTACHED FOR3 NDITIONS OF APPROVAL Pled for record NMOCD Information System Carlsbad
following completion of the involved testing has been completed. Final Ab determined that the site is ready for firm the site is ready for firm the date of our cuneeded (i.e during DCP maintelocation and an updated batter The Gissler B 3-1 battery is location and some second site of the site o	operations. If the operation results in a andonment Notices shall be filed only a nat inspection.) on to flare at the Gissler B 3-1 burrent approval which expires or enance) We have previously recept diagram showing the flare located at: UNIT B, NWNE INIT B, NWNE Ind reported as per BLM required true and correct. Electronic Submission #317761 For BURNETT OIL CO itted to AFMSS for processing by ARVIS	a multiple completion or reconstrer all requirements, included attery for an additional attery for a state attery for	mpletion in a new interval, a Form 3160-4 shall be filed once ng reclamation, have been completed, and the operator has three be flaring as a flare at this E ATTACHED FOR3 NDITIONS OF APPROVAL Pled for record NMOCD Information System Carisbad 1009/2015 (16JAS013/SE) ATORY-COORDINATOR
following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fire Burnett is requesting permission months from the date of our cuneeded (i.e during DCP maintelocation and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location. The Gissler B 3-1 battery is	operations. If the operation results in a andonment Notices shall be filed only a nal inspection.) on to flare at the Gissler B 3-1 burrent approval which expires or enance) We have previously recept diagram showing the flare located at: UNIT B, NWNE Ind reported as per BLM required true and correct. Electronic Submission #317761 For BURNETT OIL CO itted to AFMSS for processing by ARVIS	a multiple completion or reconstrer all requirements, included attery for an additional attery for a supplied attery for a suppli	mpletion in a new interval, a Form 3160-4 shall be filed once ng reclamation, have been completed, and the operator has three be flaring as 1 a flare at this E ATTACHED FOR3 NDITIONS OF APPROVAL Pled for record NMOCD Information System Carlsbad 1 1009/2015 (16JAS013/SE) ATGRY-COORDINATOR
following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fire Burnett is requesting permission months from the date of our cuneeded (i.e during DCP maintelocation and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location. The Gissler B 3-1 battery is	operations. If the operation results in a andonment Notices shall be filed only a nat inspection.) on to flare at the Gissler B 3-1 burrent approval which expires or enance) We have previously recept diagram showing the flare located at: UNIT B, NWNE INIT B, NWNE Ind reported as per BLM required true and correct. Electronic Submission #317761 For BURNETT OIL CO itted to AFMSS for processing by ARVIS	a multiple completion or reconstrer all requirements, included attery for an additional attery for a supplied attery for a suppli	mpletion in a new interval, a Form 3160-4 shall be filed once ng reclamation, have been completed, and the operator has three be flaring as a flare at this ARTESTA DISTRICT NDITIONS OF APPROVAL Poled for record NMOCD Information System Carlsbad 1009/2015 (16JAS013/SE) ATORY COORDINATOR DEFICEUSE 2015
following completion of the involved testing has been completed. Final Ab determined that the site is ready for firms are appropriately formed that the site is ready for firms are appropriately formed to a four cuneeded (i.e during DCP maintelocation and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and an updated batter. The Gissler B 3-1 battery is location and updated batter. The Gissler B 3-1 battery is location and updated batter. The Gissler B 3-1 battery is location and updated batter. The Gissler B 3-1 battery is location and updated batter. The Gissler B 3-1 battery is location and updated batter. The Gissler B 3-1 battery is location and updated batter. The Gissler B 3-1 battery is location and updated batter. The Gissler B 3-1 battery is location and updated batter. The Gissler B 3-1 battery is location and updated batter. The Gissler B 3-1 battery is location and updated batter. The Gissler B 3-1 battery is location and updated batter. The Gissler B 3-1 battery is location and updated batter. The Gissler B 3-1 battery is location and updated batter. The Gissler B 3-1 battery is location and updated batter. The Gissler B 3-1 battery is location and upd	operations. If the operation results in a andonment Notices shall be filed only an an inspection.) On to flare at the Gissler B 3-1 burrent approval which expires or enance) We have previously recept diagram showing the flare located at: UNIT B, NWNE INIT B, NWNE Ind reported as per BLM required true and correct. Electronic Submission #317761 For BURNETT OIL CO itted to AFMSS for processing by ARVIS Approval of this notice does not warm table title to those rights in the subject	amultiple completion or reconfer all requirements, included attery for an additional attery for a standard	mpletion in a new interval, a Form 3160-4 shall be filed once ng reclamation, have been completed, and the operator has three be flaring as a flare at this ARTESIA DISTRICT NDITIONS OF APPROVAL Pled for record NMOCD Information System Carisbad 1009/2015 (16JAS013/SE) ATORY-COORDINATOR APPROVAL AP
following completion of the involved testing has been completed. Final Ab determined that the site is ready for fire and the	operations. If the operation results in a andonment Notices shall be filed only an an inspection.) On to flare at the Gissler B 3-1 burrent approval which expires or enance) We have previously recept diagram showing the flare located at: UNIT B, NWNE Ind reported as per BLM required true and correct. Electronic Submission #317761 For BURNETT OIL CO itted to AFMSS for processing by ARVIS Approval of this notice does not warn table title to those rights in the subject at operations thereon. J.S.C. Section 1212, make it a crime for the section of the section in the subject and contents and contents are rights in the subject at operations thereon.	anultiple completion or receafter all requirements, included attery for an additional attery for a state of a sta	mpletion in a new interval, a Form 3160-4 shall be filed once ng reclamation, have been completed, and the operator has three be flaring as a flare at this ARTESIA DISTRICT NDITIONS OF APPROVAL Pled for record NMOCD Information System Carlsbad 1009/2015 (16JAS013/SE) ATGRY COORDINATOR Date BUILT UT LAW MANUTARNI Date

Additional data for EC transaction #317761 that would not fit on the form

32. Additional remarks, continued

The following wells are associated with this battery:

Gissler B 105 30-015-42047 Gissler B 111 30-015-42312
--

Flaring Conditions of Approval

- 1. Report all volumes on OGOR B as disposition code 08.
- 2. Comply with NTL-4A requirements
- 3. Subject to like approval from NMOCD
- 4. Flared volumes will still require payment of royalties
- 5. Install gas meter on vent/flare line to measure gas prior to venting/flaring operations if it is not equipped as such at this time. Gas meter to meet all requirements for sale meter as Federal Regulations and Onshore Order #5. Include meter serial number on sundry.
- 6. This approval does not authorize any additional surface disturbance.
- 7. Submit updated facility diagram as per Onshore Order #3.
- 8. Approval not to exceed 90 days from date requested on sundry.
- 9. Submit Subsequent Report to this sundry with actual volumes of gas flared monthly on 3160-5 (sundry notice).
- 10. If flaring is still required past 90 days submit new request for approval.
- 11. If a portable unit is used to flare gas it must be monitored at all times.
- 12. Comply with any restrictions or regulations when on State or Fee surface.

JAM 100915