Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

NMOCD	
Artesia	

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

5. Lease Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an

6. If Indian, Allottee or Tribe Name

NMNM02862

SUBMIT IN TRI	PLICATE - Other instructions	on reverse side.		7. If Unit or CA/Agree 891000303X	ement, Name and/or No.
I. Type of Well				8. Well Name and No. POKER LAKE UN	JET 428H
☑ Oil Well ☐ Gas Well ☐ Oth					111 42011
2. Name of Operator BOPCO LP	Contact: TRAC E-Mail: tjcherry@basspet.			9. API Well No. 30-015-41246-0	00-S1
3a. Address P O BOX 2760 MIDLAND, TX 79702	3b. P Ph:	hone No. (include area code) 432-683-2277		10. Field and Pool, or NASH DRAW	Exploratory
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description)			11. County or Parish,	and State
Sec 34 T24S R30E NENW 85	0FNL 2225FWL			EDDY COUNTY	Y, NM
12. CHECK APPR	ROPRIATE BOX(ES) TO INDI	ICATE NATURE OF 1	NOTICE, RI	EPORT, OR OTHE	R DATA
TYPE OF SUBMISSION		TYPE O	FACTION	,	
Notice of Intent	☐ Acidize	☐ Deepen	☐ Product	ion (Start/Resume)	☐ Water Shut-Off
-	☐ Alter Casing	☐ Fracture Treat	☐ Reclam	ation	■ Well Integrity
☐ Subsequent Report	□ Casing Repair	■ New Construction	☐ Recomp	olete	Other
☐ Final Abandonment Notice	Change Plans	Plug and Abandon	□ Tempor	arily Abandon	Venting and/or Flari
	Convert to Injection	□ Plug Back	☐ Water I	Disposal	3
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Al- determined that the site is ready for fi	eration (clearly state all pertinent details ally or recomplete horizontally, give sult will be performed or provide the Bord operations. If the operation results in a condonment Notices shall be filed only small inspection.) hits this sundry for Notice of Inte	bsurface locations and measured No. on file with BLM/BI/A a multiple completion or reconferral requirements, includent to intermittently flare	red and true ve a. Required sub impletion in a re ling reclamation	ertical depths of all pertir bsequent reports shall be new interval, a Form 316 n, have been completed,	nent markers and zones. filed within 30 days i0-4 shall be filed once and the operator has
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fit BOPCO, LP respectfully subm 90-days, April - June 2016. Well as this battery are the fol POKER LAKE UNIT 300H / 30 POKER LAKE UNIT 363H / 30 POKER LAKE UNIT 368H / 30 POKER LAKE UNIT 364H / 30 POKER LAKE UNIT 364H / 30 POKER LAKE UNIT 364H / 30 POKER LAKE UNIT 428H* / 3	ally or recomplete horizontally, give sult will be performed or provide the Bor I operations. If the operation results in an andonment Notices shall be filed only small inspection.) aits this sundry for Notice of Interpretation	bsurface locations and measured No. on file with BLM/BI/a a multiple completion or reconstruction of the surface after all requirements, including the intermittently flare SEE ATT.	ACHED	FOR NM F APPROV	oil CONSERVAT ARTESIA DISTRICT APR 1 8 2016 RECEIVED
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fit BOPCO, LP respectfully subm 90-days, April - June 2016. Well as this battery are the fol POKER LAKE UNIT 300H / 30 POKER LAKE UNIT 301H / 30 POKER LAKE UNIT 368H / 30 POKER LAKE UNIT 368H / 30 POKER LAKE UNIT 364H / 30 POKER LAKE UNIT 364H / 30 POKER LAKE UNIT 428H* / 3	ally or recomplete horizontally, give sult will be performed or provide the Bor I operations. If the operation results in a pandoment Notices shall be filed only inal inspection.) nits this sundry for Notice of Intellowing: 0-015-36950-00-S1 0-015-40684-00-S1 0-015-40436-00-S1 0-015-41246-00-S1	bsurface locations and measured No. on file with BLM/BI/a a multiple completion or reconstruction of the surface after all requirements, including the intermittently flare SEE ATT.	ACHED	FOR NM F APPROV	nent markers and zones. filed within 30 days 50-4 shall be filed once
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fit BOPCO, LP respectfully subm 90-days, April - June 2016. Well as this battery are the fol POKER LAKE UNIT 300H / 30 POKER LAKE UNIT 301H / 30 POKER LAKE UNIT 363H / 30 POKER LAKE UNIT 364H / 30 POKER LAKE UNIT 364H / 30 POKER LAKE UNIT 428H* / 3 Estimated amount to flare is 7	ally or recomplete horizontally, give sult will be performed or provide the Bor I operations. If the operation results in a pandoment Notices shall be filed only inal inspection.) nits this sundry for Notice of Intellowing: 0-015-36950-00-S1 0-015-36924-00-S1 0-015-40684-00-S1 0-015-40436-00-S1 0-015-40436-00-S1 0-015-41246-00-S1 00 MCFD, depending on pipeling true and correct. Electronic Submission #333154 For BOPCO	bsurface locations and measured No. on file with BLM/BI/a multiple completion or reconfer all requirements, including to intermittently flare. SEE ATT CONDITION The conditions. Flaring we werified by the BLM We LP, sent to the Carlsbaby PRISCILLA PEREZ of	ACHED ONS O	FOR NM FAPPROVA System (16PP0696SE)	oil CONSERVAT ARTESIA DISTRICT APR 1 8 2016 RECEIVED
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Attach the sheen completed. Final Attach the site is ready for fit BOPCO, LP respectfully submr 90-days, April - June 2016. Well as this battery are the follower POKER LAKE UNIT 300H / 30 POKER LAKE UNIT 301H / 30 POKER LAKE UNIT 363H / 30 POKER LAKE UNIT 364H / 30 POKER LAKE UNIT 364H / 30 POKER LAKE UNIT 428H* / 3 Estimated amount to flare is 7	ally or recomplete horizontally, give sult will be performed or provide the Bor I operations. If the operation results in a pandoment Notices shall be filed only inal inspection.) nits this sundry for Notice of Intellowing: 0-015-36950-00-S1 0-015-36924-00-S1 0-015-40684-00-S1 0-015-40436-00-S1 0-015-40436-00-S1 0-015-41246-00-S1 00 MCFD, depending on pipeling true and correct. Electronic Submission #333154 For BOPCO	bsurface locations and measured No. on file with BLM/BI/a multiple completion or reconfer all requirements, including to intermittently flare. SEE ATT CONDITION The conditions. Flaring we werified by the BLM We LP, sent to the Carlsbaby PRISCILLA PEREZ of	ACHED ONS O	FOR NW FAPPROVA System (16PP0696SE) ALYSTV	oil CONSERVAT ARTESIA DISTRICT APR 1 8 2016 RECEIVED
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fit BOPCO, LP respectfully subm 90-days, April - June 2016. Well as this battery are the fol POKER LAKE UNIT 300H / 30 POKER LAKE UNIT 363H / 30 POKER LAKE UNIT 363H / 30 POKER LAKE UNIT 364H / 30 POKER LAKE UNIT 364H / 30 POKER LAKE UNIT 428H* / 3 Estimated amount to flare is 7	ally or recomplete horizontally, give sult will be performed or provide the Bor I operations. If the operation results in a pandoment Notices shall be filed only inal inspection.) nits this sundry for Notice of Intellowing: 0-015-36950-00-S1/0-015-36924-00-S1/0-015-40684-00-S1/0-015-40800-00-S1/0-015-41246-00-S1/0-0	bsurface locations and measured No. on file with BLM/BI/a multiple completion or reconfer all requirements, including to intermittently flare. SEE ATT CONDITION The conditions. Flaring we werified by the BLM We LP, sent to the Carlsbaby PRISCILLA PEREZ of	ACHED ONS O	FOR NW FAPPROVA System (16PP0696SE) ALYSTV	oil CONSERVAT ARTESIA DISTRICT APR 1 8 2016 RECEIVED
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fit BOPCO, LP respectfully submr 90-days, April - June 2016. Well as this battery are the fol POKER LAKE UNIT 300H / 30 POKER LAKE UNIT 301H / 30 POKER LAKE UNIT 363H / 30 POKER LAKE UNIT 364H / 30 POKER LAKE UNIT 364H / 30 POKER LAKE UNIT 428H* / 3 Estimated amount to flare is 7	ally or recomplete horizontally, give sult will be performed or provide the Bor I operations. If the operation results in a pandoment Notices shall be filed only inal inspection.) nits this sundry for Notice of Intellowing: 0-015-36950-00-S1/0-015-36924-00-S1/0-015-40684-00-S1/0-015-40800-00-S1/0-015-41246-00-S1/0-015-40800-00-S1/0-015-41246-00-S1/0-0	bsurface locations and measured No. on file with BLM/BI/a multiple completion or reconstruction of reconstruction of the completion of reconstruction of the construction of the construct	ACHED ONS O	FOR NW FAPPROVA System (16PP0696SE) ALYSTV	oil CONSERVAT ARTESIA DISTRICT APR 1 8 2016 RECEIVED
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fit BOPCO, LP respectfully submr 90-days, April - June 2016. Well as this battery are the fol POKER LAKE UNIT 300H / 30 POKER LAKE UNIT 301H / 30 POKER LAKE UNIT 363H / 30 POKER LAKE UNIT 364H / 30 POKER LAKE UNIT 364H / 30 POKER LAKE UNIT 428H* / 3 Estimated amount to flare is 7	ally or recomplete horizontally, give sult will be performed or provide the Bor I operations. If the operation results in a pandoment Notices shall be filed only inal inspection.) nits this sundry for Notice of Intellowing: 0-015-36950-00-S1/0-015-36924-00-S1/0-015-40684-00-S1/0-015-40800-00-S1/0-015-41246-00-S1/0-0	bsurface locations and measured No. on file with BLM/BI/a multiple completion or reconstruction of reconstruction of the completion of reconstruction of the construction of the construct	ACHED ONS O	FOR NW FAPPROVA System (16PP0696SE) ALYSTV	oil CONSERVAT ARTESIA DISTRICT APR 1 8 2016 RECEIVED

Additional data for EC transaction #333154 that would not fit on the form

32. Additional remarks, continued

intermittent and is necessary due to restricted pipeline capacity.

Gas is commingled at the flare to reduce the number flare stacks that would be needed for individual well locations.

Gas volumes will be metered prior to flaring, allocated back to each well and reported on monthly production reports

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

This field office has evaluated the attached Notice of Intent as a request for flaring/venting beyond NTL-4A allowable thresholds (reasons, timeframes and volumes), and has determined the following Conditions of Approval apply.

Condition of Approval to Flare Gas

- 1. Comply with NTL-4A requirements
- 2. Subject to like approval from NMOCD
- 3. Flared volumes are considered "avoidably lost" and will require payment of royalties. Volumes shall be reported on OGOR "B" reports as disposition code "08
- 4. "Avoidably lost" flare volumes shall be metered due to their royalty bearing status. Install gas meter on vent/flare line to measure gas prior to venting/flaring operations if it is not equipped as such at this time.
- 5. Vent/flare gas metering to meet all requirements for a sales meter as per Federal Regulations, Onshore Order #5 and NTL 2008-01. Include meter serial number on sundry (form 3160-5).
- 6. This approval does not authorize any additional surface disturbance.
- 7. An updated facility diagram is required within 60 days of modifications to existing facilities per Onshore Order #3.
- 8. Approval not to exceed 90 days, if flaring is still required past 90 days submit new request for approval.
- 9. Submit Subsequent Report with actual volumes of gas flared for each month gas is flared on a sundry form 3160-5.

Definition: As per NTL-4A II. A. "Avoidably lost" production shall mean the venting or flaring of produced gas without the prior authorization, approval, ratification, or acceptance of the Supervisor and the loss of produced oil or gas when the Supervisor determines that such loss occurred as a result of (1) negligence on the part of the lessee or operator, or (2) the failure of the lessee or operator to take all reasonable measures to prevent and/or to control the loss, or (3) the failure of the lessee or operator to comply fully with the applicable lease terms and regulations, appropriate provisions of the approved operating plan, or the prior written orders of the Supervisor, or (4) and combination of the foregoing.

43CFR3162.7-1 (a) The operator shall put into marketable condition, if economically feasible, all oil, other hydrocarbons, gas and sulphur produced from the leased land.

43CFR3162.1 (a) The operating rights owner or operator, as appropriate, shall comply with applicable laws and regulations; with the lease terms, Onshore Oil and Gas Orders, NTL's; and with other orders and instructions of the authorized officer. These include, but are not limited to, conducting all operations in a manner which ensures the proper handling, measurement, disposition, and site security of leasehold production; which protects other natural resources and environmental quality; which protects life and property; and which results in maximum ultimate economic recovery of oil and gas with minimum waste and with minimum adverse effect on ultimate recovery of other mineral resources.