
Submit 1 Copy To Appropriate District	State of New Mexico		Form C-103	
<u>District 1</u> – (575) 393-6161	Energy, Minerals and Natu	ral Resources	WELL API NO.	Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283	OIL CONCEDUATION	DIVISION	30-005-64003	
811 S. First St., Artesia, NM 88210 District III – (505) 334-6178	OIL CONSERVATION 1220 South St. Fran		5. Indicate Type of Le	
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87		STATE FEE	
District IV – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa FC, INIVI 61	505	6. State Oil & Gas Lea	ise No.
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A			7. Lease Name or Unit Agreement Name Oreck BDO Com	
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other			8. Well Number 1	
2. Name of Operator			9. OGRID Number	
Yates Petroleum Corporation			025575 10. Pool name or Wildcat	
3. Address of Operator105 South Fourth Street, Artesia, NM 88210			Foor Ranch; Pre-Permian	
4. Well Location				
Unit Letter <u> </u>	2150 feet from the North		1780 feet from the	East line
Section 21	Township 10S Ra		NMPM Chaves	County
	11. Elevation (Show whether DR 3691	,		
lanna an de contrara anna an A			. There are a subject of the second a stress	n on ann a na chantanachta ann ann ann an an ann an an an an an a
	Appropriate Box to Indicate N		•	
	NTENTION TO:		SEQUENT REPOR	
				ERING CASING
TEMPORARILY ABANDON		COMMENCE DRI CASING/CEMEN		NDA 🗌
		CASING/CEMEN		
CLOSED-LOOP SYSTEM				,
OTHER:		OTHER:		
	pleted operations. (Clearly state all p ork). SEE RULE 19.15.7.14 NMAC completion.			
			_	
	to plug and abandon this well as foll eeded. TOH with production equipn		NM	OIL CONSERVATION ARTESIA DISTRICT
1. MIRU all safety equipment as no. 2 Set a CIBP at 5358 Spot 25 sy	eeded. TOH with production equipn Class "C" cement. This will cover	ient. on of the Siluro-De	wonian - WOP UHR	
	blug from 5660'-5510'. This will cov			MAY 05 2016
4. Spot a 25 sx Class "C" cement p	olug from 5099'-4949'. This will cov	ver the top of Wolfc		
	blug from $4418'-4278'$. This will cov			RECEIVED
	olug from 2102'-1982'. This will cov lug from 650'-550'. This will cover			
8. Spot a 10 sx cement plug from 9			-	
	kfill between 5-1/2" and 11-3/4" cas	ing.	Approved for plugg	ing of well hore only. I is retained pending receipt
10. Install dry hole marker and clea	n location.		of C.103 (Subseque	nt Report of Well Plugging)
Wellbore schematics attached			which may be found Forms, www.cmntd	l at OCD Web Page under state.nm.us/ocd.
Spud Date:	Rig Release Da	te:		
WELL MUST BE PL	499EO BY 51512	017		
	above is true and complete to the be		e and belief.	
signature (Ana)	aurta TITLE Reg	ilatory Reporting Su	upervisor DATE <u>Ma</u>	a <u>y 4, 2016</u>
Type or print name <u>Tina Hu</u>	erta E-mail address: tinah	@yatespetroleum.co	om PHONE: <u>575</u>	<u>-748-4168</u>
For State Use Only	1			
APPROVED BY: Malut 1		une con	R DATE 5/5	10.11

Conditions of Approval (if any):


.



GL: <u>3691' GR</u> ZERO: <u>12'</u> KB: <u>3703'</u> SPUD DATE: <u>04-05-2008</u> COMPLETION DATE: <u>05-14-2008</u>

COMMENTS: _____API# 30-005-64003

11 ¾" 42# H-40	600'
5-1/2" 15.5# J-55	6,172'
<u></u>	



4 ^{- 1}

