Form 3160-5 (August 2007)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

NMO	CD
Arte	sia

FORM APPROVED

		OMB NO. 1004-013 Expires: July 31, 201
_	5.	Lease Serial No.

SUNDRY NOTICES AND REPORTS'ON WELLS	
Oo not use this form for proposals to drill or to re-enter an	
pandoned well. Use form 3160-3 (APD) for such proposals.	

			-onfor an			
	is form for proposals to ell. Use form 3160-3 (API				6. If Indian; Allottee	or Tribe Name
SUBMIT IN TR	IPLICATE - Other instruc	ctions on rev	erse side.		7. If Unit or CA/Agre	cement, Name and/or No.
1. Type of Well				-	8. Well Name and No	· · · · · · · · · · · · · · · · · · ·
Dil Well ☐ Gas Well ☐ Or	her				CORRAL CANYO	ON FEDERAL 4H
500 W ILL'INOIS STREET SUITE 100 Ph:					9. API Well No. 30-015-42923-00-X1 ✓	
		3b. Phone No. (include area code) Ph: 432-620-4318 Fx: 432-618-3530		10. Field and Pool, or Exploratory WILLOW LAKE		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		)			11. County or Parish,	and State
Sec 5 T25S R29E SESE 200 32.152346 N Lat, 104.000009	FSL 760FEL 3 W Lon				EDDY COUNTY	Y, NM
12. CHECK APP	ROPRIATE BOX(ES) TO	) INDICATE	NATURE OF	NOTICE, R	EPORT, OR OTHE	R DATA
TYPE OF SUBMISSION			ТҮРЕ (	OF ACTION	· · · · · · · · · · · · · · · · · · ·	
	☐ Acidize	☐ Deer	nen .	☐ Produc	tion (Start/Resume)	☐ Water Shut-Off
Notice of Intent	☐ Alter Casing		ture Treat	☐ Reclan	,	☐ Well Integrity
☐ Subsequent Report	☐ Casing Repair	• □ New	Construction	☐ Recom	plete	<b>⊠</b> Other
☐ Final Abandonment Notice	☐ Change Plans	Plug	and Abandon	☐ Tempo	rarily Abandon	Venting and/or Flari
i	,		■ Water I	Water Disposal		
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f	erration (clearly state all pertinen ally or recomplete horizontally, or will be performed or provide d operations. If the operation resbandonment Notices shall be filefinal inspection.)	nt details, including ive subsurface I the Bond No. on sults in a multiple	ng estimated starti locations and meas i file with BLM/BI e completion or re-	sured and true ver A. Required surpose of a completion in a	ertical depths of all pertin bsequent reports shall be new interval, a Form 316	nent markers and zones. filed within 30 days i0-4 shall be filed once
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Aldetermined that the site is ready for f CORRAL CANYON TANK BAASSOCIATED WELLS: Corral Canyon Fed 3H, 30-01	erration (clearly state all pertinen ally or recomplete horizontally, ork will be performed or provide d operations. If the operation resbandonment Notices shall be filefinal inspection.)	nt details, includingive subsurface in the Bond No. on sults in a multiple donly after all r	ng estimated starti locations and meas i file with BLM/Bl e completion or re- requirements, inclu-	sured and true v A. Required completion in a kling reclamatio	ertical depths of all pertin bsequent reports shall be new interval, a Form 316 in, have been completed,	nent markers and zones. Tiled within 30 days 10-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Aldetermined that the site is ready for f CORRAL CANYON TANK BAASSOCIATED WELLS:  Corral Canyon Fed 3H, 30-01 Corral Canyon Fed 5H, 30-01 Corral Canyon Fed 5H, 30-01	erration (clearly state all pertinen ally or recomplete horizontally, ork will be performed or provide d operations. If the operation resbandonment Notices shall be filefinal inspection.)  ATTERY  5-42922  NM OIL (5-42922)	nt details, including give subsurface I the Bond No. on sults in a multiple ed only after all r	ng estimated starti locations and meas if file with BLM/BI e completion or re- requirements, inclu-	sured and true v. A. Required su completion in a iding reclamation	ertical depths of all pertin bsequent reports shall be new interval, a Form 316 in, have been completed,	nent markers and zones, filed within 30 days 60-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Aldetermined that the site is ready for f CORRAL CANYON TANK BAASSOCIATED WELLS: Corral Canyon Fed 3H, 30-01	erration (clearly state all pertinen ally or recomplete horizontally, ork will be performed or provide d operations. If the operation resbandonment Notices shall be filefinal inspection.)  ATTERY  5-42922  NM OIL (5-42922)	nt details, includingive subsurface in the Bond No. on sults in a multiple donly after all r	ng estimated starti locations and meas if file with BLM/BI e completion or re- requirements, inclu-	sured and true v. A. Required su completion in a iding reclamation	ertical depths of all pertin bsequent reports shall be new interval, a Form 316 in, have been completed,	nent markers and zones, filed within 30 days 60-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Aldetermined that the site is ready for f CORRAL CANYON TANK BAASSOCIATED WELLS:  Corral Canyon Fed 3H, 30-01 Corral Canyon Fed 5H, 30-01 Corral Canyon Fed 5H, 30-01	erration (clearly state all pertinen ally or recomplete horizontally, or will be performed or provide d operations. If the operation resbandonment Notices shall be filefinal inspection.)  ATTERY  5-42922  5-42923  5-42924  15-42929  00	nt details, includingive subsurface I the Bond No. on sults in a multiple donly after all reconstructions. CONSERVI	ng estimated starti locations and meas if the with BLM/Bl e completion or re- requirements, inclu-	sured and true v. A. Required su completion in a iding reclamation	ertical depths of all pertin bsequent reports shall be new interval, a Form 316 in, have been completed,	nent markers and zones, filed within 30 days in 10-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Aldetermined that the site is ready for f CORRAL CANYON TANK BAASSOCIATED WELLS:  Corral Canyon Fed 3H, 30-01 Corral Canyon Fed 5H, 30-01 Corral Canyon Fed 5H, 30-01	erration (clearly state all pertinen ally or recomplete horizontally, ork will be performed or provide d operations. If the operation resbandonment Notices shall be file final inspection.)  ATTERY  5-42922  5-42923  5-42924  15-42929	nt details, including give subsurface I the Bond No. on sults in a multiple ed only after all r	ng estimated starti locations and meas if the with BLM/Bl e completion or re- requirements, inclu-	sured and true v. A. Required su completion in a iding reclamation	ertical depths of all pertin bsequent reports shall be new interval, a Form 316 in, have been completed,	nent markers and zones, filed within 30 days in 10-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final Al determined that the site is ready for f CORRAL CANYON TANK BA ASSOCIATED WELLS: Corral Canyon Fed 3H, 30-01 Corral Canyon Fed 4H, 30-01 Corral Canyon Fed 5H, 30-01.	erration (clearly state all pertinen ally or recomplete horizontally, ork will be performed or provide d operations. If the operation resbandonment Notices shall be file final inspection.)  ATTERY  5-42922  5-42923  5-42924  15-42929	nt details, includingive subsurface I the Bond No. on sults in a multiple donly after all reconstructions. CONSERVI	ng estimated starti locations and meas if the with BLM/Bl e completion or re- requirements, inclu-	sured and true v. A. Required su completion in a iding reclamation	ertical depths of all pertin bsequent reports shall be new interval, a Form 316 in, have been completed,	nent markers and zones, filed within 30 days in 10-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Aldetermined that the site is ready for f CORRAL CANYON TANK BAASSOCIATED WELLS: Corral Canyon Fed 3H, 30-01 Corral Canyon Fed 4H, 30-01 Corral Canyon Fed 5H, 30-01 Corral Canyon Fed 17H, 30-0  Accepted for reconstruction of the control	peration (clearly state all pertinentially or recomplete horizontally, or will be performed or provided operations. If the operation respondent Notices shall be filed final inspection.)  ATTERY  5-42922  5-42923  5-42924  15-42929  In the and correct.  Electronic Submission #3  For XTO ENERG	nt details, including yeve subsurface I the Bond No. on sults in a multiple ed only after all reconstructions of the Bond No. on sults in a multiple ed only after all reconstructions of the Bond No. on sults in a multiple ed only after all reconstructions of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on substitution of the B	ng estimated starticocations and measurable with BLM/Ble completion or recequirements, inclusive actions of the startion of th	E ATTA	ertical depths of all pertin bsequent reports shall be new interval, a Form 316 in, have been completed, CHED FOR ONS OF APP	nent markers and zones, filed within 30 days in 10-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Aldetermined that the site is ready for f CORRAL CANYON TANK BAASSOCIATED WELLS: Corral Canyon Fed 3H, 30-01 Corral Canyon Fed 4H, 30-01 Corral Canyon Fed 5H, 30-01 Corral Canyon Fed 17H, 30-0  Accepted for reconstruction of the control	peration (clearly state all pertinentally or recomplete horizontally, or will be performed or provided operations. If the operation respondent Notices shall be filed final inspection.)  ATTERY  5-42922  5-42923  5-42924  15-42929  NMOIL  ARTI  5-42929  FOR THE and correct.  Electronic Submission #3  For XTO ENERGIA	nt details, including yeve subsurface I the Bond No. on sults in a multiple ed only after all reconstructions of the Bond No. on sults in a multiple ed only after all reconstructions of the Bond No. on sults in a multiple ed only after all reconstructions of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on substitution of the B	ng estimated starticocations and measurable with BLM/Ble completion or recequirements, inclusive actions of the startion of th	E ATTA	ertical depths of all pertin bsequent reports shall be new interval, a Form 316 in, have been completed, the CHED FOR ONS OF APP	nent markers and zones, filed within 30 days in 10-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Aldetermined that the site is ready for f CORRAL CANYON TANK BAASSOCIATED WELLS: Corral Canyon Fed 3H, 30-01 Corral Canyon Fed 4H, 30-01 Corral Canyon Fed 5H, 30-01 Corral Canyon Fed 17H, 30-0  Accepted for reconstruction of the control	peration (clearly state all pertinentally or recomplete horizontally, or will be performed or provided operations. If the operation respondent Notices shall be filed final inspection.)  ATTERY  5-42922  5-42923  5-42924  15-42929  NMOIL  ARTI  5-42929  FOR THE and correct.  Electronic Submission #3  For XTO ENERGIA	nt details, including yeve subsurface I the Bond No. on sults in a multiple ed only after all reconstructions of the Bond No. on sults in a multiple ed only after all reconstructions of the Bond No. on sults in a multiple ed only after all reconstructions of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on substitution of the B	ng estimated starticocations and measurable with BLM/Ble completion or recequirements, inclusive actions of the startion of th	E ATTA  NDITIO  The Carlistad on 10/10/10/10/10	ertical depths of all pertin bsequent reports shall be new interval, a Form 316 in, have been completed, the CHED FOR ONS OF APP	ent markers and zones. filed within 30 days 10-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Aldetermined that the site is ready for f CORRAL CANYON TANK BAASSOCIATED WELLS: Corral Canyon Fed 3H, 30-01 Corral Canyon Fed 4H, 30-01 Corral Canyon Fed 5H, 30-01 Corral Canyon Fed 17H, 30-0  Accepted for reconstruction of the control	true and correct.  Electronic Submission #3  For XTO ENERG	nt details, including yeve subsurface I the Bond No. on sults in a multiple ed only after all reconstructions of the Bond No. on sults in a multiple ed only after all reconstruction of the Bond No. on sults in a multiple ed only after all reconstruction of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on substit	ng estimated starticocations and measurable with BLM/Ble completion or recequirements, inclusive actions of the startion of th	E ATTA  NDITIO	an System  System  1 (16) AS07558E)  ACYSTOR RECY.	ent markers and zones. filed within 30 days 10-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Aldetermined that the site is ready for f CORRAL CANYON TANK BAASSOCIATED WELLS: Corral Canyon Fed 3H, 30-01 Corral Canyon Fed 4H, 30-01 Corral Canyon Fed 5H, 30-01 Corral Canyon Fed 17H, 30	true and correct.  Electronic Submission #3  For XTO ENERG	nt details, including yes subsurface the Bond No. on sults in a multiple and only after all reconstructions of the Bond No. on sults in a multiple and only after all reconstructions of the Bond No. on sults in a multiple and only after all reconstructions. The Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a multiple and substitution of the Bond No. on sults in a multiple and substitution of the Bond No. on sults in a multiple and substitution of the Bond No. on sults in a multiple and substitution of the Bond No. on sults in a multiple and substitution of the Bond No. on sults in a multiple and substitution of the Bond No. on sults in a multiple and substitution of the Bond No. on sults in a multiple and substitution of the Bond No. on substitution of the B	ng estimated starticocations and measurable with BLM/Ble completion or recequirements, inclusive actions of the startion of the startion of the startion of the startion of the starting of th	E ATTA  NDITIC  The Caristrad on 10/19/2015	ertical depths of all pertin beequent reports shall be new interval, a Form 316 in, have been completed, on the completed of the complete of t	ent markers and zones. filed within 30 days 10-4 shall be filed once and the operator has
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Aldetermined that the site is ready for for CORRAL CANYON TANK BAASSOCIATED WELLS: Corral Canyon Fed 3H, 30-01 Corral Canyon Fed 4H, 30-01 Corral Canyon Fed 5H, 30-01 Corral Canyon Fed 17H, 30-0  Accepted for reconstruction in the complete state of the complete state	recration (clearly state all pertinentally or recomplete horizontally, or will be performed or provide disperations. If the operation respondent Notices shall be filed final inspection.)  ATTERY  5-42922 5-42923 5-42924 15-42929  NMOIL (APPLIES OF TAMES O	nt details, including yes subsurface the Bond No. on sults in a multiple and only after all reconstructions of the Bond No. on sults in a multiple and only after all reconstructions of the Bond No. on sults in a multiple and only after all reconstructions. The Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a substitution of the Bond No. on sults in a multiple and substitution of the Bond No. on sults in a multiple and substitution of the Bond No. on sults in a multiple and substitution of the Bond No. on sults in a multiple and substitution of the Bond No. on sults in a multiple and substitution of the Bond No. on sults in a multiple and substitution of the Bond No. on sults in a multiple and substitution of the Bond No. on sults in a multiple and substitution of the Bond No. on substitution of the B	ng estimated starticocations and measurable with BLM/Ble completion or recequirements, inclusive actions of the startion of the startion of the startion of the startion of the starting of th	E ATTA  NDITIO  BII Information  The Carls by add on 10/19/2015  OFFICE U  BUREAU O	ertical depths of all pertin basequent reports shall be new interval, a Form 316 in, have been completed, the completed of the completed of the complete of th	ent markers and zones. filed within 30 days 10-4 shall be filed once and the operator has

## Additional data for EC transaction #312840 that would not fit on the form

## 32. Additional remarks, continued

We are flaring for our newly drilled wells as of 7/1/15 and approx. We are in the process of setting up compressor to send the gas to sales, but DCP has issues setting the line so we are flaring approx. 2500 mcfd until we DCP resolves their issue and we can continue compressor tie in.

## Flaring Conditions of Approval

- 1. Report all volumes on OGOR B as disposition code 08.
- 2. Comply with NTL-4A requirements
- 3. Subject to like approval from NMOCD
- 4. | Flared volumes will still require payment of royalties
- 5. Install gas meter on vent/flare line to measure gas prior to venting/flaring operations if it is not equipped as such at this time. Gas meter to meet all requirements for sale meter as Federal Regulations and Onshore Order #5. Include meter serial number on sundry.
- 6. This approval does not authorize any additional surface disturbance.
- 7. Submit updated facility diagram as per Onshore Order #3.
- 8. Approval not to exceed 90 days from date requested on sundry.
- 9. Submit Subsequent Report to this sundry with actual volumes of gas flared monthly on 3160-5 (sundry notice).
- 10. If flaring is still required past 90 days submit new request for approval.
- 11. If a portable unit is used to flare gas it must be monitored at all times.
- 12. Comply with any restrictions or regulations when on State or Fee surface.

**JAM 101415**