

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

David Martin
Cabinet Secretary

Tony Delfin
Deputy Cabinet Secretary

David Catanach, Director
Oil Conservation Division



Response Required - Deadline Enclosed

Field Inspection Program
"Preserving the Integrity of Our Environment"

01-Jul-16

LARRY MARKER DBA MARKER OIL
PO BOX 3188
Roswell NM 88202-8202

LETTER OF VIOLATION - Inspection

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

INSPECTION DETAIL SECTION

NORTH SQUARE LAKE UNIT No.043				H-29-16S-31E	30-015-04909-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
07/01/2016	Routine/Periodic	Tony Morales	Yes	No	10/4/2016	iTM1618333992
	Violations					
	General Housekeeping (Rule 114)					
Comments on Inspection:		OK. All Equipment and Location in Good Shape. PJO STAINING AROUND WELL HEAD. FRESH OIL				

NORTH SQUARE LAKE UNIT No.166				M-33-16S-31E	30-015-04968-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
07/01/2016	Routine/Periodic	Tony Morales	Yes	No	10/4/2016	iTM1618337746
	Violations					
	Absent Well Identification Signs (Rule 103)					
Comments on Inspection:		OK. All Equipment and Location in Good Shape. PJ. LOCATION SIGN NOT VISIBLE.				

NORTH SQUARE LAKE UNIT No.149

L-33-16S-31E

30-015-04969-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
07/01/2016	Routine/Periodic	Tony Morales	Yes	No	10/4/2016	iTM1618338139
Violations Absent Well Identification Signs (Rule 103)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ. LOCATION SIGN NOT VISIBLE.						

NORTH SQUARE LAKE UNIT No.135

B-33-16S-31E

30-015-04984-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
07/01/2016	Routine/Periodic	Tony Morales	Yes	No	10/4/2016	iTM1618341577
Violations Absent Well Identification Signs (Rule 103)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ. LOCATION SIGN NOT VISIBLE. TANK BATTERIES OK						

NORTH SQUARE LAKE UNIT No.153

L-34-16S-31E

30-015-04993-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
07/01/2016	Routine/Periodic	Tony Morales	Yes	No	10/4/2016	iTM1618342504
Violations Absent Well Identification Signs (Rule 103) General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ. STAINING AROUND WELL HEAD. LOCATION SIGN NOT VISIBLE. CONTAMINATED MATERIAL NEXT TO WELL HEAD. STAINED AREA APPROX 10' X 15'						

NORTH SQUARE LAKE UNIT No.106

B-32-16S-31E

30-015-25029-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
07/01/2016	Routine/Periodic	Tony Morales	Yes	No	10/4/2016	iTM1618335688
Violations General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJO. STAINING AROUND WELL HEAD. STAINED AREA APPROX. 10' X 15'						

NORTH SQUARE LAKE UNIT No.177

G-29-16S-31E

30-015-32907-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
07/01/2016	Routine/Periodic	Tony Morales	Yes	No	10/4/2016	iTM1618333226
Violations General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJO. STAINING AROUND WELL HEAD. CONTAMINATED MATERIAL ON LOCATION.						

NORTH SQUARE LAKE UNIT No.187

F-33-16S-31E

30-015-33102-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
07/01/2016	Routine/Periodic	Tony Morales	Yes	No	10/4/2016	iTM1618340277
Violations General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJO. STAINING AROUND WELL HEAD						

NORTH SQUARE LAKE UNIT No.202


J-32-16S-31E

30-015-41824-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
07/01/2016	Routine/Periodic	Tony Morales	Yes	No	10/4/2016	iTM1618336838
Violations General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJO. STAINING AROUND WELL HEAD. STAINED AREA APPROX. 10' X 15'						

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well.

Sincerely,


Artesia OCD District Office

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.

*Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.