| abandoned wel  | s form for proposals to<br>II. Use form 3160-3 (API   | D) for such pro   | LS <b>Artesi</b><br>nter an<br>posals.  |   | o. in manan, Annaec (  | or Tribe Name   |  |
|--|---|---|---|---|--|---|--|
| SUBMIT IN TRIPLICATE - Other instructions on reverse side.   |   |   |   | 7. If Unit or CA/Agre<br>NMNM88525X   | ement, Name and/or N   |   |  |
| 1. Type of Well Gas Well Other   |   |   | 8, Well Name and No.<br>BURCH KEELY UNIT 956H   |   |  |   |  |
| 2. Name of Operator     COG OPERATING LLC     E-Mail: kcastillo@concho.com   |   |   | TILLO   | <u> </u>  | 9. API Well No.<br>30-015-42241-00-S1  |   |  |
| 3a. Address<br>600 W ILLINOIS AVENUE<br>MIDLAND, TX 79701  | 3b. Phone No. (include area code)<br>Ph: 432-685-4332   |   |   | 10. Field and Pool, or Exploratory<br>BURCH KEELY-GLORIETA-UPP<br>UNKNOWN     11. County or Parish, and State                         |  |   |  |
| 4. Location of Well (Footage, Sec., T.   |   |   |   |   |  |   |  |
| Sec 23 T17S R29E SENE 165<br>32.822641 N Lat, 104.036886   |   |   |   | EDDY COUNTY, NM   |  |   |  |
| 12. CHECK APPR   | OPRIATE BOX(ES) TO  | ) INDICATE N  | ATURE OF N  | OTICE, R  | EPORT, OR OTHE   | R DATA  |  |
| TYPE OF SUBMISSION   |   | TYPE OF ACTION  |   |   |  |   |  |
| Notice of Intent   |   | Deeper  | :   | _   | tion (Start/Resume)  | U Water Shut-O  |  |
| Subsequent Report  | Alter Casing  | Fractur   | re Treat  | Reclam  | •  | 🖸 Well Integrity<br>🛛 Other   |  |
| Final Abandonment Notice   | Casing Repair Change Plans  | —   | nd Abandon  |   | rarily Abandon   | Venting and/or I  |  |
|  | Convert to Injection  | 🗖 Plug B  |   |   |  | ng  |  |
| If the proposal is to deepen directiona<br>Attach the Bond under which the wor<br>following completion of the involved<br>testing has been completed. Final Ab<br>determined that the site is ready for fi<br>COG Operating LLC, respectfu<br>Number of wells to flare: (13)<br>BURCH-KEELY UNIT #620 30   | k will be performed or provide<br>operations. If the operation res<br>andonment Notices shall be fik<br>nal inspection.)<br>ully request to flare at the<br>0-015-39569   | give subsurface loc<br>the Bond No. on fi<br>aults in a multiple c<br>ad only after all req   | ations and measur<br>le with BLM/BIA.<br>ompletion or recor<br>uirements, includi   | ed and true v<br>Required su<br>npletion in a<br>ng reclamatic  | ertical depths of all pertir<br>ibsequent reports shall be<br>new interval, a Form 316<br>on, have been completed,   | ent markers and zone:<br>filed within 30 days<br>0-4 shall be filed once<br>and the operator has  |  |
| If the proposal is to deepen directiona<br>Attach the Bond under which the wor<br>following completion of the involved<br>testing has been completed. Final Ab<br>determined that the site is ready for fi<br>COG Operating LLC, respectfu<br>Number of wells to flare: (13)   | Illy or recomplete horizontally,<br>k will be performed or provide<br>operations. If the operation res<br>andonment Notices shall be fik<br>nal inspection.)<br>Ully request to flare at the<br>0-015-39569<br>0-015-39565<br>30-015-42748<br>0-015-40540<br>0-015-40381<br>(FKA 2H) 30-015-40637<br>30-015-40540<br>30-015-42723   | give subsurface loc<br>the Bond No. on fi<br>sults in a multiple c<br>ed only after all req<br>Burch Keely Un   | ations and measur<br>le with BLM/BIA.<br>onpletion or recor-<br>uirements, includio<br>nit 13C Battery<br>SEE A<br>CON  | ed and true v<br>Required su<br>npletion in a<br>ag reclamatic<br>ATTA<br>DITIO   | ertical depths of all pertir<br>thsequent reports shall be<br>new interval, a Form 316<br>m, have been completed,<br><b>NM OIL</b><br>AR<br>CHED FORJU<br>NS OF APPE   | CONSERVAT<br>TESIA DISTRICT   |  |
| If the proposal is to deepen directiona<br>Attach the Bond under which the wor<br>following completion of the involved<br>testing has been completed. Final Ab<br>determined that the site is ready for fi<br>COG Operating LLC, respectfu<br>Number of wells to flare: (13)<br>BURCH-KEELY UNIT #620 30<br>BURCH-KEELY UNIT #616 30<br>BURCH-KEELY UNIT #935H 3<br>BURCH-KEELY UNIT #935H 3<br>BURCH-KEELY UNIT #948H 3<br>BURCH-KEELY UNIT #857 30<br>BURCH-KEELY UNIT #948H 3<br>BURCH-KEELY UNIT #948H 3<br>BURCH-KEELY UNIT #621 30   | Illy or recomplete horizontally,<br>k will be performed or provide<br>operations. If the operation res<br>andonment Notices shall be file<br>nal inspection.)<br>Ully request to flare at the<br>0-015-39569<br>0-015-38517<br>30-015-42748<br>0-015-39565<br>30-015-42748<br>0-015-40381<br>(FKA 2H) 30-015-40637<br>0-015-40540<br>30-015-40540<br>30-015-40325   | give subsurface loc<br>the Bond No. on fi<br>sults in a multiple c<br>ed only after all req<br>Burch Keely Un   | ations and measur<br>le with BLM/BIA.<br>onpletion or recor-<br>uirements, includio<br>nit 13C Battery<br>SEE A<br>CON  | ed and true v<br>Required su<br>npletion in a<br>1g reclamatic<br>DITIO<br>For Re   | ertical depths of all pertir<br>insequent reports shall be<br>new interval, a Form 316<br>on, have been completed,<br><b>NM OIL</b><br>AR<br>CHED FORJI<br>NS OF APPF  | CONSERVAT<br>TESIA DISTRICT   |  |
| If the proposal is to deepen directiona<br>Attach the Bond under which the wor<br>following completion of the involved<br>testing has been completed. Final Ab<br>determined that the site is ready for fi<br>COG Operating LLC, respectfu<br>Number of wells to flare: (13)<br>BURCH-KEELY UNIT #620 30<br>BURCH-KEELY UNIT #616 30<br>BURCH-KEELY UNIT #616 30<br>BURCH-KEELY UNIT #935H 3<br>BURCH-KEELY UNIT #935H 3<br>BURCH-KEELY UNIT #947H 3<br>BURCH-KEELY UNIT #947H 4<br>BURCH-KEELY UNIT #947H 4<br>BURCH-KEELY UNIT #948H 3<br>BURCH-KEELY UNIT #621 30<br>14. 1 hereby certify that the foregoing is   | Illy or recomplete horizontally,<br>k will be performed or provide<br>operations. If the operation res<br>andonment Notices shall be fike<br>nal inspection.)<br>ully request to flare at the<br>0-015-39569<br>0-015-39565<br>30-015-42748<br>0-015-39565<br>30-015-42240<br>0-015-40381<br>(FKA 2H) 30-015-40637<br>0-015-40540<br>30-015-42723<br>0-015-40325<br>true and correct.<br>Electronic Submission #3<br>For COG Of<br>mitted to AFMSS for proce  | give subsurface loc<br>the Bond No. on fi<br>sults in a multiple c<br>ed only after all req<br>Burch Keely Un<br>Burch Keely Un<br>641559 verified b<br>PERATING LLC,<br>issing by PRISC                          | ations and measur<br>le with BLM/BIA.<br>oinpletion or recor-<br>uirements, includin<br>hit 13C Battery<br>SEE J<br>CON<br>Cepted F<br>NMC  | ATTA<br>ATTA<br>DITIO   | ertical depths of all pertir<br>thsequent reports shall be<br>new interval, a Form 316<br>m, have been completed,<br>NM OIL<br>AR<br>CHED FORJI<br>NS OF APPF<br>F<br>CHED FORJI<br>NS OF APPF<br>F<br>APPT<br>A<br>A<br>A<br>A<br>A<br>A<br>A<br>A<br>A<br>A<br>A<br>A<br>A   | CONSERVAT<br>TESIA DISTRICT   |  |
| If the proposal is to deepen directiona<br>Attach the Bond under which the wor<br>following completion of the involved<br>testing has been completed. Final Ab<br>determined that the site is ready for fi<br>COG Operating LLC, respectfu<br>Number of wells to flare: (13)<br>BURCH-KEELY UNIT #620 30<br>BURCH-KEELY UNIT #616 30<br>BURCH-KEELY UNIT #616 30<br>BURCH-KEELY UNIT #935H 3<br>BURCH-KEELY UNIT #935H 3<br>BURCH-KEELY UNIT #954H 3<br>BURCH-KEELY UNIT #954H 3<br>BURCH-KEELY UNIT #947H (<br>BURCH-KEELY UNIT #947H (<br>BURCH-KEELY UNIT #948H 3<br>BURCH-KEELY UNIT #948H 3<br>BURCH-KEELY UNIT #621 30   | Illy or recomplete horizontally,<br>k will be performed or provide<br>operations. If the operation res<br>andonment Notices shall be fike<br>nal inspection.)<br>ully request to flare at the<br>0-015-39569<br>0-015-39565<br>30-015-42748<br>0-015-39565<br>30-015-42240<br>0-015-40381<br>(FKA 2H) 30-015-40637<br>0-015-40540<br>30-015-42723<br>0-015-40325<br>true and correct.<br>Electronic Submission #3<br>For COG Of<br>mitted to AFMSS for proce  | give subsurface loc<br>the Bond No. on fi<br>sults in a multiple c<br>ed only after all req<br>Burch Keely Un<br>Burch Keely Un<br>641559 verified b<br>PERATING LLC,<br>issing by PRISC                          | ations and measur<br>le with BLM/BIA.<br>oinpletion or recor<br>uirements, includin<br>hit 13C Battery<br>SEE<br>CON<br>Cepted F<br>NMC   | ATTA<br>ATTA<br>DITIO   | ertical depths of all pertir<br>thsequent reports shall be<br>new interval, a Form 316<br>m, have been completed,<br>NM OIL<br>AR<br>CHED FORJI<br>NS OF APPF<br>F<br>CHED FORJI<br>NS OF APPF<br>F<br>APPT<br>A<br>A<br>A<br>A<br>A<br>A<br>A<br>A<br>A<br>A<br>A<br>A<br>A   | ent markers and zonc<br>filed within 30 days<br>0-4 shall be filed once<br>and the operator has<br>CONSERVAT<br>TESIA DISTRICT<br>JL 1 1 2016<br>ROVAL<br>RECEIVED  |  |
| If the proposal is to deepen directiona<br>Attach the Bond under which the wor<br>following completion of the involved<br>testing has been completed. Final Ab<br>determined that the site is ready for fi<br>COG Operating LLC, respectfu<br>Number of wells to flare: (13)<br>BURCH-KEELY UNIT #620 30<br>BURCH-KEELY UNIT #616 30<br>BURCH-KEELY UNIT #616 30<br>BURCH-KEELY UNIT #935H 3<br>BURCH-KEELY UNIT #935H 3<br>BURCH-KEELY UNIT #947H 3<br>BURCH-KEELY UNIT #947H 4<br>BURCH-KEELY UNIT #947H 4<br>BURCH-KEELY UNIT #948H 3<br>BURCH-KEELY UNIT #621 30<br>14. 1 hereby certify that the foregoing is   | Illy or recomplete horizontally,<br>k will be performed or provide<br>operations. If the operation res<br>andonment Notices shall be file<br>nal inspection.)<br>ully request to flare at the<br>0-015-39569<br>0-015-39565<br>0-015-42748<br>0-015-42748<br>0-015-40381/<br>(FKA 2H) 30-015-40637<br>0-015-40540<br>30-015-40540<br>30-015-42723<br>0-015-40325<br>true and correct.<br>Electronic Submission #3<br>For COG O<br>imitted to AFMSS for proce<br>CASTILLO                                  | give subsurface loc<br>the Bond No. on fi<br>sults in a multiple c<br>ed only after all req<br>Burch Keely Un<br>AC<br>41559 verified b<br>PERATING LLC,<br>essing by PRISC                                       | ations and measur<br>le with BLM/BIA.<br>onpletion or recor-<br>uirements, includion<br>hit 13C Battery<br>SEE A<br>CON<br>Cepted F<br>NMC<br>by the BLM Well<br>sent to the Can<br>ILLA PEREZ on<br>ritle PREPAF | ATTAC<br>Required su<br>npletion in a<br>ng reclamatic<br>DITIO<br><b>For Re</b><br>DCD /<br>Information<br>1sbad<br>06/10/2016<br>ER | ertical depths of all pertir<br>thsequent reports shall be<br>new interval, a Form 316<br>m, have been completed,<br><b>NM OIL</b><br>AR<br>CHED FORJI<br>NS OF APPF<br>F<br>CHED FORJI<br>NS OF APPF<br>F<br>CHED FORJI<br>AR<br>CHED FORJI<br>AR<br>AR<br>AR<br>AR<br>AR<br>AR<br>AR<br>AR<br>AR<br>AR | ent markers and zones<br>filed within 30 days<br>0-4 shall be filed once<br>and the operator has<br>CONSERVAT<br>TESIA DISTRICT<br>JL 1 1 2016<br>ROVAL<br>RECEIVED |  |
| If the proposal is to deepen directiona<br>Attach the Bond under which the wor<br>following completion of the involved<br>testing has been completed. Final Ab<br>determined that the site is ready for fi<br>COG Operating LLC, respectfu<br>Number of wells to flare: (13)<br>BURCH-KEELY UNIT #620 30<br>BURCH-KEELY UNIT #616 30<br>BURCH-KEELY UNIT #616 30<br>BURCH-KEELY UNIT #935H 3<br>BURCH-KEELY UNIT #935H 3<br>BURCH-KEELY UNIT #954H 3<br>BURCH-KEELY UNIT #954H 3<br>BURCH-KEELY UNIT #947H (<br>BURCH-KEELY UNIT #947H (<br>BURCH-KEELY UNIT #948H 3<br>BURCH-KEELY UNIT #948H 3<br>BURCH-KEELY UNIT #621 30<br>14. 1 hereby certify that the foregoing is<br>Name (Printed/Typed) KANICIA ( | Illy or recomplete horizontally,<br>k will be performed or provide<br>operations. If the operation res<br>andonment Notices shall be fike<br>nal inspection.)<br>ully request to flare at the<br>0-015-39569<br>0-015-39565<br>30-015-42748<br>0-015-39565<br>30-015-42240<br>0-015-40381<br>(FKA 2H) 30-015-40637<br>0-015-40540<br>0-015-40540<br>30-015-42723<br>0-015-40325<br>true and correct.<br>Electronic Submission #3<br>For COG O<br>mitted to AFMSS for proce<br>CASTILLO                    | give subsurface loc<br>the Bond No. on fi<br>sults in a multiple c<br>ed only after all req<br>Burch Keely Un<br>AC<br>41559 verified b<br>PERATING LLC,<br>essing by PRISC                                       | ations and measur<br>le with BLM/BIA.<br>onpletion or recor-<br>uirements, includion<br>hit 13C Battery<br>SEE A<br>CON<br>Cepted F<br>NMC<br>by the BLM Well<br>sent to the Can<br>ILLA PEREZ on<br>ritle PREPAF | ATTAC<br>Required su<br>npletion in a<br>ng reclamatic<br>DITIO<br><b>For Re</b><br>DCD /<br>Information<br>1sbad<br>06/10/2016<br>ER | ertical depths of all pertir<br>thsequent reports shall be<br>new interval, a Form 316<br>m, have been completed,<br><b>NM OIL</b><br>AR<br>CHED FORJI<br>NS OF APPF<br>F<br>CHED FORJI<br>NS OF APPF<br>F<br>CHED FORJI<br>AR<br>CHED FORJI<br>AR<br>AR<br>AR<br>AR<br>AR<br>AR<br>AR<br>AR<br>AR<br>AR | ent markers and zonc<br>filed within 30 days<br>0-4 shall be filed once<br>and the operator has<br>CONSERVAT<br>TESIA DISTRICT<br>JL 1 1 2016<br>ROVAL<br>RECEIVED  |  |
| If the proposal is to deepen directiona<br>Attach the Bond under which the wor<br>following completion of the involved<br>testing has been completed. Final Ab<br>determined that the site is ready for fi<br>COG Operating LLC, respectfu<br>Number of wells to flare: (13)<br>BURCH-KEELY UNIT #620 30<br>BURCH-KEELY UNIT #616 30<br>BURCH-KEELY UNIT #616 30<br>BURCH-KEELY UNIT #935H 3<br>BURCH-KEELY UNIT #935H 3<br>BURCH-KEELY UNIT #954H 3<br>BURCH-KEELY UNIT #954H 3<br>BURCH-KEELY UNIT #947H (<br>BURCH-KEELY UNIT #947H (<br>BURCH-KEELY UNIT #948H 3<br>BURCH-KEELY UNIT #948H 3<br>BURCH-KEELY UNIT #621 30<br>14. 1 hereby certify that the foregoing is<br>Name (Printed/Typed) KANICIA ( | Illy or recomplete horizontally,<br>k will be performed or provide<br>operations. If the operation res<br>andonment Notices shall be file<br>nal inspection.)<br>ully request to flare at the<br>0-015-39569<br>0-015-39565<br>0-015-42748<br>0-015-42748<br>0-015-40381/<br>(FKA 2H) 30-015-40637<br>0-015-40540<br>30-015-40540<br>30-015-42723<br>0-015-40325<br>true and correct.<br>Electronic Submission #3<br>For COG O<br>imitted to AFMSS for proce<br>CASTILLO                                  | give subsurface loc<br>the Bond No. on fi<br>sults in a multiple c<br>d only after all req<br>Burch Keely Un<br>Burch Keely Un<br>AC<br>H41559 verified b<br>PERATING LC,<br>essing by PRISC<br>T<br>DR FEDERAL   | ations and measur<br>le with BLM/BIA.<br>onpletion or recor-<br>uirements, includion<br>hit 13C Battery<br>SEE A<br>CON<br>Cepted F<br>NMC<br>by the BLM Well<br>sent to the Can<br>ILLA PEREZ on<br>ritle PREPAF | ATTAC<br>Required su<br>npletion in a<br>ng reclamatic<br>DITIO<br><b>For Re</b><br>DCD /<br>Information<br>1sbad<br>06/10/2016<br>ER | ertical depths of all pertir<br>thsequent reports shall be<br>new interval, a Form 316<br>m, have been completed,<br><b>NM OIL</b><br>AR<br>CHED FORJI<br>NS OF APPF<br>F<br>CHED FORJI<br>NS OF APPF<br>F<br>CHED FORJI<br>AR<br>114/16<br>S<br>S<br>S<br>S<br>S<br>S<br>S<br>S<br>S<br>S<br>S<br>S<br>S  | ent markers and zonc<br>filed within 30 days<br>0-4 shall be filed once<br>and the operator has<br>CONSERVAT<br>TESIA DISTRICT<br>JL 1 1 2016<br>ROVAL<br>RECEIVED  |  |
| If the proposal is to deepen directiona<br>Attach the Bond under which the wor<br>following completion of the involved<br>testing has been completed. Final Ab<br>determined that the site is ready for fi<br>COG Operating LLC, respectfu<br>Number of wells to flare: (13)<br>BURCH-KEELY UNIT #616 30<br>BURCH-KEELY UNIT #616 30<br>BURCH-KEELY UNIT #935H 3<br>BURCH-KEELY UNIT #935H 3<br>BURCH-KEELY UNIT #954H 3<br>BURCH-KEELY UNIT #857 30<br>BURCH-KEELY UNIT #954H 3<br>BURCH-KEELY UNIT #948H 3<br>BURCH-KEELY UNIT #948H 3<br>BURCH-KEELY UNIT #621 30<br>14. 1 hereby certify that the foregoing is<br>Name (Printed/Typed) KANICIA (<br>Signature (Electronic S                              | Illy or recomplete horizontally,<br>k will be performed or provide<br>operations. If the operation res<br>andonment Notices shall be file<br>nal inspection.)<br>ully request to flare at the<br>0-015-39569<br>0-015-39565<br>30-015-42748<br>0-015-42748<br>0-015-40381/<br>(FKA 2H) 30-015-40637<br>0-015-40540<br>30-015-40540<br>30-015-40540<br>30-015-40325<br>true and correct.<br>Electronic Submission #3<br>For COG 0<br>imitted to AFMSS for proce<br>CASTILLO<br>Ubmission)<br>THIS SPACE FO | give subsurface loc<br>the Bond No. on fi<br>sults in a multiple c<br>ed only after all req<br>Burch Keely Un<br>Burch Keely Un<br>AC<br>MATS59 verified b<br>PERATING LLC,<br>essing by PRISC<br>T<br>DR FEDERAL | ations and measur<br>le with BLM/BIA.<br>ompletion or recor-<br>uirements, includio<br>hit 13C Battery<br>SEE A<br>CON<br>Cepted F<br>NMC<br>by the BLM Well<br>sent to the Car<br>ILLA PEREZ on<br>fitle PREPAF  | ATTAC<br>Required su<br>npletion in a<br>ng reclamatic<br>DITIO<br><b>For Re</b><br>DCD /<br>Information<br>1sbad<br>06/10/2016<br>ER | ertical depths of all pertir<br>thsequent reports shall be<br>new interval, a Form 316<br>m, have been completed,<br><b>NM OIL</b><br>AR<br>CHED FORJI<br>NS OF APPF<br>F<br>F<br>F<br>F<br>F<br>T<br>F<br>T<br>F<br>T<br>T<br>T<br>T<br>T<br>T<br>T<br>T<br>T<br>T<br>T<br>T<br>T   | ent markers and zone<br>filed within 30 days<br>0-4 shall be filed once<br>and the operator has<br>CONSERVAT<br>TESIA DISTRICT<br>JL 1 1 2016<br>ROVAL<br>RECEIVED  |  |

## Additional data for EC transaction #341559 that would not fit on the form

## 32. Additional remarks, continued

BURCH-KEELY UNIT #956H 30-015-42241 BURCH-KEELY UNIT #902 30-015-40329 BURCH-KEELY UNIT #936H (FKA 13 #7H) 30-015-40888 450 Oil 1050 MCF Requesting 90 flare approval from 6/14/16 to 9/12/16. Due to: Frontier shut in to replace main valve.

## BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

This field office has evaluated the attached Notice of Intent as a request for flaring/venting beyond NTL-4A allowable thresholds (reasons, timeframes and volumes), and has determined the following Conditions of Approval apply.

## **Condition of Approval to Flare Gas**

- 1. Comply with NTL-4A requirements
- 2. Subject to like approval from NMOCD
- 3. Flared volumes are considered "avoidably lost" and will require payment of royalties. Volumes shall be reported on OGOR "B" reports as disposition code "08
- 4. "Avoidably lost" flare volumes shall be metered due to their royalty bearing status. Install gas meter on vent/flare line to measure gas prior to venting/flaring operations if it is not equipped as such at this time.
- 5. Vent/flare gas metering to meet all requirements for a sales meter as per Federal Regulations, Onshore Order #5 and NTL 2008-01. Include meter serial number on sundry (form 3160-5).
- 6. This approval does not authorize any additional surface disturbance.
- An updated facility diagram is required within 60 days of modifications to existing facilities per Onshore Order #3.
- 8. Approval not to exceed 90 days, if flaring is still required past 90 days submit new request for approval.
- Submit Subsequent Report with actual volumes of gas flared for each month gas is flared on a sundry form 3160-5.

**Definition:** As per **NTL-4A II. A.** "Avoidably lost" production shall mean the venting or flaring of produced gas without the prior authorization, approval, ratification, or acceptance of the Supervisor and the loss of produced oil or gas when the Supervisor determines that such loss occurred as a result of (1) negligence on the part of the lessee or operator, or (2) the failure of the lessee or operator to take all reasonable measures to prevent and/or to control the loss, or (3) the failure of the lessee or operator to comply fully with the applicable lease terms and regulations, appropriate provisions of the approved operating plan, or the prior written orders of the Supervisor, or (4) and combination of the foregoing.

**43CFR3162.7-1 (a)** The operator shall put into marketable condition, if economically feasible, all oil, other hydrocarbons, gas and sulphur produced from the leased land.

**43CFR3162.1** (a) The operating rights owner or operator, as appropriate, shall comply with applicable laws and regulations; with the lease terms, Onshore Oil and Gas Orders, NTL's; and with other orders and instructions of the authorized officer. These include, but are not limited to, conducting all operations in a manner which ensures the proper handling, measurement, disposition, and site security of leasehold production; which protects other natural resources and environmental quality; which protects life and property; and which results in maximum ultimate economic recovery of oil and gas with minimum waste and with minimum adverse effect on ultimate recovery of other mineral resources.