12 1 21/01			NM				
Form 3160-5 (August 2007)		UNITED STATE PARTMENT OF THE I UREAU OF LAND MANA	NTERIOR	tesia		OMB N Expires	APPROVED NO. 1004-0135 ; July 31, 2010
2	SUNDRY	NOTICES AND REPO	RTS ON WELL	S		 Lease Serial No. NMLC029426E 	3
a.	Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					 6. If Indian, Allottee or Tribe Name 7. If Unit or CA/Agreement, Name and/or No. NMNM134086 	
SUBMIT IN TRIPLICATE - Other instructions on reverse side.							
I. Type of Well 🗇 Gas Well 🗖 Other						8. Well Name and No CEDAR LAKE FI	EDERAL CA 340H
 Name of Operator APACHE CORI 	2. Name of Operator Contact: EMILY FOLL APACHE CORPORATION E-Mail: Emily.Follis@apachecorp					9. API Well No. 30-015-42762-	00-S1
3a. Address 303 VETERANS MIDLAND, TX		NE SUITE 3000	3b. Phone No. (inc Ph: 432-818-18)	10. Field and Pool, or CEDAR LAKE-	Exploratory GLORIETA-YESO
4. Location of Well	(Footage, Sec., T.	, R., M., or Survey Description)			11. County or Parish,	and State
Sec 3 T17S R3 32.862310 N La	1E NWSW 220 at, 103.865578	08FSL 10FWL W Lon				EDDY COUNT	Y, NM
12.	CHECK APPR	ROPRIATE BOX(ES) TO) INDICATE NA	TURE OF 1	NOTICE, RI	EPORT, OR OTHE	R DATA
TYPE OF SUB	MISSION	·		TYPE OI	F ACTION		······
Notice of Inter	nt	☐ Acidize ☐ Alter Casing	□ Deepen □ Fracture	Treat	□ Product □ Reclama	ion (Start/Resume)	□ Water Shut-Off □ Well Integrity
Subsequent Re	eport	Casing Repair	New Cor		Recomp		🖸 Other
🔲 Final Abandon			-	rarily Abandon ng			
							0
If the proposal is to	deepen directiona	Convert to Injection ration (clearly state all pertiner lly or recomplete horizontally,	give subsurface locati	timated starting	ired and true ve	oposed work and approx rtical depths of all pertir	ent markers and zones.
If the proposal is to Attach the Bond un following completion testing has been cor determined that the	deepen directiona der which the worl on of the involved npleted. Final Ab- site is ready for fin	ration (clearly state all pertiner lly or recomplete horizontally, k will be performed or provide operations. If the operation res andonment Notices shall be file nal inspection.)	at details, including es give subsurface locati the Bond No. on file sults in a multiple con ed only after all requir	timated starting ons and measu with BLM/BIA apletion or reco ements, includ	g date of any part red and true ve a. Required sub ompletion in a r ing reclamation	oposed work and appro- rtical depths of all perti- psequent reports shall be new interval, a Form 316	ient markers and zones. filed within 30 days 0-4 shall be filed once
If the proposal is to Attach the Bond un following completic testing has been cor determined that the Apache is reque	deepen directiona der which the worl on of the involved npleted. Final Abs site is ready for fin esting to Tempo D 21 located L-	ration (clearly state all pertiner Ily or recomplete horizontally, k will be performed or provide operations. If the operation res andonment Notices shall be file	at details, including es give subsurface locati the Bond No. on file sults in a multiple con ed only after all requir 1.3 Mmcf per day	timated starting ons and measu with BLM/BIA npletion or reco ements, includ for 90 days	g date of any pri red and true ve a. Required sub ompletion in a r ing reclamation 06/16/16 to	oposed work and appro- ntical depths of all pertin bsequent reports shall be rew interval, a Form 316 have been completed, NM OIL CO	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has
If the proposal is to Attach the Bond un following completin testing has been cor determined that the Apache is reque 09/16/16 on PA	deepen directiona der which the worl on of the involved ppleted. Final Ab- site is ready for fin esting to Tempo D 21 located L- to flaring.	ration (clearly state all pertiner Ily or recomplete horizontally, k will be performed or provide operations. If the operation res andonment Notices shall be file nal inspection.) orary Flare an estimated	at details, including es give subsurface locati the Bond No. on file sults in a multiple con ed only after all requir 1.3 Mmcf per day	timated starting ons and measu with BLM/BIA npletion or reco ements, includ for 90 days	g date of any pri red and true ve a. Required sub ompletion in a r ing reclamation 06/16/16 to	roposed work and appro- ntical depths of all pertin sequent reports shall be ew interval, a Form 316 h, have been completed, NM OIL CC ARTES	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has DNSERVATION (A DISTRICT
If the proposal is to Attach the Bond un following completing testing has been con- determined that the Apache is reque 09/16/16 on PAI measured prior CROW PAD 21 CEDAR LAKE F CEDAR LAKE F	deepen directiona der which the worlo on of the involved ppleted. Final Abi site is ready for fit esting to Tempo D 21 located L- to flaring. FLARE FEDERAL CA 3 FEDERAL CA 3	ration (clearly state all pertiner lily or recomplete horizontally, k will be performed or provide operations. If the operation res andonment Notices shall be file nal inspection.) orary Flare an estimated -03-17S-31E, Due to High 040H 30-015-42762 (Crow 441H 30-015-42763 (Crow	at details, including es give subsurface locati the Bond No. on file sults in a multiple con ad only after all requir 1.3 Mmcf per day n Nitrogen levels p w Federal #40H) N w Federal #41H)	timated starting ions and measu with BLM/BIA opletion or reco rements, includ for 90 days per Frontier.	g date of any pr red and true ve . Required sub impletion in a r ing reclamation 06/16/16 to Gas will be	noposed work and appro- ntical depths of all pertin psequent reports shall be new interval, a Form 316 h, have been completed, MM OIL CC ARTES: JUL CHED FOR	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has DNSERVATION (A DISTRICT 2 9 2016
If the proposal is to Attach the Bond un following completic testing has been cor determined that the O9/16/16 on PAI measured prior CROW PAD 21 CEDAR LAKE F CEDAR LAKE F CEDAR LAKE F CEDAR LAKE F	deepen directiona der which the worl on of the involved mpleted. Final Abi site is ready for fin esting to Tempo D 21 located L- to flaring. FLARE EDERAL CA 3 EDERAL CA 3 EDERAL CA 3	ration (clearly state all pertiner liv or recomplete horizontally, k will be performed or provide operations. If the operation res andonment Notices shall be file nal inspection.) orary Flare an estimated -03-17S-31E, Due to High 040H 30-015-42762 (Crow 41H 30-015-42744 (Crow 44H 30-015-42745 (Crow 44H 30-015-42746 (Crow	at details, including es give subsurface locati the Bond No. on file sults in a multiple con ed only after all requir 1.3 Mmcf per day n Nitrogen levels (v Federal #40H) v Federal #41H) v Federal #42H) v Federal #42H) v Federal #43H) v Federal #44H)	timated starting ions and measu with BLM/BIA opletion or reco rements, includ for 90 days per Frontier.	g date of any pr red and true ve . Required sub impletion in a r ing reclamation 06/16/16 to Gas will be ATTA DITIO	NM OIL CC ARTES: JUL CHED FOR NS OF ARES	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has DNSERVATION IA DISTRICT 2 9 2016 ECVEDAL
If the proposal is to Attach the Bond un following completin testing has been cor determined that the Apache is reque 09/16/16 on PAI measured prior CROW PAD 21 CEDAR LAKE F CEDAR LAKE F CEDAR LAKE F CEDAR LAKE F CEDAR LAKE F CEDAR LAKE F CEDAR LAKE F	deepen directiona der which the worlo on of the involved mpleted. Final Abi site is ready for fit esting to Tempo D 21 located L- to flaring. FLARE EDERAL CA 3 EDERAL CA 3 EDERAL CA 3 EDERAL CA 3 EDERAL CA 3	ration (clearly state all pertiner lily or recomplete horizontally, k will be performed or provide operations. If the operation res andonment Notices shall be file nal inspection.) orary Flare an estimated -03-17S-31E, Due to High -03-17S-31E, Due to High -03-17S-31E, Due to High -03-17S-31E, Due to High -03-17S-31E, Crow -03-17S-42762 (Crow -44H 30-015-42745 (Crow -44H 30-015-42746 (Crow -44H 30-015-42746 (Crow	at details, including es give subsurface locati the Bond No. on file sults in a multiple con ed only after all requir 1.3 Mmcf per day n Nitrogen levels (v Federal #40H) v Federal #41H) v Federal #42H) v Federal #42H) v Federal #43H) v Federal #44H)	timated starting ions and measu with BLM/BIA opletion or reco rements, includ for 90 days per Frontier.	g date of any pr red and true ve . Required sub impletion in a r ing reclamation 06/16/16 to Gas will be ATTA DITIO	noposed work and appro- ntical depths of all pertin psequent reports shall be new interval, a Form 316 h, have been completed, MM OIL CC ARTES: JUL CHED FOR	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has DNSERVATION IA DISTRICT 2 9 2016 EEVEDAL RECORD
If the proposal is to Attach the Bond un following completic testing has been cor determined that the Apache is reque 09/16/16 on PAI measured prior CROW PAD 21 CEDAR LAKE F CEDAR LAKE F CEDAR LAKE F CEDAR LAKE F	deepen directiona der which the worlo on of the involved mpleted. Final Abs site is ready for fin esting to Tempo D 21 located L- to flaring. FLARE EDERAL CA 3 EDERAL CA 3 EDERAL CA 3 EDERAL CA 3 EDERAL CA 3 EDERAL CA 3	ration (clearly state all pertiner liv or recomplete horizontally, k will be performed or provide operations. If the operation res andonment Notices shall be file nal inspection.) orary Flare an estimated -03-17S-31E, Due to High -03-17S-31E, Crow -03-17S-31E, Due to High -03-17S-31E, Crow -17S-31E, Due to High -03-17S-31E, Crow -17S-31E, Crow -17S-32E,	at details, including es give subsurface locati the Bond No. on file sults in a multiple con ed only after all requir 1.3 Mmcf per day n Nitrogen levels p Nitrogen levels p v Federal #40H) v Federal #42H) v Federal #42H)	timated starting ions and measu with BLM/BIA opletion or reco rements, includ for 90 days per Frontier.	g date of any prived and true ve Required sub- mpletion in a r ing reclamation 06/16/16 to Gas will be ATTA DITIO A Information artsbad	NM OIL CO ARTES: JUL CHED FOR NS OF AREC System	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has DNSERVATION IA DISTRICT 2 9 2016 EEVELA L RECORD
If the proposal is to Attach the Bond un following completic testing has been cor determined that the Apache is reque 09/16/16 on PAI measured prior CROW PAD 21 CEDAR LAKE F CEDAR LAKE F	deepen directiona der which the worlo on of the involved npleted. Final Abs site is ready for fin esting to Tempo D 21 located L- to flaring. FLARE EDERAL CA 3 EDERAL CA 3	ration (clearly state all pertiner Ily or recomplete horizontally, k will be performed or provide operations. If the operation res andonment Notices shall be file nal inspection.) brary Flare an estimated -03-17S-31E, Due to High 440H 30-015-42762 (Crow 441H 30-015-42743 (Crow 443H 30-015-42745 (Crow 444H 30-015-42746 (Crow A44H 30-015-42746 (Crow Crow Com Ect 339 For APACHE itted to AFMSS for process	At details, including es give subsurface locati the Bond No. on file sults in a multiple con ed only after all requir 1.3 Mmcf per day n Nitrogen levels (Nitrogen levels (N	timated starting ions and measu with BLM/BIA opletion or reco rements, includ for 90 days per Frontier.	g date of any prived and true ve . Required sub- ing reclamation 06/16/16 to Gas will be ATTA DITIO LInformation Carlsbad n 06/21/2016	oposed work and appro- rical depths of all pertin- isequent reports shall be tew interval, a Form 316 have been completed, MM OIL CO ARTES: JUL CHED FOR NS OF AREC CCEPTED FOR System (16/AS1613SE)	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has DNSERVATION IA DISTRICT 2 9 2016 EEVEDAL RECORD
If the proposal is to Attach the Bond un following completing testing has been con- determined that the Apache is reque 09/16/16 on PAI measured prior CROW PAD 21 CEDAR LAKE F CEDAR LAKE F	deepen directiona der which the worlo on of the involved mpleted. Final Abs site is ready for fit esting to Tempo D 21 located L- to flaring. FLARE EDERAL CA 3 EDERAL CA 3	ration (clearly state all pertiner liv or recomplete horizontally, k will be performed or provide operations. If the operation res andonment Notices shall be file nal inspection.) orary Flare an estimated -03-17S-31E, Due to High -03-17S-31E, Crow -044H 30-015-42763 (Crow -44H 30-015-42744 (Crow -44H 30-015-42746 (Crow -12-12-12-12-12-12-12-12-12-12-12-12-12-	at details, including es give subsurface locati the Bond No. on file sults in a multiple con ed only after all requir 1.3 Mmcf per day n Nitrogen levels (Nitrogen levels (N	timated starting ions and measu with BLM/BIA spletion or reco rements, includ for 90 days per Frontier.	g date of any priced and true ve Required sub- mpletion in a r ing reclamation 06/16/16 to Gas will be ATTA DITIO LInformation Carlsbad n 06/21/2016 ATORY AN/	oposed work and appro- ntical depths of all pertin bsequent reports shall be tew interval, a Form 316 , have been completed, MM OIL CC ARTES: JUL CHED FOR NS OF ARE CCEPTED FOR System (160AS1613SE)	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has DNSERVATION IA DISTRICT 2 9 2016 EEVEDAL RECORD
If the proposal is to Attach the Bond un following completic testing has been cor determined that the Apache is reque 09/16/16 on PAI measured prior CROW PAD 21 CEDAR LAKE F CEDAR LAKE F	deepen directiona der which the worlo on of the involved npleted. Final Abs site is ready for fin esting to Tempo D 21 located L- to flaring. FLARE EDERAL CA 3 EDERAL CA 3	ration (clearly state all pertiner liv or recomplete horizontally, k will be performed or provide operations. If the operation res andonment Notices shall be file nal inspection.) brary Flare an estimated -03-17S-31E, Due to High -03-17S-31E, Crow -44H 30-015-42763 (Crow -44H 30-015-42744 (Crow -44H 30-015-42745 (Crow -44H 30-015-42746 (Crow 	at details, including es give subsurface locati the Bond No. on file sults in a multiple con ed only after all requir 1.3 Mmcf per day n Nitrogen levels (Nitrogen levels (N	timated starting ions and measu with BLM/BIA spletion or reco rements, includ for 90 days per Frontier.	g date of any priced and true ve Required sub- mpletion in a r ing reclamation 06/16/16 to Gas will be ATTA DITIO Linformation Carlsbad n 06/21/2016 ATORY AN/ 16	oposed work and appro- ntical depths of all perti- psequent reports shall be tew interval, a Form 316 a, have been completed, NM OIL CC ARTES: JUL CHED FOR NS OF ARE CCEPTED FOR System (16/AS1613SE)	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has DNSERVATION IA DISTRICT 2 9 2016 EEVELA L RECORD
If the proposal is to Attach the Bond un following completing testing has been con- determined that the Apache is reque 09/16/16 on PAI measured prior CROW PAD 21 CEDAR LAKE F CEDAR LAKE F	deepen directiona der which the worlo on of the involved mpleted. Final Abs site is ready for fit esting to Tempo D 21 located L- to flaring. FLARE EDERAL CA 3 EDERAL CA 3	ration (clearly state all pertiner liv or recomplete horizontally, k will be performed or provide operations. If the operation res andonment Notices shall be file nal inspection.) orary Flare an estimated -03-17S-31E, Due to High -03-17S-31E, Crow -044H 30-015-42763 (Crow -44H 30-015-42744 (Crow -44H 30-015-42746 (Crow -12-12-12-12-12-12-12-12-12-12-12-12-12-	at details, including es give subsurface locati the Bond No. on file sults in a multiple con ed only after all requir 1.3 Mmcf per day n Nitrogen levels (Nitrogen levels (N	timated starting ions and measu with BLM/BIA opletion or reco rements, includ for 90 days per Frontier.	g date of any priced and true ve Required sub- mpletion in a r ing reclamation 06/16/16 to Gas will be ATTA DITIO Linformation Carlsbad n 06/21/2016 ATORY AN/ 16	oposed work and appro- nical depths of all pertin- isequent reports shall be tew interval, a Form 316 have been completed, MM OIL CO ARTES: JUL CHED FOR NS OF AREC CCEPTED FOR NMOC System (16/AS1613SE)	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has DNSERVATION IA DISTRICT 2 9 2016 EEVELA L RECORD
If the proposal is to Attach the Bond un following completing testing has been con- determined that the Apache is reque 09/16/16 on PAI measured prior CROW PAD 21 CEDAR LAKE F CEDAR LAKE F	deepen directiona der which the worlo on of the involved mpleted. Final Abs site is ready for fit esting to Tempo D 21 located L- to flaring. FLARE EDERAL CA 3 EDERAL CA 3	ration (clearly state all pertiner liv or recomplete horizontally, k will be performed or provide operations. If the operation res andonment Notices shall be file nal inspection.) brary Flare an estimated -03-17S-31E, Due to High -03-17S-31E, Crow -44H 30-015-42763 (Crow -44H 30-015-42744 (Crow -44H 30-015-42745 (Crow -44H 30-015-42746 (Crow 	at details, including es give subsurface locati the Bond No. on file sults in a multiple con ed only after all requir 1.3 Mmcf per day n Nitrogen levels (Nitrogen levels (N	timated starting ons and measu with BLM/BIA pletion or reco ements, includ for 90 days per Frontier.	g date of any particular of any particular of any particular of the vector of the vect	oposed work and appro- rtical depths of all perti- psequent reports shall be tew interval, a Form 316 a, have been completed, NM OIL CC ARTES: JUL CHED FOR NS OF ARE CCEPTED FOR System (16/AS1613SE) LYST- IFICUVE UST- IFICUVE UST- IFICUVE UST- IFICUVE	A DISTRICT 2 9 2016 Record DATA DATA DNSERVATION A DISTRICT 2 9 2016 Record DATA
If the proposal is to Attach the Bond un following completic testing has been cor determined that the Apache is reque 09/16/16 on PAI measured prior CROW PAD 21 CEDAR LAKE F CEDAR LAKE F Signature Signature Approved By	deepen directiona der which the worlo on of the involved pleted. Final Abs site is ready for fin esting to Tempo D 21 located L- to flaring. FLARE EDERAL CA 3 EDERAL CA 4 EDERAL CA 3 EDERAL CA 3 EDE	ration (clearly state all pertiner liv or recomplete horizontally, k will be performed or provide operations. If the operation res andonment Notices shall be file nal inspection.) brary Flare an estimated -03-17S-31E, Due to High 040H 30-015-42762 (Crow 441H 30-015-42743 (Crow 442H 30-015-42745 (Crow 443H 30-015-42745 (Crow 444H 30-015-42746 (Crow 60 EC# 339 For APACHE itted to AFMSS for process LLIS abmission) THIS SPACE FO	at details, including es give subsurface locati the Bond No. on file sults in a multiple con- ed only after all requir 1.3 Mmcf per day n Nitrogen levels (w Federal #40H) w Federal #42H) w Federal #42H) w Federal #42H) w Federal #44H) w Federal #44H) w Federal #44H) w Federal #44H) w Federal #44H) correction field by correction field by the correction field by th	timated starting ons and measu with BLM/BIA spletion or reco ements, includ for 90 days per Frontier.	g date of any particular of any particular of any particular of the vector of the vect	oposed work and appro- ntical depths of all perti- psequent reports shall be tew interval, a Form 316 a, have been completed, NM OIL CC ARTES: JUL CHED FOR NS OF ARE CCEPTED FOR System (16/AS1613SE)	A DISTRICT 2 9 2016 Record DATA DATA DNSERVATION A DISTRICT 2 9 2016 Record DATA

•

Additional data for EC transaction #342664 that would not fit on the form

32. Additional remarks, continued

CEDAR LAKE FEDERAL CA 345H 30-015-42747 (Crow Federal #45H)


\$

1.Meter #T335 2.See attachment for Flare Location 3.Volumes are being reported to the BLM

C Revisions to Operator-Submitted EC Data for Sundry Notice #342664

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	FLARE	FLARE '
Lease:	NMLC029426B	NMLC029426B
Agreement:	NMNM134086	NMNM134086 (NMNM134086)
Operator:	APACHE CORPORATION 303 VETERANS AIRPARK LANE SUITE 1000 MIDLAND, TX. 79705 Ph: 432-818-1801	APACHE CORPORATION 303 VETERANS AIRPARK LANE SUITE 3000 MIDLAND, TX 79705 Ph: 432.818.1000
Admin Contact:	- EMILY FOLLIS REGULATORY ANALYST E-Mail: Emily.Follis@apachecorp.com	EMILY FOLLIS REGULATORY ANALYST E-Mail: Emily.Follis@apachecorp.com
	Ph: 432-818-1801	Ph: 432-818-1801
Tech Contact:	EMILY FOLLIS REGULATORY ANALYST E-Mail: Emily.Follis@apachecorp.com	EMILY FOLLIS REGULATORY ANALYST E-Mail: Emily Follis@apachecorp.com
	Ph: 432-818-1801	Ph: 432-818-1801
Location: State: County:	NM EDDY COUNTY	NM EDDY
Field/Pool:	CEDAR LAKE;GLORIETA-YESO	CEDAR LAKE-GLORIETA-YESO
Well/Facility:	CEDAR LAKE FED CA 340H Sec 3 T17S R31E NWSW 2208FSL 10FWL	CEDAR LAKE FEDERAL CA 340H Sec 3 T17S R31E NWSW 2208FSL 10FWL 32.862310 N Lat, 103.865578 W Lon

9



BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

This field office has evaluated the attached Notice of Intent as a request for flaring/venting beyond NTL-4A allowable thresholds (reasons, timeframes and volumes), and has determined the following Conditions of Approval apply.

Condition of Approval to Flare Gas

- 1. Comply with NTL-4A requirements
- 2. Subject to like approval from NMOCD
- 3. Flared volumes are considered "avoidably lost" and will require payment of royalties. Volumes shall be reported on OGOR "B" reports as disposition code "08
- 4. "Avoidably lost" flare volumes shall be metered due to their royalty bearing status. Install gas meter on vent/flare line to measure gas prior to venting/flaring operations if it is not equipped as such at this time.
- 5. Vent/flare gas metering to meet all requirements for a sales meter as per Federal Regulations, Onshore Order #5 and NTL 2008-01. Include meter serial number on sundry (form 3160-5).
- 6. This approval does not authorize any additional surface disturbance.
- An updated facility diagram is required within 60 days of modifications to existing facilities per Onshore Order #3.
- 8. Approval not to exceed 90 days, if flaring is still required past 90 days submit new request for approval.
- 9. Submit Subsequent Report with actual volumes of gas flared for each month gas is flared on a sundry form 3160-5.

Definition: As per **NTL-4A II. A.** "Avoidably lost" production shall mean the venting or flaring of produced gas without the prior authorization, approval, ratification, or acceptance of the Supervisor and the loss of produced oil or gas when the Supervisor determines that such loss occurred as a result of (1) negligence on the part of the lessee or operator, or (2) the failure of the lessee or operator to take all reasonable measures to prevent and/or to control the loss, or (3) the failure of the lessee or operator to comply fully with the applicable lease terms and regulations, appropriate provisions of the approved operating plan, or the prior written orders of the Supervisor, or (4) and combination of the foregoing.

43CFR3162.7-1 (a) The operator shall put into marketable condition, if economically feasible, all oil, other hydrocarbons, gas and sulphur produced from the leased land.

43CFR3162.1 (a) The operating rights owner or operator, as appropriate, shall comply with applicable laws and regulations; with the lease terms, Onshore Oil and Gas Orders, NTL's; and with other orders and instructions of the authorized officer. These include, but are not limited to, conducting all operations in a manner which ensures the proper handling, measurement, disposition, and site security of leasehold production; which protects other natural resources and environmental quality; which protects life and property; and which results in maximum ultimate economic recovery of oil and gas with minimum waste and with minimum adverse effect on ultimate recovery of other mineral resources.