•	SUNDR	UNITED STATE DEPARTMENT OF THE BUREAU OF LAND MAN/ Y NOTICES AND REPC	INTERIOR NMC AGEMENT ORTS ON WELLS	esia 5. Lea	FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010 ise Serial No. ATE	
	Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.				ndian, Allottee or Tribe Name	
	SUBMIT IN TRIPLICATE - Other instructions on reverse side.				Jnit or CA/Agreement, Name and/or No. INM88491X	
	1. Type of Well           Ø Oil Well         Other				II Name and No. RKWAY DELAWARE UNIT 101	
	2. Name of Operator SM ENERGY COMPANY	LISA HUNT a-energy.com		I Well No. -015-26112-00-S1		
	3a. Address 6301 HOLIDAY HILL ROAD, BLDG 1 MIDLAND, TX 79707		3b. Phone No. (include area code Ph: 432-848-4833 Fx: 432-688-1701		eld and Pool, or Exploratory RKWAY	
	4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			11. Cc	11. County or Parish, and State	
	Sec 26 T19S R29E SWSE	330FSL 1980FEL		ED	DY COUNTY, NM	
	12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA					
	TYPE OF SUBMISSION		TYPE OF ACTION			
	Notice of Intent	Acidize	Deepen	Production (Sta	rt/Resume) 🔲 Water Shut-Off	
	— .	Alter Casing	C Fracture Treat	Reclamation	🕞 Well Integrity	
	Subsequent Report	🗋 Casing Repair	New Construction	Recomplete	Venting and/or Fla	
	Final Abandonment Notice	Change Plans	Plug and Abandon Plug Back	Temporarily At Water Disposal	ng	
	following completion of the invol- testing has been completed. Final	ed operations. If the operation re Abandonment Notices shall be fi	the Bond No. on file with BLM/BL/ sults in a multiple completion or reco led only after all requirements, includ	ompletion in a new inter	val, a Form 3160-4 shall be filed once	
·	following completion of the invol- testing has been completed. Final determined that the site is ready fo	ed operations. If the operation ro Abandonment Notices shall be fi r final inspection.) P discovered a hole in one eports as disposition code f 7 mcf 30 mcf	sults in a multiple completion or reco led only after all requirements, includ of their discharge lines. Mete	ompletion in a new inter ling reclamation, have b	val, a Form 3160-4 shall be filed once een completed, and the operator has	
	following completion of the invol- testing has been completed. Final determined that the site is ready for SM Energy flared due to DC will be reported on OGOR m In May we flared approx. 14 In June we flared approx. 11 In July we flared approx. 80 Please see list below of all w PARKWAY DELAWARE UN PARKWAY DELAWARE UN	ved operations. If the operation re Abandonment Notices shall be fir r final inspection.) CP discovered a hole in one eports as disposition code for 7 mcf 30 mcf mcf vells impacted with the one IIT #201 C-35-19S-29E 30 IIT #202 B-35-19S-29E 30 IIT #203 A-35-19S-29E 30 IIT #204 D-35-19S-29E 30	submitted: o15-26063 990 FNL & 2310 F o15-26079 890 FNL & 290 FE o15-26079 890 FNL & 940 F o15-26143 990 F o15-26143 900 F o15-26143 9 o15-26143 9 o1	WL Eddy EL Eddy L Eddy WL Eddy EL Eddy L Eddy	val, a Form 3160-4 shall be filed once een completed, and the operator has NM OIL CONSERVA ARTESIA DISTRICT AUG 2 9 2016 RECEIVED	
	following completion of the invol- testing has been completed. Final determined that the site is ready in SM Energy flared due to DC will be reported on OGOR m In May we flared approx. 14 In June we flared approx. 19 In July we flared approx. 80 Please see list below of all v PARKWAY DELAWARE UN PARKWAY DELAWARE UN PARKWAY DELAWARE UN PARKWAY DELAWARE UN PARKWAY DELAWARE UN #208 H-35-19S-29E 30-015	ved operations. If the operation re Abandonment Notices shall be fir r final inspection.) CP discovered a hole in one eports as disposition code for 7 mcf 30 mcf wells impacted with the one IIT #201 C-35-19S-29E 30 IIT #202 B-35-19S-29E 30 IIT #203 A-35-19S-29E 30 IIT #204 D-35-19S-29E 30 -34433 1438 FNL & 969 FE	submitted: of their discharge lines. Meter submitted: 015-26063 990 FNL & 2310 F 015-26083 990 FNL & 1980 F 015-26079 890 FNL & 990 FE 015-26143 990 FNL & 940 FV L Eddy	WL Eddy EL Eddy EL Eddy EL Eddy EL Eddy EL Eddy CEPTED FOR RI NMOCD	val, a Forn 3160-4 shall be filed once een completed, and the operator has NM OIL CONSERVA ARTESIA DISTRICT AUG 2 9 2016 RECEIVED Y DELAWARE UNIT	
	following completion of the invol- testing has been completed. Final determined that the site is ready for SM Energy flared due to DC will be reported on OGOR r in May we flared approx. 14 In June we flared approx. 80 Please see list below of all v PARKWAY DELAWARE UN PARKWAY DELAWARE UN	ved operations. If the operation re Abandonment Notices shall be fir r final inspection.) CP discovered a hole in one eports as disposition code for 7 mcf 30 mcf wells impacted with the one IIT #201 C-35-19S-29E 30 IIT #202 B-35-19S-29E 30 IIT #203 A-35-19S-29E 30 IIT #204 D-35-19S-29E 30 -34433 1438 FNL & 969 FE is true and correct. Electronic Submission # For SM END	sults in a multiple completion or reco led only after all requirements, includ of their discharge lines. Meter 38. submitted: 015-26063 990 FNL & 2310 F 015-26083 990 FNL & 1980 F 015-26079 890 FNL & 990 FE 015-26143 990 FNL & 990 FV 015-26143 990 FNL & 940 FV L Eddy AC 347282 verified by the BLM Wel ERGY COMPANY, sent to the C essing by PRISCILLA PEREZ of	WL Eddy EL Eddy EL Eddy L Eddy CEPTED FOR RI NMOCD I Information System arisbad n 08/11/2016 (16PP19	val, a Form 3160-4 shall be filed once een completed, and the operator has NM OIL CONSERVA ARTESIA DISTRICT AUG 2 9 2016 RECEIVED Y DELAWARE UNIT	
	following completion of the invol- testing has been completed. Final determined that the site is ready for SM Energy flared due to DC will be reported on OGOR r In May we flared approx. 14 In June we flared approx. 80 Please see list below of all v PARKWAY DELAWARE UN PARKWAY DELAWARE UN PARKWAY DELAWARE	ved operations. If the operation re Abandonment Notices shall be fir r final inspection.) CP discovered a hole in one eports as disposition code for 7 mcf 30 mcf wells impacted with the one IIT #201 C-35-19S-29E 30 IIT #202 B-35-19S-29E 30 IIT #203 A-35-19S-29E 30 IIT #204 D-35-19S-29E 30 -34433 1438 FNL & 969 FE is true and correct. Electronic Submission # For SM END	submitted: of their discharge lines. Meter submitted: 015-26063 990 FNL & 2310 F 015-26079 890 FNL & 990 FE 015-26143 990 FNL & 990 FE 015-26143 990 FNL & 940 FV L Eddy AC 347282 verified by the BLM Weter ERGY COMPANY, sent to the C essing by PRISCILLA PEREZ of Title REGUL	WL Eddy EL Eddy EL Eddy L Eddy CEPTED FOR R NMOCD Il Information/System arlsbad n 08/11/2016 (16PP19 ATORY TECHNICI	val, a Form 3160-4 shall be filed once een completed, and the operator has NM OIL CONSERVA ARTESIA DISTRICT AUG 2 9 2016 RECEIVED Y DELAWARE UNIT	
	following completion of the invol- testing has been completed. Final determined that the site is ready for SM Energy flared due to DC will be reported on OGOR r In May we flared approx. 14 In June we flared approx. 80 Please see list below of all v PARKWAY DELAWARE UN PARKWAY DELAWARE UN PARKWAY DELAWARE	ed operations. If the operation re Abandonment Notices shall be fir r final inspection.) P discovered a hole in one eports as disposition code for 7 mcf 30 mcf wells impacted with the one IIT #201 C-35-19S-29E 30- IIT #202 B-35-19S-29E 30- IIT #202 B-35-19S-29E 30- IIT #204 D-35-19S-29E 30- IIT #204 D-35-19S-29E 30- -34433 1438 FNL & 969 FE is true and correct. Electronic Submission # For SM ENI c Submission)	submitted: of their discharge lines. Meter submitted: 015-26063 990 FNL & 2310 F 015-26079 890 FNL & 990 FE 015-26143 990 FNL & 990 FE 015-26143 990 FNL & 940 FV L Eddy AC 347282 verified by the BLM Weter ERGY COMPANY, sent to the C essing by PRISCILLA PEREZ of Title REGUL	WL Eddy EL Eddy EL Eddy EL Eddy L Eddy CEPTED FOR Ri NMOCD Il Information System arisbad ATORY TECHNICI	val, a Form 3160-4 shall be filed once een completed, and the operator has NM OIL CONSERVA ARTESIA DISTRICT AUG 2 9 2016 RECEIVED Y DELAWARE UNIT	
	following completion of the involvesting has been completed. Final determined that the site is ready for SM Energy flared due to DC will be reported on OGOR r in May we flared approx. 14 In June we flared approx. 18 In July we flared approx. 80 Please see list below of all we parkway DELAWARE UN Signature (Electronic Signature) (Electronic Signature)	ed operations. If the operation re Abandonment Notices shall be fir r final inspection.) P discovered a hole in one eports as disposition code for 7 mcf 30 mcf wells impacted with the one IIT #201 C-35-19S-29E 30- IIT #202 B-35-19S-29E 30- IIT #202 B-35-19S-29E 30- IIT #204 D-35-19S-29E 30- IIT #204 D-35-19S-29E 30- -34433 1438 FNL & 969 FE is true and correct. Electronic Submission # For SM ENI c Submission)	submitted: of their discharge lines. Meter of their discharge lines. Meter 015-26063 990 FNL & 2310 F 015-26079 890 FNL & 990 FE 015-26143 990 FNL & 990 FE 015-26143 990 FNL & 940 FV L Eddy AC 347282 verified by the BLM Well ERGY COMPANY, sent to the C essing by PRISCILLA PEREZ of Title REGUL Date 08/09/20	WL Eddy EL Eddy EL Eddy EL Eddy L Eddy CEPTED FOR Ri NMOCD Il Information System arisbad ATORY TECHNICI	val, a Forn 3160-4 shall be filed once een completed, and the operator has NM OIL CONSERVA ARTESIA DISTRICT AUG 2 9 2016 RECEIVED Y DELAWARE UNIT ECORD AB \$130110 962SE) AN FOR RECORD	
(	following completion of the invol- testing has been completed. Final determined that the site is ready for SM Energy flared due to DC will be reported on OGOR r In May we flared approx. 14 In June we flared approx. 80 Please see list below of all v PARKWAY DELAWARE UN PARKWAY DELAWARE UN PARKWAY DELAWARE	red operations. If the operation re Abandonment Notices shall be fir r final inspection.) P discovered a hole in one eports as disposition code for 7 mcf 30 mcf wells impacted with the one IIT #201 C-35-19S-29E 30- IIT #202 B-35-19S-29E 30- IIT #202 B-35-19S-29E 30- IIT #204 D-35-19S-29E 30- IIT #204 D-35-19S-29E 30- -34433 1438 FNL & 969 FE is true and correct. Electronic Submission # For SM ENI c Submission) THIS SPACE FC hed. Approval of this notice does quitable title to those rights in the	submitted: of their discharge lines. Meter a of their discharge lines. Meter of the the the their discharge lines. Meter of the	WL Eddy EL Edd	val, a Form 3160-4 shall be filed once een completed, and the operator has NM OIL CONSERVA ARTESIA DISTRICT AUG 2 9 2016 RECEIVED Y DELAWARE UNIT ECORD AB \$130110 B62SE) AN FOR RECORD	
( ) =	following completion of the invol- testing has been completed. Final determined that the site is ready for SM Energy flared due to DC will be reported on OGOR r In May we flared approx. 14 In June we flared approx. 80 Please see list below of all v PARKWAY DELAWARE UN PARKWAY DELAWARE UN PARKWAY DELAWARE UN PARKWAY DELAWARE UN PARKWAY DELAWARE UN PARKWAY DELAWARE UN #208 H-35-19S-29E 30-015	red operations. If the operation re Abandonment Notices shall be fir r final inspection.) P discovered a hole in one aports as disposition code for 7 mcf 30 mcf mcf vells impacted with the one IIT #201 C-35-19S-29E 30- IIT #202 B-35-19S-29E 30- IIT #204 D-35-19S-29E 30- IIT #204 D-35-19S-29E 30- IIT #204 D-35-19S-29E 30- 3 4433 1438 FNL & 969 FE is true and correct. Electronic Submission # For SM ENI bommitted to AFMSS for proc INT c Submission) THIS SPACE FC hed. Approval of this notice does iquitable title to those rights in the duct operations thereon. 3 U.S.C. Section 1212, make it a	submitted: of their discharge lines. Meter submitted: 015-26063 990 FNL & 2310 F 015-26083 990 FNL & 2310 F 015-26079 890 FNL & 1980 F 015-26143 990 FNL & 940 FV L Eddy AC 347282 verified by the BLM Weter ERGY COMPANY, sent to the C essing by PRISCILLA PEREZ on Title REGUL Date 08/09/20 DR FEDERAL OR STATE Title not warrant or subject lease Office crime for any person knowingly and	WL Eddy EL Eddy EL Eddy EL Eddy EL Eddy EL Eddy ML Eddy PARKWA CEPTED FOR RI NMOCD II Information/System arlsbad NMOCD II Information/System arlsbad NMOCD II Information/System arlsbad DOFFICE USE ATORY TECHNICI	val, a Form 3160-4 shall be filed once een completed, and the operator has NM OIL CONSERVA ARTESIA DISTRICT AUG 2 9 2016 RECEIVED Y DELAWARE UNIT ECORD AB \$130110 B62SE) AN FOR RECORD 2 4 2016 D Data AND MARA 2ENER	

## Additional data for EC transaction #347282 that would not fit on the form

## 32. Additional remarks, continued

PARKWAY DELAWARE UNIT #401 F-35-19S-29E 30-015-25985 1980 FNL & 1980 FWL Eddy PARKWAY DELAWARE UNIT #301 G-35-19S-29E 30-015-26006 2230 FNL & 760 FWL Eddy PARKWAY DELAWARE UNIT #302 E-35-19S-29E 30-015-26006 2230 FNL & 760 FWL Eddy PARKWAY DELAWARE UNIT #305 G-35-19S-29E 30-015-33071 2000 FNL & 1564 FEL Eddy PARKWAY DELAWARE UNIT #402 F-35-19S-29E 30-015-34129 1437 FNL & 1980 FWL Eddy PARKWAY DELAWARE UNIT #501 J-35-19S-29E 30-015-25960 1980 FSL & 1980 FWL Eddy PARKWAY DELAWARE UNIT #501 J-35-19S-29E 30-015-25960 1980 FSL & 1980 FWL Eddy PARKWAY DELAWARE UNIT #503 O-35-19S-29E 30-015-25960 1980 FSL & 1980 FWL Eddy PARKWAY DELAWARE UNIT #503 O-35-19S-29E 30-015-26026 660 FSL & 1980 FWL Eddy PARKWAY DELAWARE UNIT #503 O-35-19S-29E 30-015-26029 1980 FSL & 1980 FWL Eddy PARKWAY DELAWARE UNIT #505 L-35-19S-29E 30-015-26029 1980 FSL & 1980 FWL Eddy PARKWAY DELAWARE UNIT #510 J-35-19S-29E 30-015-26029 1980 FSL & 1980 FWL Eddy PARKWAY DELAWARE UNIT #510 J-35-19S-29E 30-015-33073 2570 FSL & 2255 FEL Eddy PARKWAY DELAWARE UNIT #511 J-35-19S-29E 30-015-33198 2615 FSL & 1945 FWL Eddy PARKWAY DELAWARE UNIT #511 J-35-19S-29E 30-015-33198 2615 FSL & 1945 FWL Eddy PARKWAY DELAWARE UNIT #514 O-35-19S-29E 30-015-33198 2615 FSL & 1945 FWL Eddy PARKWAY DELAWARE UNIT #514 O-35-19S-29E 30-015-34130 1210 FSL & 2065 FEL Eddy PARKWAY DELAWARE UNIT #515 K-35-19S-29E 30-015-34407 1300 FSL & 1675 FWL Eddy PARKWAY DELAWARE UNIT #515 K-35-19S-29E 30-015-34136 2520 FNL & 900 FEL Eddy PARKWAY DELAWARE UNIT #705 H-35-19S-29E 30-015-36136 2520 FNL & 900 FEL Eddy PARKWAY DELAWARE UNIT #705 H-35-19S-29E 30-015-26077 1980 FSL & 1675 FWL Eddy PARKWAY DELAWARE UNIT #705 H-35-19S-29E 30-015-26077 1980 FL & 300 FWL Eddy PARKWAY DELAWARE UNIT #705 H-35-19S-29E 30-015-26077 1980 FL & 300 FWL Eddy PARKWAY DELAWARE UNIT #705 H-35-19S-29E 30-015-26077 1980 FL & 300 FWL Eddy PARKWAY DELAWARE UNIT #702 H-35-19S-29E 30-015-26077 1980 FSL & 330 FWL Eddy PARKWAY DELAWARE UNIT #702 H-35-19S-29E 30-015-26075 1980 FSL & 300 FWL Eddy PARKWA