

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTCarlsbad Field Office  
OCD ArtesiaFORM APPROVED  
OMB NO. 1004-0135  
Expires: July 31, 2010**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.***SUBMIT IN TRIPLICATE - Other instructions on reverse side.**

5. Lease Serial No.  
NMNM12559

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.  
NMNM128871

8. Well Name and No.  
COTTONMOUTH 13 FEDERAL COM 1H

9. API Well No.  
30-015-39734-00-S1

10. Field and Pool, or Exploratory  
HAY HOLLOW

11. County or Parish, and State  
EDDY COUNTY, NM

1. Type of Well  
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator  
COG PRODUCTION LLC  
Contact: AMANDA AVERY  
E-Mail: aaavery@concho.com

3a. Address  
2208 W MAIN STREET  
ARTESIA, NM 88210

3b. Phone No. (include area code)  
Ph: 575-748-6940

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
Sec 13 T26S R28E SESW 810FSL 2630FWL

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Onshore Order Variance
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

COG Operating LLC requests permission to install a Vapor Combustor Unit (VCU) at the Horned Owl Federal #3H tank battery. This request is due to the fact that the cost of installing and operating equipment necessary to capture the gas exceeds the value of the gas over the life of the facility. COG Operating LLC understands that the following conditions apply:

- COG Operating LLC may be required to provide economic justification and provide volume verification to the Authorized Officer upon request.
- COG Operating LLC will comply with NTL-4A requirements.
- If volume being combusted is less than 50 MCF of gas per day, it is considered ?unavoidably lost?, therefore, no royalty obligation shall be accrued and will not be required to be reported.
  - ?Unavoidably Lost? production shall mean (1) those gas vapors which are released (in this case combusted) from low-pressure storage tanks.
- Essentially all measured combusted volumes over 50 MCF will require payment of royalties and

**NM OIL CONSERVATION**  
ARTESIA DISTRICT

SEP 23 2016

RECEIVED

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #344266 verified by the BLM Well Information System****For COG PRODUCTION LLC, sent to the Carlsbad****Committed to AFMSS for processing by PRISCILLA PEREZ on 07/11/2016 (16PP1665SE)**

Name (Printed/Typed) AMANDA AVERY

Title AUTHORIZED REPRESENTATIVE

Signature (Electronic Submission)

Date 07/11/2016

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**Approved By DUNCAN WHITLOCKTitle TECHNICAL LPETDate 09/12/2016

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\***

**Additional data for EC transaction #344266 that would not fit on the form**

**32. Additional remarks, continued**

volumes need to be reported on OGOR ?B? reports as disposition code ?08?.

5. Per 43 CFR 3162.7-5(d)/Onshore Order No.3.III.1.1, site facility diagram must be submitted within 60 days of equipment installation.

6. This approval does not authorize any additional surface disturbance.

7. Subject to like approval from NMOCD.


Attached are the following:

Site Security Diagram of the current tank battery, as well as the location of the VCU and the manifold line connecting the tanks to the VCU.

Placard information stating directions on how to retrieve volumes being combusted.

Specification sheet(s) for the VCU.


\*\*\* This well is currently shut in. \*\*\*



COG Operating LLC.  
2208 W Main St.  
Artesia, NM 88210

Cottonmouth 24 Federal #1H

NM-12554  
30-015-38507  
24/26S/28E  
Eddy County



Flare

GEN

Road

Meter

SEP.

FWKO

HT

Water  
Oil  
Gas

Cottonmouth 24 Federal #1H  
NM-12554  
30-015-38507  
24/26S/28E  
Eddy County

**1. Production Phase (OT#1)**

- A. Valves #1,#2,#4,#5,#7, and #8 Open
- B. Valve #3 Closed and Sealed
- C. Valve #6 Closed
- D. Valves on OT #2, and #3 Positioned:
  - 1. Valves #1, #3, & #4 Closed and sealed

**Production Phase (OT #2)**

- A. Valves #1, #2, #4, #5, #7, and #8 Open
- B. Valve #3 Closed and Sealed
- C. Valve #6 Closed
- D. Valves on OT #1, and #3 Positioned:
  - 1. Valves #1, #3 & #4 Closed and Sealed

**Production Phase (OT #3)**

- A. Valves #1,#2,#4,#5,#7, & #8 Open
- B. Valve #3 Closed and Sealed
- C. Valve #6 Closed
- D. Valves on OT #1, and #2, Positioned:
  - 1. Valves #1, #3 & #4 Closed and Sealed

**II. Sales Phase (OT#1)**

- A. Valves #1, #2 and #4 Closed and Sealed
- B. Valve #3 on OT #1 Open
- C. Valves on OT #2, and #3 Positioned:
  - 1. Valve #1, and #2, Open
  - 2. Valve #3 Closed and Sealed

**Sales Phase (OT#2)**

- A. Valves #1, #2 and #4 Closed and Sealed
- B. Valve #3 on OT #2 Open
- C. Valves on OT #1, and #3 Positioned:
  - 1. Valve #1, and #2 Open
  - 2. Valve #3 Closed and Sealed

**Sales Phase (OT#3)**

- A. Valves #1, #2 and #4 Closed and Sealed
- B. Valve #3 on OT #3 Open
- C. Valves on OT #1, and #2 Positioned:
  - 1 Valve #1, and #2 Open
  - 2. Valve #3 Closed and Sealed




2606 W CR 130, Midland TX 79705  
432-687-7060

# THERMAL OXIDATION CALCULATIONS

Flow Rate 1.157 SCFS  
Temperature (vapor) 585 deg. R  
Pav 10 in. W.C.  
Temperature (air) 545 deg. R  
Hgt:D Ratio 8.5  
Diameter 24 in.  
Ambient air density 0.0716 lb./cf

	C	H	
Formula	36	6	
MW avg	42.00		
H:C Ratio	0.1667		
Mass flow	0.1283	Lbs/sec	
Air required	2.1810	Lbs/sec	29.0694 SCFS
CO2	0.4030	Lbs/sec	3.47 SCFS
H2O	0.1649	Lbs/sec	6.94 SCFS
N2	1.72	Lbs/sec	23.59 SCFS
Exit Mass	2.2909	Lbs/sec	34.0052 SCFS
MW	28.72		
Heat Input	2576	BTU/sec.	
Temperature rise	1049.10	deg. F/sec	
Total Volume	92.11	ACFS	
Stack Area	3.14	SF	
Velocity	29.32	fps	
Stack height	21.66	ft.	
Residence	0.78	sec.	

Pdraft 0.1935 in. WC  
Area req'd (air intake) 273 in.2  
Grill size 14x23 in.



## BURNER

Vs = 892 fps  
Mach exit = .202 x Vs = 180.18 fps  
AREA = .996 in.2  
 $\Delta P$  = 10.4 in. WC  
Lf = 2.19 ft.

← HEADER INLET

1	REVISED PER FINAL DATA	8/14/14
REV.	DESCRIPTION	DATE

**Edge CXV 24" Combustor Data Sheet**