

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.***SUBMIT IN TRIPLICATE - Other instructions on reverse side.**5. Lease Serial No.
NMMN13996

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
CEDAR CANYON 22 FEDERAL COM 6H9. API Well No.
30-015-43759-00-X110. Field and Pool, or Exploratory
UNKNOWN11. County or Parish, and State
EDDY COUNTY, NM

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other2. Name of Operator
OXY USA INCORPORATEDContact: JANA MENDIOLA
E-Mail: janalyn_mendiola@oxy.com3a. Address
5 GREENWAY PLAZA SUITE 110
HOUSTON, TX 77046-05213b. Phone No. (include area code)
Ph: 432-685-5936

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 22 T24S R29E SWSW 1060FSL 207FWL
32.198466 N Lat, 103.979724 W Lon

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

8/09/16 drill 9-7/8" hole, partial losses encountered @ 5763', pump LCM and continue drilling w/ fluid losses to 5880', 8/11/16, POOH to 5000', notified BLM (Michael Balliett) of losses. While attempting to RIH to spot LCM pill pipe stuck and unable to move 8/11/16. 8/12/16-8/17/16 Work on fishing stuck pipe, all attempts unsuccessful, Fish @ 3684-4972'. BLM notified during the process and approved plugback and sidetrack. 8/18/16 RU Cement lines & set kick off plug @ 3678' w/ 40bbl spacer then cmt w/586sx (100bbl) PPC, WOC. 8/19/16 RIH tag cmt @ 2940', drill 10' of cmt to 2950', wash & ream to 3008', kickoff @ 3036', continue drilling sidetrack. 8/23/16 Total losses encountered @ 6357', notified BLM, continue drilling ahead to 7066', pipe stuck, no rotation, bit depth @ 7032'. 8/24/16-9/01/16 Work on fishing stuck pipe, all attempts unsuccessful, Fish @ 3985-7032'. BLM notified during process and approved P&A and skid. 9/02/16 RU Halliburton cementers & perform P&A job. RIH & set 1st cmt plug @ 3980', pump 17BFW, then cmt w/ 480sx (113bbl) PPC, WOC, RIH tag cmt @ 3016' (BLM Rep. Gabriel Beneway present to witness). Set 2nd cmt

NM OIL CONSERVATION
ARTESIA DISTRICT
SEP 23 2016
RECEIVED

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #350525 verified by the BLM Well Information System

For OXY USA INCORPORATED, sent to the Carlsbad

Committed to AFMSS for processing by CHRISTOPHER WALLS on 09/12/2016 (16CRW0097SE)

Name (Printed/Typed) DAVID STEWART

Title REGULATORY ADVISOR

Signature (Electronic Submission)

Date 09/08/2016

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTED

CHRISTOPHER WALLS
Title PETROLEUM ENGINEER

Date 09/12/2016

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

Additional data for EC transaction #350525 that would not fit on the form

32. Additional remarks, continued

plug @ 3009', pump 17BFW, then cmt w/ 480sx (113bbl) PPC, WOC, RIH tag cmt @ 1368'. 9/03/16 RIH & set 3rd cmt plug @ 1356', pump 17BFW, then cmt w/ 480sx (113bbl) PPC, WOC, RIH tag cmt @ 599'. Contacted BLM Rep. Terry Wilson & got approval to continue with abandonment operations. RIH & set 4th cmt plug @ 590', pump 17BFW, then cmt w/ 380sx (93bbl) PPC, WOC, RIH tag cmt @ 174'. 9/4/16 RIH & set 5th cmt plug @ 167', pump 3BFW, then cmt w/ 190sx (26bbl) PPC, got 66sx (9bbl) cement to surface, TOOH, WOC, RD Halliburton & Rel Rig 9/04/16.

OXY USA Inc
Cedar Canyon 22 Federal Com #6H
API No. 30-015-43759

M&P 190sx @ 167'-Surface

M&P 380sx cmt @ 590-174' Tagged

M&P 480sx cmt @ 1356-599' Tagged

M&P 480sx cmt @ 3009-1368' Tagged

M&P 586sx cmt @ 3678-2940'

Fish @ 3684-4972' - Bit, BHA, DC, HWDP

14-3/4" hole @ 450'
10-3/4" 45.5# csg @ 441'
w/ 470sx-TOC-Surf-Circ

Sidetrack @ 3036'

M&P 480sx cmt @ 3980-3016' Tagged

Fish @ 3985-7032' - Bit, BHA, DC, HWDP

