NM OIL CONSERVATION

ARTESIA DISTRICT

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

OCT 2/0 2016

Form C-129 Revised August 1, 2011

RECEIVED Submit one copy to appropriate District Office

NFO Permit No.

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12 (See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

А.	Applicant Apache Corporation				
	whose address is 1945 Bluestem Road	, Artesia, NM 88210	,		
	hereby requests an exception to Rule 19.15.18	90	rs or until		
	Name of Lease N B Tween State		_		
		Section Township Range	_		
	Number of wells producing into battery	30 (30-015-35915)	_		
В.	Based upon oil production of	barrels per day, the estimated * volume	e		
	of gas to be flared isN	MCF; Value \$4000 per day	у.		
C.	Name and location of nearest gas gathering fa Frontier Empire Abo Unit	icility:			
D.	DistanceEstimated co	ost of connection			
E.	This exception is requested for the following reasons: This is for an extension on the				
	previous one that will expire October	31, 2016.			
	······				
Division have been	at the rules and regulations of the Oil Conservation on complied with and that the information given above ete to the best of my knowledge and belief.	OIL CONSERVATION DIVISION Approved Until <u>QM. 31, 2017</u>			
Signature	Isabel Honson	By AMalia Bustamant	e		
Printed Name & Title	Isabel Hudson - Regulatory Analyst	Title Parsiness Op. Sp.			
E-mail Addres	Isabel.hudson@apachecorp.com	Date 10/20/16			
Date $\left \frac{\partial}{\partial g} \right $	16 Telephone No. (432) 818-1142	*Please see attached C.C), A. 5		

Gas-Oil ratio test may be required to verify estimated gas volume.

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- **1.** Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- **3.** Flared volumes of gas are to be metered & reported.
- **4.** Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- **5.** Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. <u>http://www.gacc.nifc.gov/swcc</u> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.
- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials her

DATE: 10/20/14

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor David Martin Cabinet Secretary

Tony Delfin Deputy Cabinet Secretary David Catanach Division Director Oll Conservation Division



FOR IMMEDIATE RELEASE Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <u>www.nmforestry.com</u> for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth within 30 feet of each structure. Single trees and shrubs may be retained if they are well spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for any vegetation near structures.
- Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: http://activefiremaps.fs.fed.us/current.php

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies. State of New Mexico

Energy, Minerals and Natural Resources Department

Susana Martinez Governor

> David Martin Cabinet Secretary

Tony Delfin Deputy Cabinet Secretary David R. Catanach, Division Director Oil Conservation Division



NOTICE TO OPERATORS

The Oil Conservation Division ("OCD") has been tasked to study flaring and develop a gas capture plan by the end of the year with the ultimate goal to reduce natural gas emissions.

Current OCD reporting has no specific method to differentiate flared and vented volumes reported on C-115 reports. This prevents the OCD from having quantifiable flaring data per Rule 19.15.18.12.F NMAC.

Therefore, to collect flaring volumes and differentiate actual vented volumes going forward, NMOCD will implement a new "Non-Transported Disposition" Code (for gas) to be reported on the C-115 reports. The new code will be "F" for Flared. The new code "F" is to be used to report the volume of gas that is flared on a well basis, or total volume if flared at a common battery or gathering system and reported under one point of disposition. Operators must report vented and flared volumes separately to their respective "Non Transported Disposition" code ("V" for vented and "F" for flared).

The change will become effective for the November 2015 production month with reporting due by January 15, 2016.

The NMOCD will be conducting operator outreach training sessions in the Southeast and Northwest to provide information and answer questions regarding the process.

Meeting notices will be posted on NMOCD website at: http://www.emnrd.state.nm.us/OCD/announcements.html

The C-115 instructions are available on NMOCD website at: http://www.emnrd.state.nm.us/OCD/documents/eC115 FullInstructions.pdf

RULES

19.15.7.24 OPERATOR'S MONTHLY REPORT (Form C-115):

A. An operator shall file a form C-115 for each non-plugged well completion for which the division has approved a form C-104 and for each secondary or other enhanced recovery project or pressure maintenance project injection well or other injection well within the state, setting forth complete information and data indicated on the forms in the order, format and style the director prescribes. The operator shall estimate oil production from wells producing into common storage as accurately as possible on the basis of periodic tests.

19.15.18.12 CASINGHEAD GAS:

F. Pending connection of a well to a gas-gathering facility, or when a well has been excepted from the provisions of Subsection A of 19.15.18.12 NMAC, the operator shall burn all gas produced and not used, and report the estimated volume on form C-115.

Thank you for your assistance in this matter. If you have any questions please contact the appropriate OCD District Office.

Sincerely,

David R. Catanach Director, Oil Conservation Division

2

			. .	
Submit 3 Copies To Appropriate District	State of New M	exico		Form C-103
Office District I	Energy, Minerals and Nat			June 19, 2008
1625 N. French Dr., Hobbs, NM 88240			WELL API NO.	
District II 1301 W. Grand Ave., Artesia, NM 88210	E To Banks Trees of			
District III 1220 South St. Francis Dr.			5. Indicate Type of Lease STATE X FEE	
1000 Rio Brazos Rd., Aztec, NM 87410 District IV Santa Fe, NM 87505			6. State Oil & Gas I	
1220 S. St. Francis Dr., Santa Fe, NM	X0-0647-0405			
87505 SUNDRY NOTIO		nit Agreement Name		
(DO NOT USE THIS FORM FOR PROPOS	7. Lease Name or Unit Agreement Name			
DIFFERENT RESERVOIR. USE "APPLIC	N B Tween State Batt	tery		
PROPOSALS) 1. Type of Well: XOil Well	8. Well Number			
2. Name of Operator	9. OGRID Number			
Apache Corporation			873	
3. Address of Operator	10. Pool name or Wildcat			
303 Veterans Airpark Lane, Suite 30	Artesia; Glorieta-Yeso (96830)			
4. Well Location				
Unit Letter H ::	feet from the	line and		heline
Section 25		lange		County Eddy
	11. Elevation (Show whether D	R, RKB, RT, GR, etc		an film and the film of the film of the second s
12. Check A	ppropriate Box to Indicate 1	Nature of Notice,	, Report or Other Da	ata
NOTICE OF IN		SUE	SEQUENT REPO	
		REMEDIAL WOR		
				AND A
PULL OR ALTER CASING		CASING/CEMEN		
and the second se		1		
DOWNHOLE COMMINGLE				
	G			
OTHER: Flare Gas	eted operations (Clearly state all	OTHER:	nd give nertinent dates	including estimated date
OTHER: Flare Gas 13. Describe proposed or compl	eted operations. (Clearly state all	pertinent details, ar		
OTHER: Flare Gas 13. Describe proposed or compl		pertinent details, ar		
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wor or recompletion.	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi	pertinent details, ar ple Completions: A	ttach wellbore diagram	of proposed completion
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wo	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween	pertinent details, ar ple Completions: A State wells 1-30. In	ttach wellbore diagram	of proposed completion
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wor or recompletion. Apache is requesting permission to measured prior to flaring. Wells in	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween ncluded in the above battery are a	pertinent details, ar ple Completions: A State wells 1-30. In	ttach wellbore diagram	of proposed completion
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wor or recompletion. Apache is requesting permission to measured prior to flaring. Wells in 30-015-35915	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween included in the above battery are a 30-015-36789	pertinent details, ar ple Completions: A State wells 1-30. In	ttach wellbore diagram termittent flaring will occ 30-015-38592	of proposed completion
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wor or recompletion. Apache is requesting permission to measured prior to flaring. Wells in	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween ncluded in the above battery are a	pertinent details, ar ple Completions: A State wells 1-30. In	ttach wellbore diagram	of proposed completion
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wor or recompletion. Apache is requesting permission to measured prior to flaring. Wells in 30-015-35915 30-015-35974	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween included in the above battery are a 30-015-36789 30-015-37592	pertinent details, ar ple Completions: A State wells 1-30. In	ttach wellbore diagram termittent flaring will occ 30-015-38592 30-015-38467	of proposed completion
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wor or recompletion. Apache is requesting permission f measured prior to flaring. Wells in 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween included in the above battery are a 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405	pertinent details, ar ple Completions: A State wells 1-30. In	ttach wellbore diagram termittent flaring will occ 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075	of proposed completion
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wor or recompletion. Apache is requesting permission f measured prior to flaring. Wells in 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween included in the above battery are a 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406	pertinent details, ar ple Completions: A State wells 1-30. In	ttach wellbore diagram termittent flaring will occ 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744	of proposed completion
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wor or recompletion. Apache is requesting permission f measured prior to flaring. Wells in 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween included in the above battery are a 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407	pertinent details, ar ple Completions: A State wells 1-30. In	ttach wellbore diagram termittent flaring will occ 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745	of proposed completion
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wor or recompletion. Apache is requesting permission f measured prior to flaring. Wells in 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween included in the above battery are a 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070	pertinent details, ar ple Completions: A State wells 1-30. In	ttach wellbore diagram termittent flaring will occ 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746	of proposed completion
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wor or recompletion. Apache is requesting permission f measured prior to flaring. Wells in 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween included in the above battery are a 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407	pertinent details, ar ple Completions: A State wells 1-30. In	ttach wellbore diagram termittent flaring will occ 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745	of proposed completion
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wor or recompletion. Apache is requesting permission f measured prior to flaring. Wells in 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween included in the above battery are a 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-38590	pertinent details, ar ple Completions: A State wells 1-30. In	ttach wellbore diagram termittent flaring will occ 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747	of proposed completion
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wor or recompletion. Apache is requesting permission f measured prior to flaring. Wells in 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36798	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween included in the above battery are a 30-015-36789 30-015-37592 30-015-37593 30-015-38405 30-015-38406 30-015-38407 30-015-38590 30-015-38591	pertinent details, ar ple Completions: A State wells 1-30. In s follows:	ttach wellbore diagram termittent flaring will occ 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747	of proposed completion
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wor or recompletion. Apache is requesting permission f measured prior to flaring. Wells in 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween included in the above battery are a 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-38590	pertinent details, ar ple Completions: A State wells 1-30. In s follows:	ttach wellbore diagram termittent flaring will occ 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747	of proposed completion
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wor or recompletion. Apache is requesting permission f measured prior to flaring. Wells in 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36796 30-015-36798	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween included in the above battery are a 30-015-36789 30-015-37592 30-015-37593 30-015-38405 30-015-38406 30-015-38407 30-015-38590 30-015-38591	pertinent details, ar ple Completions: A State wells 1-30. In s follows:	ttach wellbore diagram termittent flaring will occ 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747	of proposed completion
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wor or recompletion. Apache is requesting permission f measured prior to flaring. Wells in 30-015-35915 30-015-35916 30-015-35916 30-015-35916 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36798 Spud Date:	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween included in the above battery are a 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-38590 30-015-38591 Rig Release D	pertinent details, ar ple Completions: A State wells 1-30. In s follows:	ttach wellbore diagram termittent flaring will occ 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748	of proposed completion
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wor or recompletion. Apache is requesting permission f measured prior to flaring. Wells in 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36796 30-015-36798	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween included in the above battery are a 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-38590 30-015-38591 Rig Release D	pertinent details, ar ple Completions: A State wells 1-30. In s follows:	ttach wellbore diagram termittent flaring will occ 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748	of proposed completion
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wor or recompletion. Apache is requesting permission f measured prior to flaring. Wells in 30-015-35915 30-015-35916 30-015-35916 30-015-35916 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36798 Spud Date:	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween included in the above battery are a 30-015-36789 30-015-37592 30-015-37593 30-015-38405 30-015-38406 30-015-38406 30-015-38407 30-015-38590 30-015-38591 Rig Release D above is true and complete to the b	pertinent details, ar ple Completions: A State wells 1-30. In s follows:	ttach wellbore diagram termittent flaring will occ 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748	of proposed completion
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wor or recompletion. Apache is requesting permission f measured prior to flaring. Wells in 30-015-35915 30-015-35916 30-015-35916 30-015-35916 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36798 Spud Date:	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween included in the above battery are a 30-015-36789 30-015-37592 30-015-37593 30-015-38405 30-015-38406 30-015-38406 30-015-38407 30-015-38590 30-015-38591 Rig Release D above is true and complete to the b	pertinent details, ar ple Completions: A State wells 1-30. In s follows:	ttach wellbore diagram termittent flaring will occ 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39748	of proposed completion
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wor or recompletion. Apache is requesting permission f measured prior to flaring. Wells in 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date: I hereby certify that the information a SIGNATURE	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween included in the above battery are a 30-015-36789 30-015-37592 30-015-37593 30-015-38405 30-015-38405 30-015-38406 30-015-38407 30-015-38407 30-015-38590 30-015-38591 Rig Release D above is true and complete to the l	pertinent details, ar ple Completions: A State wells 1-30. In s follows: Pate:	ttach wellbore diagram termittent flaring will occ 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39746 30-015-39746 30-015-39748 ge and belief.	of proposed completion cur and gas will be
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wor or recompletion. Apache is requesting permission f measured prior to flaring. Wells in 30-015-35915 30-015-35974 30-015-35916 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date: I hereby certify that the information a SIGNATURE Jubut 4 Type or print name Isabel Hudson	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween included in the above battery are a 30-015-36789 30-015-37592 30-015-37593 30-015-38405 30-015-38405 30-015-38406 30-015-38407 30-015-38407 30-015-38590 30-015-38591 Rig Release D above is true and complete to the l	pertinent details, ar ple Completions: A State wells 1-30. In s follows: bate:	ttach wellbore diagram termittent flaring will occ 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39746 30-015-39746 30-015-39748 ge and belief.	of proposed completion cur and gas will be
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed wor or recompletion. Apache is requesting permission f measured prior to flaring. Wells in 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date: I hereby certify that the information a SIGNATURE	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween included in the above battery are a 30-015-36789 30-015-37592 30-015-37593 30-015-38405 30-015-38405 30-015-38406 30-015-38407 30-015-38407 30-015-38590 30-015-38591 Rig Release D above is true and complete to the l	pertinent details, ar ple Completions: A State wells 1-30. In s follows: Pate:	ttach wellbore diagram termittent flaring will occ 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39746 30-015-39746 30-015-39748 ge and belief.	of proposed completion cur and gas will be
OTHER: Flare Gas 13. Describe proposed or compl of starting any proposed word or recompletion. Apache is requesting permission for measured prior to flaring. Wells in 30-015-35915 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date: I hereby certify that the information a SIGNATURE Jubut A Type or print name Isabel Hudson For State Use Only	eted operations. (Clearly state all rk). SEE RULE 1103. For Multi to temporarily flare the NB Tween included in the above battery are a 30-015-36789 30-015-37592 30-015-37593 30-015-38405 30-015-38405 30-015-38406 30-015-38407 30-015-38407 30-015-38590 30-015-38591 Rig Release D above is true and complete to the l	pertinent details, ar ple Completions: A State wells 1-30. In s follows: Pate:	ttach wellbore diagram termittent flaring will occ 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748	of proposed completion cur and gas will be