	В	PARTMENT OF THE I	GEMENT	OCD Art	5. Lease Serial		2010
	Do not use thi	NOTICES AND REPO s form for proposals to II. Use form 3160-3 (AP	drill or to re-enter an) 5	6. If Indian, All	862 lottee or Tribe N	ame
		PLICATE - Other instruc			7. If Unit or CA	A/Agreement, Na	une and/or N
1. Type of Well					8. Well Name a	8. Well Name and No.	
Oil Well Gas Well Other Contact: GREGG L			GREGGLARSON		2. API Well No.		
	ERGY PROD. CO	. LP E-Mail: gregg.lars	on@dvn.com		30-015-43	182	
333 WEST SHERIDAN AVENUE OKLAHOMA CITY, OK 73102-5015			3b. Phone No. (include area code) Ph: 940-393-2190		PADUCA;	10. Field and Pool, or Exploratory PADUCA; BONE SPRING	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 12 T25S R31E Mer NMP NESE FSL FEL			<i>ı)</i>			Parish, and State	
Sec 12 1255	5 R31E Mer NMP	NESE FSL FEL			EDDY CO	UNTY COUN	IIY, NM
1	2. CHECK APPF	ROPRIATE BOX(ES) TO	O INDICATE NATUR	RE OF NOTIO	CE, REPORT, OR O	THER DAT.	A
TYPE OF SI	UBMISSION	· · ·	T	TYPE OF ACT	ION		
Notice of In	ntent	Acidize	🗖 Deepen	O P	roduction (Start/Resur		ater Shut-O
☐ Subsequent		Alter Casing	□ Fracture Treat	—	eclamation		ell Integrity
	donment Notice	Casing Repair Change Plans	🛛 New Construc 🗖 Plug and Abar		ecomplete emporarily Abandon	🗖 Ot	ner
	dominent Notice	Convert to Injection	Plug Back		Vater Disposal		
testing has been determined that Respectfully at an existing feet (14.28 rd	n completed. Final At t the site is ready for fi request approval g electric line loca ods) to the Cotton	andonment Notices shall be fil inal inspection.) to install a three phase 2 ited in the NE/4 SE/4 of S Draw Unit 224H location	led only after all requiremen 2.8/13.2kV overhead e Section 12 , T25S-R31E	nts, including rec electric line st E extending 2	arting 35.59 Mil	pleted, and the o	be filed once perator has
testing has been determined that Respectfully at an existing feet (14.28 rd T25S-R31E, Wire size wil	n completed. Final At t the site is ready for fi g electric line loca ods) to the Cotton Eddy County, Ne II be 1/0 with 45'C	andonment Notices shall be fil inal inspection.) to install a three phase 2 ited in the NE/4 SE/4 of S Draw Unit 224H location	ed only after all requiremen 22.8/13.2kV overhead e Section 12 , T25S-R31E n, located in the NE/4 S 2 poles.	nts, including rec electric line st E extending 2 SE/4 of Sectio	on in a new interval, a Fo amation, have been comp arting 35.59	M OIL COI ARTESIA OCT 2	be filed once perator has NSERVA DISTRICT 2 4 2016
testing has been determined that Respectfully at an existing feet (14.28 rd T25S-R31E, Wire size wil 235.59 feet (n completed. Final At t the site is ready for fi g electric line loca ods) to the Cotton Eddy County, Ne II be 1/0 with 45'C (14.28 rods) by 30	andonment Notices shall be fil inal inspection.) to install a three phase 2 ted in the NE/4 SE/4 of S Draw Unit 224H location w Mexico. 4 poles. Approximately 2	ed only after all requiremen 2.8/13.2kV overhead e Section 12 , T25S-R31E n, located in the NE/4 S 2 poles. 0.16 acres. See attach	nts, including rec electric line st E extending 2 SE/4 of Sectio hed plats.	on in a new interval, a Fo amation, have been comp arting 35.59 MI n 12,	M OIL COI ARTESIA OCT 2	be filed once perator has NSERV A DISTRICT
testing has been determined that Respectfully at an existing feet (14.28 rd T25S-R31E, Wire size wil 235.59 feet (n completed. Final At t the site is ready for fi g electric line loca ods) to the Cotton Eddy County, Ne II be 1/0 with 45'C (14.28 rods) by 30	andonment Notices shall be fil inal inspection.) to install a three phase 2 ited in the NE/4 SE/4 of S Draw Unit 224H location w Mexico. 4 poles. Approximately 2 0 feet in width containing	ed only after all requiremen 2.8/13.2kV overhead e Section 12 , T25S-R31E n, located in the NE/4 S 2 poles. 0.16 acres. See attach	nts, including rec electric line st E extending 2 SE/4 of Sectio hed plats.	on in a new interval, a Fo amation, have been comp arting 35.59 MI n 12,	M OIL COI ARTESIA OCT 2	be filed once perator has NSERVA DISTRICT 2 4 2016
testing has been determined that Respectfully at an existing feet (14.28 rd T25S-R31E, Wire size wil 235.59 feet (Construction	n completed. Final At t the site is ready for fi g electric line loca ods) to the Cotton Eddy County, Ne II be 1/0 with 45'C (14.28 rods) by 30	andonment Notices shall be fil inal inspection.) to install a three phase 2 ited in the NE/4 SE/4 of S Draw Unit 224H location w Mexico. 4 poles. Approximately 2 0 feet in width containing as approval is received. I true and correct. Electronic Submission #	ed only after all requiremen 22.8/13.2kV overhead e Section 12 , T25S-R31E n, located in the NE/4 S 2 poles. 0.16 acres. See attach Estimated construction	nts, including rec electric line st E extending 2 SE/4 of Section hed plats. In duration 15 of BLM Well Infor	on in a new interval, a Fo amation, have been comp 35.59 M n 12, M days.	M OIL COI ARTESIA OCT 2	be filed once perator has NSERVA DISTRICT 2 4 2016
testing has been determined that Respectfully at an existing feet (14.28 rd T25S-R31E, Wire size wil 235.59 feet (Construction	a completed. Final At the site is ready for fi g electric line loca ods) to the Cotton Eddy County, Ne II be 1/0 with 45'C (14.28 rods) by 30 a to start as soon a	andonment Notices shall be fil inal inspection.) to install a three phase 2 ited in the NE/4 SE/4 of S Draw Unit 224H location w Mexico. 4 poles. Approximately 2 d feet in width containing as approval is received. If true and correct. Electronic Submission # For DEVON EN	ed only after all requiremen 22.8/13.2kV overhead e Section 12 , T25S-R31E 1, located in the NE/4 S 2 poles. 0.16 acres. See attach Estimated construction 329577 verified by the B ERGY PROD. CO. LP, s	nts, including rec electric line st E extending 2 SE/4 of Section hed plats. In duration 15 of BLM Well Infor	on in a new interval, a Fo amation, have been comp 35.59 M n 12, M days.	M OIL COI ARTESIA OCT 2	be filed once perator has NSERVA DISTRICT 2 4 2016
testing has been determined that Respectfully at an existing feet (14.28 rr T25S-R31E, Wire size wil 235.59 feet (Construction	a completed. Final At t the site is ready for fi g electric line loca ods) to the Cotton Eddy County, Ne II be 1/0 with 45'C (14.28 rods) by 30 a to start as soon a	andonment Notices shall be fil inal inspection.) to install a three phase 2 ited in the NE/4 SE/4 of S Draw Unit 224H location w Mexico. 4 poles. Approximately 2 0 feet in width containing as approval is received. true and correct. Electronic Submission # For DEVON EN ARSON	ed only after all requiremen 2.8/13.2kV overhead e Section 12 , T25S-R31E 1, located in the NE/4 S 2 poles. 0.16 acres. See attach Estimated construction 329577 verified by the B ERGY PROD. CO. LP, s Title	ats, including rec electric line st E extending 2 SE/4 of Section hed plats. In duration 15 of BLM Well Infor sent to the Car FIELD LANDI	on in a new interval, a Fo amation, have been comp 35.59 M n 12, M days.	M OIL COI ARTESIA OCT 2	be filed once perator has NSERVA DISTRICT 2 4 2016
testing has been determined that Respectfully at an existing feet (14.28 rr T25S-R31E, Wire size wil 235.59 feet (Construction 14. I hereby certif	a completed. Final At the site is ready for fi g electric line loca ods) to the Cotton Eddy County, Ne II be 1/0 with 45'C (14.28 rods) by 30 a to start as soon a y that the foregoing is	andonment Notices shall be fil inal inspection.) to install a three phase 2 ited in the NE/4 SE/4 of S Draw Unit 224H location w Mexico. 4 poles. Approximately 2 of feet in width containing as approval is received. true and correct. Electronic Submission # For DEVON EN ARSON	ed only after all requiremen 2.8/13.2kV overhead e Section 12 , T25S-R31E 1, located in the NE/4 S 2 poles. 0.16 acres. See attach Estimated construction 329577 verified by the B ERGY PROD. CO. LP, s Title	nts, including rec electric line st E extending 2 SE/4 of Section hed plats. In duration 15 of BLM Well Infor Sent to the Car FIELD LANDI 01/22/2016	on in a new interval, a Fo lamation, have been comp 35.59 M n 12, M lays. mation System Isbad MAN	M OIL COI ARTESIA OCT 2	be filed once perator has NSERVA DISTRICT 2 4 2016
testing has been determined that Respectfully at an existing feet (14.28 rd T25S-R31E, Wire size wil 235.59 feet (Construction	a completed. Final At the site is ready for fi g electric line loca ods) to the Cotton Eddy County, Ne II be 1/0 with 45'C (14.28 rods) by 30 a to start as soon a y that the foregoing is	andonment Notices shall be fil inal inspection.) to install a three phase 2 ited in the NE/4 SE/4 of S Draw Unit 224H location w Mexico. 4 poles. Approximately 2 of feet in width containing as approval is received. true and correct. Electronic Submission # For DEVON EN ARSON	ed only after all requirement 22.8/13.2kV overhead e Section 12 , T25S-R31E a, located in the NE/4 S 2 poles. 0.16 acres. See attach Estimated construction 329577 verified by the B ERGY PROD. CO. LP, s Title F Date (D DR FEDERAL OR S	Ats, including rec electric line st E extending 2 SE/4 of Section hed plats. In duration 15 of BLM Well Infor sent to the Car FIELD LANDI 01/22/2016	on in a new interval, a Fo lamation, have been comp 35.59 M n 12, M lays. mation System Isbad MAN	pleted, and the o MOIL COI ARTESIA OCT 2 RECE	be filed once perator has NSERVA DISTRICT 2 4 2016 EIVED
testing has been determined that Respectfully at an existing feet (14.28 rd T25S-R31E, Wire size wil 235.59 feet (Construction 14. I hereby certif Name (<i>Printed</i> / Signature	n completed. Final At t the site is ready for fi request approval g electric line loca ods) to the Cotton Eddy County, Ne II be 1/0 with 45'C (14.28 rods) by 30 n to start as soon a y that the foregoing is <i>Typed</i>) GREGG L (Electronic S	andonment Notices shall be fil inal inspection.) to install a three phase 2 ited in the NE/4 SE/4 of S Draw Unit 224H location w Mexico. 4 poles. Approximately 2 of feet in width containing as approval is received. true and correct. Electronic Submission # For DEVON EN ARSON Submission) THIS SPACE FO	ed only after all requirement 22.8/13.2kV overhead e Section 12 , T25S-R31E a, located in the NE/4 S 2 poles. 0.16 acres. See attach Estimated construction 329577 verified by the B ERGY PROD. CO. LP, s Title F Date (C) DR FEDERAL OR S Title F Title F Date (C) CO. LP, s Title F CO. LP, s CO. LP, s Title F CO. LP, s CO.	Ats, including rec electric line st E extending 2 SE/4 of Section hed plats. In duration 15 of BLM Well Infor sent to the Car FIELD LANDI 01/22/2016 TATE OFFI	on in a new interval, a Fo amation, have been comp 35.59 M n 12, M Jays. mation System Isbad MAN	pleted, and the o MOIL COI ARTESIA OCT 2 RECE	be filed once perator has NSERVA DISTRICT 2 4 2016
testing has been determined that Respectfully at an existing feet (14.28 rd T25S-R31E, Wire size wil 235.59 feet (Construction 14. 1 hereby certify Name (<i>Printed</i> / Signature 	n completed. Final At the site is ready for fi request approval g electric line loca ods) to the Cotton Eddy County, Ne II be 1/0 with 45'C (14.28 rods) by 30 n to start as soon a y that the foregoing is <i>Typed</i>) GREGG L (Electronic S	andonment Notices shall be fil inal inspection.) to install a three phase 2 ited in the NE/4 SE/4 of S Draw Unit 224H location w Mexico. 4 poles. Approximately 2 of feet in width containing as approval is received. true and correct. Electronic Submission # For DEVON EN ARSON Submission) THIS SPACE FO	ed only after all requirement 2.8/13.2kV overhead e Section 12, T25S-R31E a, located in the NE/4 S 2 poles. 0.16 acres. See attach Estimated construction 329577 verified by the B ERGY PROD. CO. LP, s Title F Date (D DR FEDERAL OR S Title A COR FEDERAL OR S Title A COR FEDERAL OR S CON SECTION 10 CON	Attack including rec electric line st E extending 2 SE/4 of Section hed plats. In duration 15 of BLM Well Infor sent to the Car FIELD LANDI 01/22/2016 TATE OFFI CARLSBAD ingly and willful	on in a new interval, a Fo amation, have been comp 35.59 MI n 12, MI days. mation System Isbad MAN CE USE MANAGER FIELD OFFICE	Pleted, and the o MOIL COI ARTESIA OCT 2 RECI	be filed once perator has NSERVA DISTRICT 4 2016 EIVED
testing has been determined that Respectfully at an existing feet (14.28 rd T25S-R31E, Wire size wil 235.59 feet (Construction 14. 1 hereby certify Name (<i>Printed</i> / Signature 	a completed. Final At the site is ready for fi request approval g electric line loca ods) to the Cotton Eddy County, Ne II be 1/0 with 45'C (14.28 rods) by 30 a to start as soon a y that the foregoing is <i>Typed</i>) GREGG L (Electronic S	andonment Notices shall be fil inal inspection.) to install a three phase 2 ited in the NE/4 SE/4 of S Draw Unit 224H location w Mexico. 4 poles. Approximately 2 0 feet in width containing as approval is received. true and correct. Electronic Submission # For DEVON EN ARSON Submission) THIS SPACE FO	ed only after all requirement 2.8/13.2kV overhead e Section 12, T25S-R31E a, located in the NE/4 S 2 poles. 0.16 acres. See attach Estimated construction 329577 verified by the B ERGY PROD. CO. LP, s Title I Date (C) DR FEDERAL OR S anot warrant or e subject lease Office crime for any person knowing to any matter within its juri	Ats, including rec electric line st E extending 2 SE/4 of Section hed plats. In duration 15 of BLM Well Infor sent to the Car FIELD LANDI 01/22/2016 TATE OFFI CARLSBAD ingly and willful isdiction.	on in a new interval, a Fo amation, have been comp arting 35.59 MI days. days. days. mation System Isbad MAN CE USE MANAGER FIELD OFFICE by to make to any departm	pleted, and the o MOIL COI ARTESIA OCT 2 RECI	be filed once perator has NSERVA DISTRICT 4 2016 EIVED

Company Reference: Devon Energy Production Company, L.P. Well No. & Name: Cotton Draw Unit 224H Pad Connect Electric Line

STANDARD STIPULATIONS FOR OVERHEAD ELECTRIC DISTRIBUTION LINES

A copy of the grant and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.

2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.

3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, <u>et seq</u>. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, <u>et seq</u>.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.

4. There will be no clearing or blading of the right-of-way unless otherwise agreed to in writing by the Authorized Officer.

5. Power lines shall be constructed and designed in accordance to standards outlined in "Suggested Practices for Avian Protection on Power lines: The State of the Art in 2006" Edison Electric Institute, APLIC, and the California Energy Commission 2006. The holder shall assume the burden and expense of proving that pole designs not shown in the above publication deter raptor perching, roosting, and nesting. Such proof shall be provided by a raptor expert approved by the Authorized Officer. The BLM reserves the right to require modification or

12

Ł

additions to all powerline structures placed on this right-of-way, should they be necessary to ensure the safety of large perching birds. Such modifications and/or additions shall be made by the holder without liability or expense to the United States.

Raptor deterrence will consist of but not limited to the following: triangle perch discouragers shall be placed on each side of the cross arms and a nonconductive perching deterrence shall be placed on all vertical poles that extend past the cross arms.

6. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

7. The BLM serial number assigned to this authorization shall be posted in a permanent, conspicuous manner where the power line crosses roads and at all serviced facilities. Numbers will be at least two inches high and will be affixed to the pole nearest the road crossing and at the facilities served.

8. Upon cancellation, relinquishment, or expiration of this grant, the holder shall comply with those abandonment procedures as prescribed by the Authorized Officer.

9. All surface structures (poles, lines, transformers, etc.) shall be removed within 180 days of abandonment, relinquishment, or termination of use of the serviced facility or facilities or within 180 days of abandonment, relinquishment, cancellation, or expiration of this grant, whichever comes first. This will not apply where the power line extends service to an active, adjoining facility or facilities.

10. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

- 11. Special Stipulations:
 - For reclamation remove poles, lines, transformer, etc. and dispose of properly.
 - Fill in any holes from the poles removed.

Timing Limitation Stipulation/Condition of Approval for Lesser Prairie-Chicken:

Oil and gas activities including 3-D geophysical exploration, and drilling will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the

maintenance of oil and gas facilities, geophysical exploration other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Additionally, no new drilling will be allowed within up to 200 meters of leks known at the time of permitting. Normal vehicle use on existing roads will not be restricted. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft. from the source of the noise.

This authorization is subject to your Certificate of Participation and/or Certificate of Inclusion under the New Mexico Candidate Conservation Agreement. Because it involves surface disturbing activities covered under your Certificate, your Habitat Conservation Fund Account with the Center of Excellence for Hazardous Materials Management (CEHMM) will be debited according to Exhibit B Part 2 of the Certificate of Participation.