Submit 1 Copy To Appropriate District	State of New Mexico		Form C-103	
<u>District I</u> – (575) 393-6161	Energy, Minerals and Natural Resources		Revised July 18, 2013 WELL API NO.	
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283	OIL CONSERVATION DIVISION		30-015-23192	
811 S. First St., Artesia, NM 88210 District III – (505) 334-6178	1220 South St. Francis Dr.		5. Indicate Type of Lea	_
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460	Santa Fe, NM 87505		STATE FEE  6. State Oil & Gas Lease No.	
1220 S. St. Francis Dr., Santa Fe, NM 87505		L-122		
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH		7. Lease Name or Unit Agreement Name Penasco IW Shallow		
PROPOSALS.)  1. Type of Well: Oil Well  Gas Well  Other		<ul><li>8. Well Number</li><li>2</li></ul>		
2. Name of Operator Yates Petroleum Corporation		9. OGRID Number 025575		
3. Address of Operator		10. Pool name or Wildcat		
105 South Fourth Street, Artesia, NM 88210			Penasco Draw; SA-Yes	0
4. Well Location Unit Letter M :	330 feet from the South	n line and 9	feet from the	West line
Section 31	Township 18S Rai  11. Elevation (Show whether DR,	nge 25E	NMPM Eddy	County
3652'GR				
12. Check	Appropriate Box to Indicate N	fature of Notice, I	Report or Other Data	
	NTENTION TO:	•	SEQUENT REPOR	
PERFORM REMEDIAL WORK	] PLUG AND ABANDON ⊠	REMEDIAL WORK	C 🗌 ALTE	ERING CASING
TEMPORARILY ABANDON				
PULL OR ALTER CASING DOWNHOLE COMMINGLE		CASING/CEMENT	JOB $\square$	
CLOSED-LOOP SYSTEM				
OTHER:		OTHER:	.i	1. din a actionate d'ata
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of				
proposed completion or recompletion.				
Yates Petroleum Corporation plans to plug and abandon this well as follows:				
1. MIRU all safety equipment as needed. NU BOP.				
2. Set a CIBP at 2404'. Spot a 100 sx Class "C" cement plug from 1004'-2404' and tag. Spot a 75 sx Class "C" cement plug from 1004' up to surface. This will fill the entire wellbore up from the CIBP to the surface. WOC and tag plug.				
3. Cut off wellhead, install marker and clear up location as per regulated				
Wellbore schematics attached	(4) DERF & SQ @ 350	0'- 7" SHOE	- WULL NM OIL C	ONSERVATION SIA DISTRICT
	(3) NOA 1 CA @ 350	1034 SHOE	WOC + THE OC	T 20 2016
	4.) PENT & 50 E 300	•		BY
•		_	of Well bore only.	ECEIVED
		od for pluggi	ng of well Plugge under	\
C. ID.	n: n: n	Approved under by	Lent Reput Web Fab	
Spud Date:	Rig Release Da	ate: Villand 103 (Sub for	ing of well bore only. Ind is retained pending receipt Ind at OCD Web Page under	
WELL MUST BE PLUCCED BY 10/21/2017				
I hereby certify that the information	above is true and complete to the be	est of my knowledge	and belief.	
SIGNATURE (Line)	unta TITLE Regu	ulatory Reporting Su	pervisor DATE Oct	tober 18, 2016
Type or print name E-mail address: tinah@yatespetroleum.com PHONE: 575-748-4168 For State Use Only				
APPROVED BY: falet 2 ful TITLE COMPLIANTE OFFICER DATE 10/21/2016 Conditions of Approval (if any): & SEE ATTACHEO COA-5				
Conditions of Approval (if any): & SEE ATTACHEO COA-S				



