

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
March 4, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-015-05034

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.
B-10920

7. Lease Name or Unit Agreement Name
Featherstone

8. Well Number
5

9. OGRID Number
216852

10. Pool name or Wildcat
GB Jackson SR-Q-G-SA

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☐ Other ☐ Water Injection

2. Name of Operator
CBS Operating Corp.

3. Address of Operator
P O Box 2236, Midland, TX 79702

4. Well Location

Unit Letter C : 330 feet from the north line and 1980 feet from the west line

Section 2 Township 17S Range 31E NMPM Eddy County NM

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
4018' GR

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL Sect Twp Rng Pit type Depth to Groundwater Distance from nearest fresh water well
Distance from nearest surface water Below-grade Tank Location UL Sect Twp Rng ;
 feet from the line and feet from the line

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See attached

**Notify OCD 24 hrs. prior
To any work done.**

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE M. A. Sirgo, III TITLE Engineer DATE 3-22-06

Type or print name M. A. Sirgo, III E-mail address: mastres@aol.com Telephone No. 432/685-0878

(This space for State use)

APPROVED BY [Signature] TITLE Field Sup DATE 3/30/06

Conditions of approval, if any:

**If earthen pits are used in
association with this work a
pit permit is required prior
to construction.**

CBS OPERATING CORP.
PLUGGING PROCEDURE FOR FEATHERSTONE WELL NO. 5

1. Rig up pulling unit.
2. TOH with packer.
3. RIH with wireline CIBP and set at approximately 3470'. RIH with bailer and dump 35' cement on CIBP.
4. RIH with packer and establish where the casing leak is. Casing leaks are common from 300' to 600' in this area. Squeeze holes in casing with enough cement to bring the cement top behind the casing up to the top of the salt. WOC. Test casing to 500# for 15 minutes. TOH with packer.
5. RIH with tubing open ended and tag plug set above CIBP. PU and circulate hole with plugging mud. PU and pump 162' plug 2910-3072' and tag; 100' plug 2000-2100' and tag; 100' plug perf. casing @ 1080'. Squeeze cement inside and outside of casing 980-1080' and tag. PU and WOC.
6. Tag plug set across 5-1/2" liner hanger. Perforate casing @ 808' and squeeze 100' of cement inside and outside of casing and tag.
7. PU and set surface plug. Perf all casing strings at 60', place 60' of cement inside and outside of all casing strings 0-60'.
8. Cut off casing and set dry hole marker.
9. Clean and remediate location.

Note: The NMOCD will be notified at least 24 hours before starting work on well.


CBS OPERATING CORP.

FEATHERSTONE #5
330' FNL & 1980' FWL
SEC 2, T17S, R31E
EDDY COUNTY, NEW MEXICO

TD. 3852'

CURRENT

ELEVATION 4018'



PROPOSED

ELEVATION 4018'

