Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

5. Lease Serial No.

INDRY NOTICES AND REPORTS ON WELLS	NMLC030
t use this form for proposals to drill or to re-enter an	

SUNDRY NOTICES AND REPORTS ON WELLS			an	-		
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on reverse side. 1. Type of Well Oil Well Gas Well Other				6. If Indian, Allottee or Tribe Name		
				7. If Unit or CA/Agreement, Name and/or No. NMNM128072		
					8. Well Name and No. MultipleSee Atta	
Name of Operator Contact: LESLIE GARVIS BURNETT OIL COMPANY INC E-Mail: Igarvis@burnettoil.com			API Well No. MultipleSee Attached			
3a. Address 801 CHERRY STREET UNIT FORT WORTH, TX 76102-6	3b. Phone No. (inclu Ph: 817-583-873			10. Field and Pool, or Exploratory MultipleSee Attached		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			·		11. County or Parish,	and State
MultipleSee Attached		· .		EDDY COUNTY, NM		
12. CHECK APP	ROPRIATE BOX(ES) TO	O INDICATE NAT	URE OF NO	OTICE, RE	PORT, OR OTHE	R DATA
TYPE OF SUBMISSION						
Notice of Intent	☐ Acidize	☐ Deepen		☐ Producti	on (Start/Resume)	☐ Water Shut-Off
_	☐ Alter Casing	☐ Fracture Tr	reat	☐ Reclama	tion	■ Well Integrity
☐ Subsequent Report	☐ Casing Repair	☐ New Cons	truction	☐ Recomp	lete	⊠ Other
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and A	bandon	☐ Tempora	rily Abandon	Venting and/or Flari
		- 21 22 1		☐ Water D	icnocol	· ·
13. Describe Proposed or Completed Op If the proposal is to deepen direction Attach the Bond under which the we following completion of the involve testing has been completed. Final A determined that the site is ready for	ally or recomplete horizontally, ork will be performed or provided operations. If the operation resolution resolution to bandonment Notices shall be file	give subsurface location the Bond No. on file wis sults in a multiple comp ed only after all requires	mated starting on and measure ith BLM/BIA. letion or recomments, including	date of any pro ed and true ver Required sub appletion in a na ag reclamation	oposed work and appro- tical depths of all perting sequent reports shall be we interval, a Form 316, have been completed,	nent markers and zones. If filed within 30 days If the filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A	Decration (clearly state all pertiner lally or recomplete horizontally, ork will be performed or provided operations. If the operation rebandonment Notices shall be file	nt details, including estingive subsurface location the Bond No. on file wisults in a multiple comped only after all requires	mated starting on and measure ith BLM/BIA. letion or recomments, including	date of any pro ed and true ver Required sub appletion in a na ag reclamation	poposed work and approviced depths of all perting sequent reports shall be ew interval, a Form 316, have been completed, ARTESIA	nent markers and zones. filed within 30 days fo-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A	Detailed to like the state all pertiner ally or recomplete horizontally, or will be performed or provided operations. If the operation rebandonment Notices shall be filled in the state of	nt details, including estingive subsurface location the Bond No. on file wisults in a multiple comped only after all requires A battery from Octe maintenance). All	nated starting of as and measure ith BLM/BIA. letion or recom nents, includin ober through gas flared v	date of any pro ed and true ver Required sub appletion in a na ag reclamation	oposed work and appro- tical depths of all perting sequent reports shall be we interval, a Form 316, have been completed,	nent markers and zones. filed within 30 days fo-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for Burnett is requesting permiss 2016. We will only be flaring metered and reported as per We have previously received location and an updated batter The Stevens A battery is loca 1175, R 30E, SECTION 13, I 1219' FSL, 54' FWL	Decration (clearly state all pertiner tally or recomplete horizontally, or k will be performed or provided operations. If the operation rebandonment Notices shall be filefinal inspection.) ion to flare at the Stevens as needed (i.e during DCI BLM requirements. approval to install a flare a cry diagram showing the flated at:	nt details, including estingive subsurface location the Bond No. on file wisults in a multiple comped only after all requires A battery from Octe maintenance). All	nated starting of as and measure ith BLM/BIA. letion or recom nents, includin ober through gas flared v	date of any pro ed and true ver Required sub appletion in a na ag reclamation	poposed work and approviced depths of all perting sequent reports shall be ew interval, a Form 316, have been completed, ARTESIA	nent markers and zones. filed within 30 days fol-4 shall be filed once and the operator has #SERVATION DISTRICT 4 2016
If the proposal is to deepen direction Attach the Bond under which the we following completion of the involve testing has been completed. Final A determined that the site is ready for Burnett is requesting permiss 2016. We will only be flaring metered and reported as per We have previously received location and an updated batter The Stevens A battery is locators, R 30E, SECTION 13, Use 15 to 1	Decration (clearly state all pertiner tally or recomplete horizontally, or k will be performed or provided operations. If the operation rebandonment Notices shall be filefinal inspection.) ion to flare at the Stevens as needed (i.e during DCI BLM requirements. approval to install a flare a cry diagram showing the flated at:	nt details, including estingive subsurface location the Bond No. on file wisults in a multiple comped only after all requires A battery from Octe maintenance). All	nated starting of as and measure ith BLM/BIA. letion or recom nents, includin ober through gas flared v	date of any pro ed and true ver Required sub appletion in a na ag reclamation	poposed work and appro- tical depths of all pertin sequent reports shall be ew interval, a Form 316, have been completed, ARTESIA I	nent markers and zones. filed within 30 days for the filed once and the operator has #SERVATION DISTRICT # 2016
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for Burnett is requesting permiss 2016. We will only be flaring metered and reported as per We have previously received location and an updated batter The Stevens A battery is loca 1175, R 30E, SECTION 13, I 1219' FSL, 54' FWL	Decration (clearly state all pertiner tally or recomplete horizontally, or k will be performed or provided operations. If the operation rebandonment Notices shall be filefinal inspection.) ion to flare at the Stevens as needed (i.e during DCI BLM requirements. approval to install a flare a cry diagram showing the flated at:	nt details, including estingive subsurface location the Bond No. on file wisults in a multiple comped only after all requires A battery from Octe maintenance). All	nated starting of as and measure ith BLM/BIA. letion or recom nents, includin ober through gas flared v	date of any pro ed and true ver Required sub appletion in a na ag reclamation	poposed work and appro- tical depths of all pertin sequent reports shall be ew interval, a Form 316, have been completed, ARTESIA I	nent markers and zones. filed within 30 days for the filed once and the operator has #SERVATION DISTRICT # 2016
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for Burnett is requesting permiss 2016. We will only be flaring metered and reported as per We have previously received location and an updated batter. The Stevens A battery is loca T17S, R 30E, SECTION 13, U 1219' FSL, 54' FWL LEASE: NMLC-030570A	Deteration (clearly state all pertiner ally or recomplete horizontally, or will be performed or provided operations. If the operation rebandonment Notices shall be filefinal inspection.) ion to flare at the Stevens as needed (i.e during DCF BLM requirements. approval to install a flare a cry diagram showing the filefinal structure at: JNIT M, SWSW strue and correct. Electronic Submission # For BURNETT	nt details, including estingive subsurface location the Bond No. on file wisults in a multiple comped only after all requirer. A battery from Octop maintenance). All at this are location is on file at the same location is on file of the same location is	mated starting on and measure ith BLM/BIA. letion or recomments, including other through gas flared versions.	date of any pro- ed and true ver Required sub- appletion in a n- ag reclamation h December will be	oposed work and approviced depths of all perting sequent reports shall be ew interval, a Form 316, have been completed, NM OIL CON ARTESIA I OCT 24 RECEI	nent markers and zones. filed within 30 days fol-4 shall be filed once and the operator has #SERVATION DISTRICT 4 2016
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for Burnett is requesting permiss 2016. We will only be flaring metered and reported as per We have previously received location and an updated batter. The Stevens A battery is loca T17S, R 30E, SECTION 13, U 1219' FSL, 54' FWL LEASE: NMLC-030570A	Deteration (clearly state all pertiner lally or recomplete horizontally, or will be performed or provided operations. If the operation rebandonment Notices shall be filefinal inspection.) ion to flare at the Stevens as needed (i.e during DCI BLM requirements. approval to install a flare a large diagram showing the flated at: JNIT M, SWSW strue and correct. Electronic Submission # For BURNETT intted to AFMSS for process.	nt details, including estingive subsurface location the Bond No. on file wisults in a multiple comped only after all requirer. A battery from Octop maintenance). All at this are location is on file at the same location is on file of the same location is	nated starting on and measure ith BLM/BIA. letion or recomments, including the part of the	date of any pro- ed and true ver Required sub- appletion in a n- ag reclamation h December will be Information Carlsbad n 09/09/2016	oposed work and approviced depths of all perting sequent reports shall be ew interval, a Form 316, have been completed, NM OIL CON ARTESIA I OCT 24 RECEI	nent markers and zones. filed within 30 days fol-4 shall be filed once and the operator has #SERVATION DISTRICT 4 2016
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for Burnett is requesting permiss 2016. We will only be flaring metered and reported as per We have previously received location and an updated batter. The Stevens A battery is loca T17S, R 30E, SECTION 13, U 1219' FSL, 54' FWL LEASE: NMLC-030570A	Deteration (clearly state all pertiner lally or recomplete horizontally, or will be performed or provided operations. If the operation rebandonment Notices shall be filefinal inspection.) ion to flare at the Stevens as needed (i.e during DCI BLM requirements. approval to install a flare a large diagram showing the flated at: JNIT M, SWSW strue and correct. Electronic Submission # For BURNETT intted to AFMSS for process.	nt details, including estingive subsurface location the Bond No. on file wisults in a multiple comped only after all requires. A battery from Octop maintenance). All at this are location is on file at the compediate of the compediate of the company including by the OIL COMPANY INC, sing by DEBORAH M	nated starting on and measure ith BLM/BIA. letion or recomments, including the part of the	date of any pro- ed and true ver Required sub- appletion in a n- ag reclamation h December will be Information Carlsbad n 09/09/2016	poposed work and approviced depths of all perting sequent reports shall be ew interval, a Form 316, have been completed, ARTESIA OCT 2 RECEI	nent markers and zones. filed within 30 days fol-4 shall be filed once and the operator has #SERVATION DISTRICT 4 2016
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for Burnett is requesting permiss 2016. We will only be flaring metered and reported as per We have previously received location and an updated batter. The Stevens A battery is loca T17S, R 30E, SECTION 13, U 1219' FSL, 54' FWL LEASE: NMLC-030570A	Deteration (clearly state all pertiner lally or recomplete horizontally, or will be performed or provided operations. If the operation rebandonment Notices shall be filefinal inspection.) ion to flare at the Stevens as needed (i.e during DCI BLM requirements. approval to install a flare a large diagram showing the flated at: JNIT M, SWSW strue and correct. Electronic Submission # For BURNETT intted to AFMSS for process.	nt details, including estingive subsurface location the Bond No. on file wisults in a multiple comped only after all requires. A battery from Octop maintenance). All at this are location is on file at the compediate of the compediate of the company including by the OIL COMPANY INC, sing by DEBORAH M	nated starting on and measure ith BLM/BIA. letion or recomments, including the part of the	date of any proceed and true ver Required subspletion in a new reclamation in December will be	poposed work and approviced depths of all perting sequent reports shall be ew interval, a Form 316, have been completed, ARTESIA OCT 2 RECEI	nent markers and zones. filed within 30 days fol-4 shall be filed once and the operator has #SERVATION DISTRICT 4 2016
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for Burnett is requesting permiss 2016. We will only be flaring metered and reported as per We have previously received location and an updated batter. The Stevens A battery is location and an updated batter. The Stevens A battery is location and an updated batter. The Stevens A battery is location and Stevens A battery is location and Stevens A battery is location. The Stevens A battery is location and Stevens A battery is location. The Stevens A battery is loc	Deteration (clearly state all pertiner ally or recomplete horizontally, or will be performed or provided operations. If the operation rebandonment Notices shall be filefinal inspection.) ion to flare at the Stevens as needed (i.e during DCI BLM requirements. approval to install a flare a try diagram showing the flated at: JNIT M, SWSW strue and correct. Electronic Submission # For BURNETT itted to AFMSS for process GARVIS Submission)	nt details, including estingive subsurface location the Bond No. on file wisults in a multiple comped only after all requires. A battery from Octop maintenance). All at this are location is on file at the compedition of t	nated starting on and measure ith BLM/BIA. letion or recomments, including ober through gas flared versions. The BLM Well sent to the ICKINNEY on REGULA	date of any product and true ver Required subspletion in a ning reclamation. In December will be	poposed work and approvical depths of all perting sequent reports shall be ew interval, a Form 316, have been completed, TOM OIL CON ARTESIA I OCT 2 ARECEI System (16DLM0882SE) DRDINATOR	nent markers and zones. filed within 30 days fol-4 shall be filed once and the operator has #SERVATION DISTRICT 4 2016
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for Burnett is requesting permiss 2016. We will only be flaring metered and reported as per We have previously received location and an updated batter. The Stevens A battery is location and an updated batter. The Stevens A battery is location and an updated batter. The Stevens A battery is location and Stevens A battery is location and Stevens A battery is location. The Stevens A battery is location and Stevens A battery is location. The Stevens A battery is loc	revalue and correct. Electronic Submission # For BURNETT Electronic Submission # Submission) THIS SPACE FO	nt details, including estingive subsurface location the Bond No. on file wisults in a multiple comped only after all requirer. A battery from Octop maintenance). All at this are location is on file at this are location is on file to the company including by DEBORAH Michael DR FEDERAL OF	nated starting on and measure ith BLM/BIA. letion or recomments, including ober through gas flared versions. The BLM Well sent to the ICKINNEY on REGULA	Information Carlsbad on 09/09/2016	poposed work and approviced depths of all perting sequent reports shall be ew interval, a Form 316, have been completed, TOM OIL CON ARTESIA I OCT 2 ARECEI System (16DLM0882SE) DRDINATOR	nent markers and zones. filed within 30 days fol-4 shall be filed once and the operator has #SERVATION DISTRICT 4 2016

Additional data for EC transaction #350380 that would not fit on the form

Wells/Facilities, continued

Agreement NMNM128072 NMLC030570A NMLC030570A NMLC030570A	Lease NMNM2747 NMLC030570A NMLC030570A NMLC030570A	Well/Fac Name, Number STEVENS A 17H STEVENS A 10 STEVENS A 10 STEVENS A 11	API Number 30-015-38373-00-S1 30-015-32793-00-C1 30-015-32793-00-C2 30-015-33131-00-S1	Location Sec 13 T17S R30E NWNW 1090FSL 670FWL Sec 13 T17S R30E NWSW 1880FSL 880FWL Sec 13 T17S R30E NWSW 1880FSL 880FWL Sec 13 T17S R30E SENW 2310FNL 2310FWL 32.500698 N Lat. 103.553328 W Lon
NMLC030570A NMLC030570A NMLC030570A NMLC030570A NMLC030570A NMLC030570A	NMLC030570A NMLC030570A NMLC030570A NMLC030570A NMLC030570A NMLC030570A	STEVENS A 12 STEVENS A 13 STEVENS A 14 STEVENS A 15 STEVENS A 16H STEVENS A 18	30-015-34225-00-S1 30-015-34846-00-S1 30-015-35320-00-S1 30-015-35321-00-S1 30-015-36146-00-S1 30-015-41543-00-S1	Sec 13 T17S R30E SESW 330FSL 2310FWL Sec 13 T17S R30E SESW 330FSL 1650FWL Sec 13 T17S R30E SESW 80FSL 1400FWL Sec 13 T17S R30E SESW 80FSL 1400FWL Sec 13 T17S R30E SENW 1820FNL 2310FWL Sec 13 T17S R30E NWSW 2430FSL 350FWL Sec 13 T17S R30E SENW 1650FNL 1590FWL 32.837147 N Lat. 103.928083 W Lon
NMLC030570A NMLC030570A NMLC030570A NMLC030570A	NMLC030570A NMLC030570A NMLC030570A NMLC030570A	STEVENS A 3 STEVENS A 4 STEVENS A 7 STEVENS A 9	30-015-04143-00-S2 30-015-04144-00-S2 30-015-21830-00-S2 30-015-32441-00-S1	Sec 13 T17S R30E SENW 1980FNL 1980FWL Sec 13 T17S R30E SENW 1980FNL 1980FWL Sec 13 T17S R30E SESW 25FSL 1345FWL Sec 13 T17S R30E NESW 1650FSL 2310FWL

10. Field and Pool, continued

GRAYBURG GRAYBURG JACKSON UNKNOWN

32. Additional remarks, continued

The following wells are associated with this battery: Stevens A 3 - 30-015-04143
Stevens A 4 - 30-015-04144
Stevens A 7 - 30-015-21830
Stevens A 9 - 30-015-32441
Stevens A 10 - 30-015-32793
Stevens A 11 - 30-015-33131
Stevens A 12 - 30-015-34225
Stevens A 13 - 30-015-34225
Stevens A 14 - 30-015-35320
Stevens A 15 - 30-015-35321
Stevens A 16 - 30-015-36146
Stevens A 17 - 30-015-38373
Stevens A 18 - 30-015-41543

BUREAU OF LAND MANAGEMENT
Carlsbad Field Office
620 East Greene Street
Carlsbad, New Mexico 88220
575-234-5972

Multiple—See Attached BURNETT OIL COM. INC. NMNLC030570A 10/18/2016

Pursuant to **NTL-4A III**, Lessees or operators are hereby authorized to vent or flare gas on a short-term basis <u>without incurring a royalty</u> obligation in the following circumstances:

- A. <u>Emergencies.</u> During temporary emergency situations, such as compressor or other equipment failures, relief of abnormal system pressures, or other conditions which result in the unavoidable short-term venting or flaring of gas. However, this authorization to vent or flare gas in such circumstances without incurring a royalty obligation is limited to 24 hours per incident and to 144 hours cumulative for the lease during any calendar month, except with the prior authorization, approval, ratification, or acceptance of the Supervisor.
- B. <u>Well Purging and Evaluation Tests.</u> During the unloading or cleaning up of a well during drillstem, producing, routine purging, or evaluation tests, not exceeding a period of 24 hours.
- C. <u>Initial Production Tests.</u> During initial well evaluation tests, not exceeding a period of 30 days or the production of 50 MMcf of gas, whichever occurs first, unless a longer test period has been authorized by the appropriate State regulatory agency and ratified or accepted by the Supervisor.
- D. <u>Routine or Special Well Tests.</u> During routine or special well tests, other than those cited in NTL-4A III.B and C above, only after approval by the Supervisor.

If a flaring event conforms with the requirements listed above as per NTL-4A III., the flared volumes are not royalty bearing and the operator does not need to submit a Sundry Notice. Report flared volumes as unavoidably lost on OGOR B.

Condition of Approval to Flare Gas

- 1. The first 24 hours of a <u>temporary emergency flare*</u> is considered "unavoidably lost" and is therefore royalty free. Flared volumes that are considered unavoidably lost are not to be included in Sundry Notice (Form 3160-5). NTL-4A specifies no more than 24 hours per incident and no more 144 hours cumulative for the lease during any calendar month. These Volumes are not royalty bearing and shall be reported on OGOR "B" as disposition code"23".
- 2. Flared volumes considered to be "avoidably lost":
 - Exceeding the first 24 hours for each temporary emergency flare event (144 hours cumulative for the lease per month), well purging and evaluation test.
 - During initial well evaluation tests, exceeding a period of 30 days or the production of 50 MMcf of gas, whichever occurs first
 - Scheduled flaring operations

These flare events will require prior approval via Notice of Intent- Sundry Notice (Form 3160-5). Volumes flared beyond limits defined in NTL-4A are considered "avoidably lost" and will require payment of royalties, unless an exception is granted in accordance with NTL-4A.IV.B.. <u>Volumes for avoidably lost gas shall be reported on OGOR "B" reports as disposition code "08"</u>. If the operator believes that the flared volumes were "unavoidably lost" and the BLM determines them to be "avoidably lost", the operator can submit a more detailed request via Sundry Notice (Form 3160-5) for an exception in accordance with NTL-4A.IV.B.. As an alternative to producing oil and flaring gas the operator may choose to shut the well in and avoid paying royalties on otherwise avoidably lost gas.

- 3. Approval not to exceed 90 days,(from 10/01/2016 to 12/31/2016), if flaring is still required past 90 days submit new request for approval.
- 4. Submit Subsequent Report with actual volumes of gas flared for each month gas is flared on a Sundry Notice (Form 3160-5). Include method for volume determination and duration. Report unavoidably lost (first 24 hrs of unexpected event) and avoidably lost (exceeding the first 24 hrs or flared gas that has been approved as avoidably lost by the Authorized Officer) volumes and durations on the Subsequent Report.
- 5. In determining the volumes of gas to be reported in accordance with NTL-4A the BLM CFO requires Vent/flare gas metering to meet all requirements for a sales meter as per Federal Regulations, Onshore Order #5 and NTL 2008-01. Include meter serial number on Sundry Notice (Form 3160-5).
 - If installation of an approved gas meter is not economically feasible for continued operations. Submit Notice of Intent Sundry Notice (Form 3160-5) to request an alternate method of determining gas volumes with a valid justification. Alternate methods are listed in NTL-4A. The Authorized Officer may require the installation of additional measurement equipment whenever it is determined that the present methods are inadequate to meet the purposes of this Notice.
- 6. An updated facility diagram is required within 60 days of modifications to existing facilities per Onshore Order #3.
- 7. This approval does not authorize any additional surface disturbance.
- 8. Subject to like approval from NMOCD

Regulations and Definitions

Definition: As per **NTL-4A II. A.** "Avoidably lost" production shall mean the venting or flaring of produced gas without the prior authorization, approval, ratification, or acceptance of the Supervisor and the loss of produced oil or gas when the Supervisor determines that such loss occurred as a result of (1) negligence on the part of the lessee or operator, or (2) the failure of the lessee or operator to take all reasonable measures to prevent and/or to control the loss, or (3) the failure of the lessee or operator to comply fully with the applicable lease terms and regulations, appropriate provisions of the approved operating plan, or the prior written orders of the Supervisor, or (4) and combination of the foregoing.

NTL-4A.IV.B. Oil Well Gas. Except as provided in II.C and III above, oil well gas may not be vented or flared unless approved in writing by the Supervisor. The Supervisor may approve an application for the venting or flaring of oil well gas if justified either by the submittal of (1) an evaluation report supported by engineering, geologic, and economic data which demonstrates to the satisfaction of the Supervisor that the expenditures necessary to market or beneficially use such gas are not economically justified and that conservation of the gas, if required, would lead to the premature abandonment of recoverable oil reserves and ultimately to a greater loss of equivalent energy than would be recovered if the venting or flaring were permitted to continue or (2) an action plan that will eliminate venting or flaring of the gas within 1 year from the date of application.

*Temporary Emergency Flaring is defined as an unexpected situation requiring immediate action. A flaring event is considered an emergency if the occurrence is out of the operators control and the operator had less than 24 hrs notification of the event. Scheduled or routine flare events will not be considered an emergency.