

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

David Martin
Cabinet Secretary

Tony Delfin
Deputy Cabinet Secretary

David Catanach, Director
Oil Conservation Division



Response Required - Deadline Enclosed

Field Inspection Program
"Preserving the Integrity of Our Environment"

10-21-16

18-Jul-16

ROBERT H FORREST JR OIL LLC
609 ELORA DR.
CARLSBAD NM 88220

NM OIL CONSERVATION
ARTESIA DISTRICT

OCT 24 2016

RECEIVED

LETTER OF VIOLATION - Inspection

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

INSPECTION DETAIL SECTION

TOOMEY ALLEN No.009		P-28-18S-28E	30-015-02102-00-00			
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
07/18/2016	Routine/Periodic	Tony Morales	Yes	No	10/21/2016	ITM1620049469
Violations						
Fire Walls and Dikes						

Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ NOT CONNECTED TO WELL HEAD.
TANK BATTERIES NO CONTAINMENT

TOOMEY ALLEN No.010		P-28-18S-28E	30-015-24260-00-00			
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
07/18/2016	Routine/Periodic	Tony Morales	Yes	No	10/21/2016	ITM1620048108
Violations						
Absent Well Identification Signs (Rule 103)						
General Housekeeping (Rule 114)						

Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ. STAINING AROUND WELL HEAD.
OLD PJ ON LOCATION.

All of the violations have been corrected.

Robert H. Forrest Jr.
10/20/16