B ^I SUNDRY	UNITED STATES EPARTMENT OF THE D UREAU OF LAND MANA NOTICES AND REPO	NTERIOR GEMENT OCT	NSERVATI Aniestrict 192016	OMB NO	APPROVED). 1004-0135 July 31, 2010
Do not use the abandoned we	is form for proposals to II. Use form 3160-3 (AP	drill or to re-enter an D) for such proposals.RE	CEIVED	6. If Indian, Allottee of	r Tribe Name
SUBMIT IN TRIPLICATE - Other instructions on reverse side.				7. If Unit or CA/Agreement, Name and/or No. NMNM134086	
1. Type of Well Gas Well C Other				8. Well Name and No. MultipleSee Attached	
2. Name of Operator Contact: EMILY FOLLIS APACHE CORPORATION E-Mail: Emily.Follis@apachecorp.com				9. API Well No. MultipleSee Attached	
3a. Address 3b. Phone No. (include a Ph: 432-818-1801 MIDLAND, TX 79705			ie)	10. Field and Pool, or MultipleSee At	Exploratory tached
4. Location of Well (Footage, Sec., 7	ı)		11. County or Parish, and State		
MultipleSee Attached				EDDY COUNTY, NM	
12. CHECK APPI	ROPRIATE BOX(ES) TO	O INDICATE NATURE OI	F NOTICE, RE	PORT, OR OTHE	R DATA
TYPE OF SUBMISSION	TYPE OF ACTION				
Notice of Intent	Acidize	Deepen	D Producti	on (Start/Resume)	□ Water Shut-Off
_	☐ Alter Casing	Fracture Treat	🗖 Reclama	tion	U Well Integrity
Subsequent Report	Casing Repair	New Construction	🗖 Recomp		Other Venting and/or Fla
Final Abandonment Notice	 Change Plans Convert to Injection 	Plug and Abandon Plug Back	Tempora Water D	arily Abandon	ng
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f	rk will be performed or provide l operations. If the operation re bandonment Notices shall be fil	e the Bond No. on file with BLM/I esults in a multiple completion or r	3IA. Required sub ecompletion in a n	sequent reports shall be ew interval, a Form 316	filed within 30 days 60-4 shall be filed once
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al	rk will be performed or provide d operations. If the operation re bandonment Notices shall be fil final inspection.) porary Flare an estimated	e the Bond No. on file with BLM/I esults in a multiple completion or r led only after all requirements, inc	3IA. Required sub ecompletion in a n luding reclamation	rtical depths of all pertir sequent reports shall be ew interval, a Form 316 , have been completed, 0/16 thru NM OI A	thent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has L CONSERVAT RTESIA DISTRICT
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Apache is requesting to Temp	rk will be performed or provide d operations. If the operation re bandonment Notices shall be fil final inspection.) porary Flare an estimated	e the Bond No. on file with BLM/I esults in a multiple completion or r led only after all requirements, inc	3IA. Required sub ecompletion in a n luding reclamation	rtical depths of all pertir sequent reports shall be ew interval, a Form 316 , have been completed, 0/16 thru NM OI A	ent markers and zones. filed within 30 days 00-4 shall be filed once and the operator has
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Apache is requesting to Temp 12/20/16 .Gas will be measure	rk will be performed or provide d operations. If the operation re bandonment Notices shall be fil final inspection.) porary Flare an estimated ed prior to Flaring 30-015-36440 (ROADRU 614 30-015-40549 (NFE 515 30-015-40550 (NFE	e the Bond No. on file with BLM/I esults in a multiple completion or r led only after all requirements, inc 1 160 MCF PER DAY for 90 UNNER FEDERAL #11) E FEDERAL #14) E FEDERAL #15)	31A. Required sub ecompletion in a n luding reclamation days from 09/2 SEE AT	rtical depths of all pertir sequent reports shall be ew interval, a Form 316 , have been completed, 0/16 thru NM OI A	Antimarkers and zones. filed within 30 days 60-4 shall be filed once and the operator has L CONSERVAT RTESIA DISTRICT DCT 1 9 2016 RECEIVED
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Apache is requesting to Temp 12/20/16 .Gas will be measure Roadrunner Bty Flare(2) Cedar LAKE Federal CA 501 CEDAR LAKE FEDERAL CA CEDAR LAKE FEDERAL CA CEDAR LAKE FEDERAL CA	rk will be performed or provide d operations. If the operation re bandonment Notices shall be fil final inspection.) porary Flare an estimated ed prior to Flaring 30-015-36440 (ROADRU 614 30-015-40549 (NFE 515 30-015-40550 (NFE 516 30-015-40551 (NFE 516 30-015-40551 (NFE 516 strue and correct.	e the Bond No. on file with BLM/I esults in a multiple completion or r led only after all requirements, inc I 160 MCF PER DAY for 90 UNNER FEDERAL #11) FEDERAL #14) FEDERAL #15) FEDERAL #16)	31A. Required sub ecompletion in a n luding reclamation days from 09/2 SEE AT CONDIT	rtical depths of all pertir sequent reports shall be ew interval, a Form 316 , have been completed, 0/16 thru NM OI A TACHED FOF TONS OF AP	Antimarkers and zones. filed within 30 days 60-4 shall be filed once and the operator has L CONSERVAT RTESIA DISTRICT DCT 1 9 2016 RECEIVED
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Apache is requesting to Temp 12/20/16 .Gas will be measure Roadrunner Bty Flare(2) Cedar LAKE Federal CA 501 CEDAR LAKE FEDERAL CA CEDAR LAKE FEDERAL CA CEDAR LAKE FEDERAL CA CEDAR LAKE FEDERAL CA 1.Meter # T278	rk will be performed or provide d operations. If the operation re bandonment Notices shall be fil final inspection.) porary Flare an estimated ed prior to Flaring 30-015-36440 (ROADRU 614 30-015-40549 (NFE 515 30-015-40550 (NFE 516 30-015-40551 (NFE 516 30-015-40551 (NFE 516 30-015-40551 (NFE 516 30-015-40551 (NFE 516 30-015-40551 (NFE	e the Bond No. on file with BLM/I esults in a multiple completion or r led only after all requirements, inc 1 160 MCF PER DAY for 90 UNNER FEDERAL #11) EFEDERAL #14) FEDERAL #15) EFEDERAL #16)	31A. Required sub ecompletion in a n luding reclamation days from 09/2 SEE AT CONDIT	rtical depths of all pertir sequent reports shall be ew interval, a Form 316 , have been completed, 0/16 thru NM OI A TACHED FOF TONS OF AP	Antimarkers and zones. filed within 30 days 60-4 shall be filed once and the operator has L CONSERVAT RTESIA DISTRICT DCT 1 9 2016 RECEIVED
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Apache is requesting to Temp 12/20/16 .Gas will be measure Roadrunner Bty Flare(2) Cedar LAKE Federal CA 501 CEDAR LAKE FEDERAL CA CEDAR LAKE FEDERAL CA CEDAR LAKE FEDERAL CA CEDAR LAKE FEDERAL CA 1.Meter # T278	rk will be performed or provide d operations. If the operation re bandonment Notices shall be fil final inspection.) porary Flare an estimated ed prior to Flaring 30-015-36440 (ROADRU 614 30-015-40549 (NFE 515 30-015-40550 (NFE 516 30-015-40551 (NFE 516 30-015-40551 (NFE 516 30-015-40551 (NFE 516 30-015-40551 (NFE 516 30-015-40551 (NFE	e the Bond No. on file with BLM/I esults in a multiple completion or r led only after all requirements, inc 1 160 MCF PER DAY for 90 UNNER FEDERAL #11) FEDERAL #14) FEDERAL #15) FEDERAL #15) FEDERAL #16)	31A. Required sub ecompletion in a n luding reclamation days from 09/2 SEE AT CONDIT	rtical depths of all pertir sequent reports shall be ew interval, a Form 316 , have been completed, 0/16 thru NM OI A TACHED FOF TONS OF AP System (16DLM0933SE)	Antimarkers and zones. filed within 30 days 60-4 shall be filed once and the operator has L CONSERVAT RTESIA DISTRICT DCT 1 9 2016 RECEIVED
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Apache is requesting to Temp 12/20/16 .Gas will be measure Roadrunner Bty Flare(2) Cedar LAKE Federal CA 501 CEDAR LAKE FEDERAL CA CEDAR LAKE FEDERAL CA CEDAR LAKE FEDERAL CA CEDAR LAKE FEDERAL CA 1.Meter # T278	rk will be performed or provide d operations. If the operation re bandonnent Notices shall be fil final inspection.) porary Flare an estimated ed prior to Flaring 30-015-36440 (ROADRU 614 30-015-40549 (NFE 515 30-015-40550 (NFE 516 30-015-40551 (NFE) 517 30-015-40551 (NFE) 518 30-015-500 (NFE) 518 30-015-500 (NFE) 518 30-015-500 (NFE) 518 30-015-500 (NFE) 518 30	e the Bond No. on file with BLM/I esults in a multiple completion or r led only after all requirements, inc I 160 MCF PER DAY for 90 UNNER FEDERAL #11) FEDERAL #14) FEDERAL #15) FEDERAL #15) FEDERAL #16) #351529 verified by the BLM V E CORPORATION, sent to th sing by DEBORAH MCKINNE Title REGI	AlA. Required sub ecompletion in a n luding reclamation days from 09/2 SEE AT CONDI Vell Information e Carlsbad Y on 09/19/2016 JLATORY ANA	rtical depths of all pertir sequent reports shall be ew interval, a Form 316 , have been completed, 0/16 thru NM OI A TACHED FOF TONS OF AP System (16DLM0933SE) ALYST	Antimarkers and zones. filed within 30 days 60-4 shall be filed once and the operator has L CONSERVAT RTESIA DISTRICT DCT 1 9 2016 RECEIVED
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Apache is requesting to Temp 12/20/16 .Gas will be measure Roadrunner Bty Flare(2) Cedar LAKE Federal CA 501 CEDAR LAKE FEDERAL CA CEDAR LAKE FEDERAL CA CEDAR LAKE FEDERAL CA CEDAR LAKE FEDERAL CA 1.Meter # T278 14. I hereby certify that the foregoing is Comm Name (<i>Printed/Typed</i>) EMILY FC	rk will be performed or provide d operations. If the operation re bandonnent Notices shall be fil final inspection.) porary Flare an estimated ed prior to Flaring 30-015-36440 (ROADRU 614 30-015-40549 (NFE 515 30-015-40550 (NFE 516 30-015-40551 (NFE) 517 30-015-40551 (NFE) 518 30-015-500 (NFE) 518 30-015-500 (NFE) 518 30-015-500 (NFE) 518 30-015-500 (NFE) 518 30	e the Bond No. on file with BLM/I esults in a multiple completion or r led only after all requirements, inc 1 160 MCF PER DAY for 90 UNNER FEDERAL #11) FEDERAL #14) FEDERAL #15) FEDERAL #15) FEDERAL #16)	AlA. Required sub ecompletion in a n luding reclamation days from 09/2 SEE AT CONDI Vell Information e Carlsbad Y on 09/19/2016 JLATORY ANA	rtical depths of all pertir sequent reports shall be ew interval, a Form 316 , have been completed, 0/16 thru NM OI A TACHED FOF TONS OF AP System (16DLM0933SE) ALYST	Antimarkers and zones. filed within 30 days 60-4 shall be filed once and the operator has L CONSERVAT RTESIA DISTRICT DCT 1 9 2016 RECEIVED
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Apache is requesting to Temp 12/20/16 .Gas will be measure Roadrunner Bty Flare(2) Cedar LAKE Federal CA 501 CEDAR LAKE FEDERAL CA CEDAR LAKE FEDERAL CA CEDAR LAKE FEDERAL CA CEDAR LAKE FEDERAL CA 1.Meter # T278 14. I hereby certify that the foregoing is Comm Name (<i>Printed/Typed</i>) EMILY FC	rk will be performed or provide d operations. If the operation re bandonment Notices shall be fil final inspection.) porary Flare an estimated ed prior to Flaring 30-015-36440 (ROADRU 614 30-015-40549 (NFE 515 30-015-40550 (NFE 516 30-015-40551 (NFE 516 30-015-40551 (NFE strue and correct. Electronic Submission # For APACH itted to AFMSS for process DLLIS Submission) THIS SPACE FC	e the Bond No. on file with BLM/I esults in a multiple completion or r led only after all requirements, inc I 160 MCF PER DAY for 90 UNNER FEDERAL #14) FEDERAL #14) FEDERAL #15) FEDERAL #15) FEDERAL #16) #351529 verified by the BLM V IE CORPORATION, sent to the sing by DEBORAH MCKINNE Title REGI Date 09/16 OR FEDERAL OR STAT	AlA. Required sub ecompletion in a n luding reclamation days from 09/2 SEE AT CONDI Vell Information e Carlsbad Y on 09/19/2016 JLATORY ANA	rtical depths of all pertir sequent reports shall be ew interval, a Form 316 , have been completed, 0/16 thru NM OI A TACHED FOF TONS OF AP System (16DLM0933SE) ALYST	Antimarkers and zones. filed within 30 days 60-4 shall be filed once and the operator has L CONSERVAT RTESIA DISTRICT DCT 1 9 2016 RECEIVED
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Apache is requesting to Temp 12/20/16 .Gas will be measure Roadrunner Bty Flare(2) Cedar LAKE Federal CA 501 CEDAR LAKE FEDERAL CA CEDAR LAKE FEDERAL CA CEDAR LAKE FEDERAL CA CEDAR LAKE FEDERAL CA 1.Meter # T278 14. I hereby certify that the foregoing is Comm Name (<i>Printed/Typed</i>) EMILY FC Signature (Electronic S	rk will be performed or provide d operations. If the operation re bandonnent Notices shall be fil final inspection.) porary Flare an estimated ed prior to Flaring 30-015-36440 (ROADRU 614 30-015-40549 (NFE 515 30-015-40550 (NFE 516 30-015-40551 (NFE 516 30-015-405	e the Bond No. on file with BLM/I esults in a multiple completion or r led only after all requirements, inc 1 160 MCF PER DAY for 90 UNNER FEDERAL #11) FEDERAL #14) FEDERAL #15) FEDERAL #16) #351529 verified by the BLM V E CORPORATION, sent to th sing by DEBORAH MCKINNE Title REGI Date 09/16 OR FEDERAL OR STAT	AlA. Required sub ecompletion in a n huding reclamation days from 09/2 SEE AT CONDIT Vell Information e Carlsbad Y on 09/19/2016 JLATORY AN/ /2016 E OFFICE US	rtical depths of all pertir sequent reports shall be ew interval, a Form 316 , have been completed, 0/16 thru NM OI A TACHED FOF TONS OF AP System (16DLM0933SE) ALYST	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has L CONSERVAT RTESIA DISTRICT DCT 1 9 2016 RECEIVED PROVAL

ÿ

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Apache Corporation Cedar Lake Federal CA 640H NMLC029435B

10/12/2016

Pursuant to NTL-4A III, Lessees or operators are hereby authorized to vent or flare gas on a short-term basis without incurring a royalty obligation in the following circumstances:

- A. <u>Emergencies.</u> During temporary emergency situations, such as compressor or other equipment failures, relief of abnormal system pressures, or other conditions which result in the unavoidable short-term venting or flaring of gas. However, this authorization to vent or flare gas in such circumstances without incurring a royalty obligation is limited to 24 hours per incident and to 144 hours cumulative for the lease during any calendar month, except with the prior authorization, approval, ratification, or acceptance of the Supervisor.
- B. <u>Well Purging and Evaluation Tests.</u> During the unloading or cleaning up of a well during drill stem, producing, routine purging, or evaluation tests, not exceeding a period of 24 hours.
- C. <u>Initial Production Tests.</u> During initial well evaluation tests, not exceeding a period of 30 days or the production of 50 MMcf of gas, whichever occurs first, unless a longer test period has been authorized by the appropriate State regulatory agency and ratified or accepted by the Supervisor.
- D. <u>Routine or Special Well Tests</u>. During routine or special well tests, other than those cited in NTL-4A III.B and C above, only after approval by the Supervisor.

If a flaring event conforms with the requirements listed above as per NTL-4A III., the flared volumes are not royalty bearing and the operator does not need to submit a Sundry Notice. Report flared volumes as unavoidably lost on OGOR B.

Condition of Approval to Flare Gas

- The first 24 hours of a <u>temporary emergency flare*</u> is considered "unavoidably lost" and is therefore royalty free. Flared volumes that are considered unavoidably lost are not to be included in Sundry Notice (Form 3160-5). NTL-4A specifies no more than 24 hours per incident and no more 144 hours cumulative for the lease during any calendar month. These Volumes are not royalty bearing and shall be reported on OGOR "B" as disposition code"23".
- 2. Flared volumes considered to be "avoidably lost":
 - Exceeding the first 24 hours for each temporary emergency flare event (144 hours cumulative for the lease per month), well purging and evaluation test.
 - During initial well evaluation tests, exceeding a period of 30 days or the production of 50 MMcf of gas, whichever occurs first
 - Scheduled flaring operations

These flare events will require prior approval via Notice of Intent- Sundry Notice (Form 3160-5). Volumes flared beyond limits defined in NTL-4A are considered "avoidably lost" and will require payment of royalties, unless an exception is granted in accordance with NTL-4A.IV.B.. <u>Volumes for avoidably lost gas shall be</u> reported on OGOR "B" reports as disposition code "08". If the operator believes that the flared volumes were "unavoidably lost" and the BLM determines them to be "avoidably lost", the operator can submit a more detailed request via Sundry Notice (Form 3160-5) for an exception in accordance with NTL-4A.IV.B.. As an

alternative to producing oil and flaring gas the operator may choose to shut the well in and avoid paying royalties on otherwise avoidably lost gas.

- Approval not to exceed 90 days, (from <u>09/24/2016</u> to <u>12/24/2016</u>), if flaring is still required past 90 days submit new request for approval.
- 4. Submit Subsequent Report with actual volumes of gas flared for each month gas is flared on a Sundry Notice (Form 3160-5). <u>Include method for volume determination and duration</u>. <u>Report unavoidably lost (first 24 hrs</u> <u>of unexpected event) and avoidably lost (exceeding the first 24 hrs or flared gas that has been approved as</u> <u>avoidably lost by the Authorized Officer) volumes and durations on the Subsequent Report.</u>
- 5. In determining the volumes of gas to be reported in accordance with NTL-4A the BLM CFO requires Vent/flare gas metering to meet all requirements for a sales meter as per Federal Regulations, Onshore Order #5 and NTL 2008-01. Include meter serial number on Sundry Notice (Form 3160-5).
 - If installation of an approved gas meter is not economically feasible for continued operations. Submit Notice of Intent - Sundry Notice (Form 3160-5) to request an alternate method of determining gas volumes with a valid justification. Alternate methods are listed in NTL-4A. The Authorized Officer may require the installation of additional measurement equipment whenever it is determined that the present methods are inadequate to meet the purposes of this Notice.
- An updated facility diagram is required within 60 days of modifications to existing facilities per Onshore Order #3.
- 7. This approval does not authorize any additional surface disturbance.
- 8. Subject to like approval from NMOCD

Regulations and Definitions

Definition: As per **NTL-4A II. A.** "Avoidably lost" production shall mean the venting or flaring of produced gas without the prior authorization, approval, ratification, or acceptance of the Supervisor and the loss of produced oil or gas when the Supervisor determines that such loss occurred as a result of (1) negligence on the part of the lessee or operator, or (2) the failure of the lessee or operator to take all reasonable measures to prevent and/or to control the loss, or (3) the failure of the lessee or operator to comply fully with the applicable lease terms and regulations, appropriate provisions of the approved operating plan, or the prior written orders of the Supervisor, or (4) and combination of the foregoing.

NTL-4A.IV.B. Oil Well Gas. Except as provided in II.C and III above, <u>oil well gas may not be vented or flared unless</u> <u>approved in writing by the Supervisor</u>. The Supervisor may approve an application for the venting or flaring of oil well gas if justified either by the submittal of (1) an evaluation report supported by engineering, geologic, and economic data which demonstrates to the satisfaction of the Supervisor that the expenditures necessary to market or beneficially use such gas are not economically justified and that conservation of the gas, if required, would lead to the premature abandonment of recoverable oil reserves and ultimately to a greater loss of equivalent energy than would be recovered if the venting or flaring were permitted to continue or (2) an action plan that will eliminate venting or flaring of the gas within 1 year from the date of application.

*<u>Temporary Emergency Flaring</u> is defined as an unexpected situation requiring immediate action. A flaring event is considered an emergency if the occurrence is out of the operators control and the operator had less than 24 hrs notification of the event. Scheduled or routine flare events will not be considered an emergency.