NM OIL CONSERVATION

ARTESIA DISTRICT

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III District IV District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources NOV 2 3 2016

Form C-129 Revised August 1, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

RECEIVED to appropriate District Office

NFO Permit No.

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

А.	Applicant Apache Corporation	
	whose address is 1945 Bluestern Roa	d, Artesia, NM 88210
	hereby requests an exception to Rule 19.15.1	18.12 fordays or until
	, Yr,	for the following described tank battery (or LACT):
	Name of Lease Washington 33 ST 56 Ba	ttery Yeso Yeso
	Location of Battery: Unit LetterK	Section <u>33</u> Township <u>17S</u> Range <u>28E</u>
	Number of wells producing into battery	4
В.	Based upon oil production of 20	0barrels per day, the estimated * volume
		MCF; Valueper day.
C.	Name and location of nearest gas gathering f	:
D.		ost of connection
E.	This exception is requested for the following repairs or plant problems. This is ar	reasons: DCP curtails their gas due to
	11/30/2016	
	a and for a second s	30-015-40116
OPERATOR		OIL CONSERVATION DIVISION
Division have	/ that the rules and regulations of the Oil Conservation been complied with and that the information given above uplete to the best of my knowledge and belief.	Approved Until Feb. 28, 2017
	Jeasu Housson	By Amalia Baistanarte
Printed Nam & Title	^{ne} Isabel Hudson - Regulatory Analyst	Title Rausiness OD. SD.
E-mail Addr	Isabel.Hudson@apachecorp.com	Date 11/23/16
Date 11/23	3/2016 Telephone No. (432) 818-1142	*Please see attached C.D.A.'S

Gas-Oil ratio test may be required to verify estimated gas volume.

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- **1.** Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- **3.** Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. <u>http://www.gacc.nifc.gov/swcc</u> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.
- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here

DATE: 11/23/16

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

David Martin Cabinet Secretary

Tony Delfin Deputy Cabinet Secretary

David Catanach Division Director Oll Conservation Division



FOR IMMEDIATE RELEASE Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us_

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <u>www.nmforestry.com</u> for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth within 30 feet of each structure. Single trees and shrubs may be retained if they are well spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for any vegetation near structures.
- Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: <u>http://activefiremaps.fs.fed.us/current.php</u>

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies. State of New Mexico Energy, Minerals and Natural Resources Department

 \sim

Susana Martinez Governor

David Martin Cabinet Secretary

Tony Delfin Deputy Cabinet Secretary David R. Catanach, Division Director Oil Conservation Division



NOTICE TO OPERATORS

The Oil Conservation Division ("OCD") has been tasked to study flaring and develop a gas capture plan by the end of the year with the ultimate goal to reduce natural gas emissions.

Current OCD reporting has no specific method to differentiate flared and vented volumes reported on C-115 reports. This prevents the OCD from having quantifiable flaring data per Rule 19.15.18.12.F NMAC.

Therefore, to collect flaring volumes and differentiate actual vented volumes going forward, NMOCD will implement a new "Non-Transported Disposition" Code (for gas) to be reported on the C-115 reports. The new code will be "F" for Flared. The new code "F" is to be used to report the volume of gas that is flared on a well basis, or total volume if flared at a common battery or gathering system and reported under one point of disposition. Operators must report vented and flared volumes separately to their respective "Non Transported Disposition" code ("V" for vented and "F" for flared).

The change will become effective for the November 2015 production month with reporting due by January 15, 2016.

The NMOCD will be conducting operator outreach training sessions in the Southeast and Northwest to provide information and answer questions regarding the process.

Meeting notices will be posted on NMOCD website at: http://www.emnrd.state.nm.us/OCD/announcements.html

The C-115 instructions are available on NMOCD website at: http://www.emnrd.state.nm.us/OCD/documents/eC115 FullInstructions.pdf

> Oil Conservation Division 1000 Rio Brazos Rd., Aztec, New Mexico 87410 Phone (505) 334-6178• Fax (505) 334-6170 • www.emmrd.state.nm.us

RULES

19.15.7.24 OPERATOR'S MONTHLY REPORT (Form C-115):

A. An operator shall file a form C-115 for each non-plugged well completion for which the division has approved a form C-104 and for each secondary or other enhanced recovery project or pressure maintenance project injection well or other injection well within the state, setting forth complete information and data indicated on the forms in the order, format and style the director prescribes. The operator shall estimate oil production from wells producing into common storage as accurately as possible on the basis of periodic tests.

19.15.18.12 CASINGHEAD GAS:

F. Pending connection of a well to a gas-gathering facility, or when a well has been excepted from the provisions of Subsection A of 19.15.18.12 NMAC, the operator shall burn all gas produced and not used, and report the estimated volume on form C-115.

Thank you for your assistance in this matter. If you have any questions please contact the appropriate OCD District Office.

Sincerely,

David R. Catanach Director, Oil Conservation Division

Office	State of New Mex Energy, Minerals and Natura		Form (Revised August
District I (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, winicials and Nature	In itesources	WELL API NO.
District II - (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION I	DIVISION	
District III – (505) 334-6178 1220 South St. Francis Dr.			5. Indicate Type of Lease STATE 7 FEE
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM 875	05	6. State Oil & Gas Lease No.
SUNDRY NOTIO			7. Lease Name or Unit Agreement N Washington 33 State 56 Battery
DIFFERENT RESERVOIR. USE "APPLIC. PROPOSALS.) 1. Type of Well: Oil Well [/]	anon for Permit" (Form C-101) For	SUCH	8. Well Number
2. Name of Operator Apache Corporation			9. OGRID Number 873
3. Address of Operator	10. Pool name or Wildcat		
303 Veterans Airpark Lane, Suite 300 4. Well Location	U Midiand, IX /9/05		Yeso (96830)
	50 feet from the <u>South</u>	line and 21	<u>30</u> feet from the West
Section 33	Township 17S Ran		NMPM County Eddy
	11. Elevation (Show whether DR, I	2KB, RT, GR, etc	
in na an	· · · · · · · · · · · · · · · · · · ·		
12. Check A	opropriate Box to Indicate Nat	ure of Notice	, Report or Other Data
NOTICE OF INT			BSEQUENT REPORT OF:
		REMEDIAL WO	
	·		
PULL OR ALTER CASING I DOWNHOLE COMMINGLE I		CASING/CEMEI	
OTHER: Flare Gas		OTHER:	
13. Describe proposed or comple	ted operations. (Clearly state all pe		nd give pertinent dates including estimat
			ompletions: Attach wellbore diagram of
of starting any proposed wor proposed completion or reco			
proposed completion or reco	npletion. temporarily flare the Washington 33	For Multiple Co	
proposed completion or reco	npletion. temporarily flare the Washington 33	For Multiple Co	ompletions: Attach wellbore diagram of
proposed completion or reco	npletion. temporarily flare the Washington 33	For Multiple Co	ompletions: Attach wellbore diagram of
proposed completion or reco Apache is requesting permission to will be measured prior to flaring. We	npletion. temporarily flare the Washington 33 Ils included in the above battery are	For Multiple Co	ompletions: Attach wellbore diagram of
proposed completion or reco Apache is requesting permission to will be measured prior to flaring. We 30-015-40116 Washington 33 State 30-015-41706 Washington 33 State	mpletion. temporarily flare the Washington 33 Ils included in the above battery are #80 #86	For Multiple Co	ompletions: Attach wellbore diagram of
proposed completion or reco Apache is requesting permission to will be measured prior to flaring. We 30-015-40116 Washington 33 State 30-015-41706 Washington 33 State 30-015-41680 Washington 33 State	mpletion. temporarily flare the Washington 33 Ils included in the above battery are #80 ##86 ##86	For Multiple Co	ompletions: Attach wellbore diagram of
proposed completion or reco Apache is requesting permission to will be measured prior to flaring. We 30-015-40116 Washington 33 State 30-015-41706 Washington 33 State	mpletion. temporarily flare the Washington 33 Ils included in the above battery are #80 ##86 ##86	For Multiple Co	ompletions: Attach wellbore diagram of
proposed completion or reco Apache is requesting permission to will be measured prior to flaring. We 30-015-40116 Washington 33 State 30-015-41706 Washington 33 State 30-015-41680 Washington 33 State	mpletion. temporarily flare the Washington 33 Ils included in the above battery are #86 #86 #87 #88	For Multiple Co State wells listed as follows:	ompletions: Attach wellbore diagram of
proposed completion or reco Apache is requesting permission to will be measured prior to flaring. We 30-015-40116 Washington 33 State 30-015-41706 Washington 33 State 30-015-41680 Washington 33 State	mpletion. temporarily flare the Washington 33 Ils included in the above battery are #80 ##86 ##86	For Multiple Co State wells listed as follows:	ompletions: Attach wellbore diagram of
proposed completion or reco Apache is requesting permission to will be measured prior to flaring. We 30-015-40116 Washington 33 State 30-015-41706 Washington 33 State 30-015-41680 Washington 33 State	mpletion. temporarily flare the Washington 33 Ils included in the above battery are #86 #86 #87 #88	For Multiple Co State wells listed as follows:	ompletions: Attach wellbore diagram of
proposed completion or reco Apache is requesting permission to will be measured prior to flaring. We 30-015-40116 Washington 33 State 30-015-41706 Washington 33 State 30-015-41680 Washington 33 State	mpletion. temporarily flare the Washington 33 lls included in the above battery are #66 #66 #67 #68 Rig Release Date	For Multiple Co	below. Intermittent flaring will occur and
proposed completion or reco Apache is requesting permission to will be measured prior to flaring. We 30-015-40116 Washington 33 State 30-015-41706 Washington 33 State 30-015-41680 Washington 33 State 30-015-41681 Washington 33 State Spud Date:	mpletion. temporarily flare the Washington 33 ills included in the above battery are #80 #86 #87 #88 Rig Release Date pove is true and complete to the best	For Multiple Co State wells listed as follows:	below. Intermittent flaring will occur and ge and belief.
proposed completion or reco Apache is requesting permission to will be measured prior to flaring. We 30-015-40116 Washington 33 State 30-015-41706 Washington 33 State 30-015-41680 Washington 33 State 30-015-41681 Washington 33 State Spud Date:	mpletion. temporarily flare the Washington 33 lls included in the above battery are #66 #66 #67 #68 Rig Release Date	For Multiple Co State wells listed as follows:	below. Intermittent flaring will occur and ge and belief.
proposed completion or reco Apache is requesting permission to will be measured prior to flaring. We 30-015-40116 Washington 33 State 30-015-41706 Washington 33 State 30-015-41680 Washington 33 State 30-015-41681 Washington 33 State Spud Date:	npletion. temporarily flare the Washington 33 lls included in the above battery are #60 #66 #67 #68 Rig Release Date pove is true and complete to the best #45574 TITLE Regulate	For Multiple Co State wells listed as follows: : of my knowled	below. Intermittent flaring will occur and ge and belief.
proposed completion or reco Apache is requesting permission to will be measured prior to flaring. We 30-015-40116 Washington 33 State 30-015-41706 Washington 33 State 30-015-41680 Washington 33 State 30-015-41681 Washington 33 State 30-015-41681 Washington 33 State Spud Date:	npletion. temporarily flare the Washington 33 lls included in the above battery are #60 #66 #67 #68 Rig Release Date pove is true and complete to the best #45574 TITLE Regulate	For Multiple Co State wells listed as follows: : of my knowled ory Analyst	below. Intermittent flaring will occur and ge and belief.