Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

NMOCD Artesia

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

Lease Serial No. NMNM2746

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on page 2		6. If Indian, Allotte	If Indian, Allottee or Tribe Name If Unit or CA/Agreement, Name and/or No.	
		7. If Unit or CA/Ag		
. Type of Well			8. Well Name and N GISSLER 1	No.
			9. API Well No.	
2. Name of Operator Contact: LESLIE GARVIS BURNETT OIL COMPANY INC E-Mail: lgarvis@burnettoil.com		30-015-25539	9-00-S1	
		one No. (include area code) 17-583-8730	10. Field and Pool LOCO HILLS	or Exploratory Area -GLORIETA-YESO
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		11. County or Paris	11. County or Parish, State	
Sec 11 T17S R30E SWSE 560FSL 1880FEL		EDDY COUN	EDDY COUNTY, NM	
12. CHECK THE A	PPROPRIATE BOX(ES) TO INC	DICATE NATURE OI	F NOTICE, REPORT, OR O	THER DATA
TYPE OF SUBMISSION		TYPE OF	ACTION	
M Notice of Intent	☐ Acidize ☐] Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☑ Notice of Intent	☐ Alter Casing ☐	Hydraulic Fracturing	☐ Reclamation	■ Well Integrity
☐ Subsequent Report	Casing Repair	New Construction	☐ Recomplete	Other ■
☐ Final Abandonment Notice	☐ Change Plans	Plug and Abandon	☐ Temporarily Abandon	Venting and/or Flaring
	Convert to Injection] Plug Back	■ Water Disposal	- 0
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for the state of the	•	urface locations and measur No. on file with BLM/BIA multiple completion or reco fter all requirements, includi	red and true vertical depths of all per Required subsequent reports must impletion in a new interval, a Form 2 ing reclamation, have been complete	rtinent markers and zones. be filed within 30 days 160-4 must be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the work following completion of the involved testing has been completed. Final A determined that the site is ready for Burnett is requesting permiss We will only be flaring as nee reported as per BLM requirem	ally or recomplete horizontally, give subsity will be performed or provide the Bond to operations. If the operation results in a rebandonment Notices must be filed only affinal inspection. ion to flare at the Gissler 1 battery ded (i.e during DCP maintenance) nents.	urface locations and measure. No. on file with BLM/BIA multiple completion or recorder all requirements, including from January through	red and true vertical depths of all per . Required subsequent reports must mpletion in a new interval, a Form 3 ing reclamation, have been complete . March 2017.	rtinent markers and zones. be filed within 30 days 1160-4 must be filed once and and the operator has OIL CONSERVATION ARTESIA DISTRICT
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for Burnett is requesting permiss We will only be flaring as nee reported as per BLM requiren We have previously received	ally or recomplete horizontally, give subsing will be performed or provide the Bond of operations. If the operation results in a rebandonment Notices must be filed only affinal inspection. Jon to flare at the Gissler 1 battery ded (i.e during DCP maintenance)	urface locations and measure. No. on file with BLM/BIA multiple completion or recorder all requirements, including from January through All gas flared will be	red and true vertical depths of all per . Required subsequent reports must mpletion in a new interval, a Form 3 ing reclamation, have been complete . March 2017.	rtinent markers and zones. be filed within 30 days 3160-4 must be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involver testing has been completed. Final A determined that the site is ready for Burnett is requesting permiss We will only be flaring as nee reported as per BLM requiren We have previously received.	ally or recomplete horizontally, give subsirk will be performed or provide the Bond of operations. If the operation results in a rebandonment Notices must be filed only affinal inspection. ion to flare at the Gissler 1 battery ded (i.e during DCP maintenance) nents. approval to install a flare at this ery diagram showing the flare located at:	urface locations and measure. No. on file with BLM/BIA multiple completion or recorder all requirements, including from January through a local gas flared will be tion is on file.	red and true vertical depths of all per . Required subsequent reports must mpletion in a new interval, a Form 3 ing reclamation, have been complete . March 2017.	ortinent markers and zones. be filed within 30 days 160-4 must be filed once and the operator has OIL CONSERVATION ARTESIA DISTRICT JAN 1 1 2017
If the proposal is to deepen direction Attach the Bond under which the word following completion of the involved testing has been completed. Final A determined that the site is ready for the Burnett is requesting permiss. We will only be flaring as nee reported as per BLM required. We have previously received location and an updated batter. The Gissler 1 battery is locat T17S, R 30 E, SECTION 11, Approx: 527' FSL, 1950' FEL.	ally or recomplete horizontally, give subsirk will be performed or provide the Bond of operations. If the operation results in a rebandonment Notices must be filed only affinal inspection. ion to flare at the Gissler 1 battery ded (i.e during DCP maintenance) nents. approval to install a flare at this ery diagram showing the flare located at:	urface locations and measure. No. on file with BLM/BIA multiple completion or recorder all requirements, including from January through a local gas flared will be tion is on file.	red and true vertical depths of all per Required subsequent reports must mpletion in a new interval, a Form 3 ng reclamation, have been complete March 2017. March 2017. metered and	ortinent markers and zones. be filed within 30 days 160-4 must be filed once and the operator has OIL CONSERVATION ARTESIA DISTRICT JAN 1 1 2017
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for a Burnett is requesting permiss. We will only be flaring as nee reported as per BLM requiren. We have previously received location and an updated batter. The Gissler 1 battery is locat T17S, R 30 E, SECTION 11, Approx: 527' FSL, 1950' FEL LEASE: NMNM2746	ally or recomplete horizontally, give subsit will be performed or provide the Bond to operations. If the operation results in a repandonment Notices must be filed only affinal inspection. ion to flare at the Gissler 1 battery ded (i.e during DCP maintenance) nents. approval to install a flare at this ery diagram showing the flare located at: UNIT O, SWSE	urface locations and measure. No. on file with BLM/BIA multiple completion or recovered all requirements, including from January through and the second seco	red and true vertical depths of all per Required subsequent reports must mpletion in a new interval, a Form 3 ing reclamation, have been completed March 2017. March 2017. March 2017. MATHED FOR DITIONS OF APPI	ortinent markers and zones. be filed within 30 days 160-4 must be filed once and the operator has OIL CONSERVATI ARTESIA DISTRICT JAN 1 1 2017
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for a Burnett is requesting permiss. We will only be flaring as nee reported as per BLM requiren. We have previously received location and an updated batter. The Gissler 1 battery is locat T17S, R 30 E, SECTION 11, Approx: 527' FSL, 1950' FEL LEASE: NMNM2746	ally or recomplete horizontally, give subsit will be performed or provide the Bond to operations. If the operation results in a rebandonment Notices must be filed only affinal inspection. ion to flare at the Gissler 1 battery ded (i.e during DCP maintenance) nents. approval to install a flare at this ery diagram showing the flare located at: UNIT O, SWSE strue and correct. Electronic Submission #361732 v For BURNETT OIL COnnitted to AFMSS for processing by an approach to the subsidered at the service of the subsidered at the service of the subsidered at the su	urface locations and measur No. on file with BLM/BIA multiple completion or recover all requirements, including from January through All gas flared will be tion is on file. SEE A COND Terrified by the BLM Well MPANY INC, sent to the JENNIFER SANCHEZ or	red and true vertical depths of all per Required subsequent reports must mpletion in a new interval, a Form 3 ing reclamation, have been completed March 2017. March 2017. March 2017. MATHED FOR DITIONS OF APPI	ortinent markers and zones. be filed within 30 days 160-4 must be filed once and the operator has OIL CONSERVATI ARTESIA DISTRICT JAN 1 1 2017
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for a Burnett is requesting permiss. We will only be flaring as nee reported as per BLM requiren. We have previously received location and an updated batter. The Gissler 1 battery is locat T17S, R 30 E, SECTION 11, Approx: 527' FSL, 1950' FEL LEASE: NMNM2746 4. Thereby certify that the foregoing in Commitment (Printed/Typed) LESLIE (Commitment)	ally or recomplete horizontally, give subsit will be performed or provide the Bond to operations. If the operation results in a rebandonment Notices must be filed only affinal inspection. ion to flare at the Gissler 1 battery ded (i.e during DCP maintenance) nents. approval to install a flare at this ery diagram showing the flare located at: UNIT O, SWSE strue and correct. Electronic Submission #361732 v For BURNETT OIL COnnitted to AFMSS for processing by an approach to the subsidered at the service of the subsidered at the service of the subsidered at the su	urface locations and measur No. on file with BLM/BIA multiple completion or recorder all requirements, including from January through All gas flared will be tion is on file. SEE A COND	TTACHED FOR APPI Information System Carlsbad 12/29/2016 (17JA\$0269SE) ATORY COORDINATOR	ortinent markers and zones. be filed within 30 days 160-4 must be filed once and the operator has OIL CONSERVATI ARTESIA DISTRICT JAN 1 1 2017
If the proposal is to deepen direction Attach the Bond under which the work following completion of the involve testing has been completed. Final A determined that the site is ready for a Burnett is requesting permiss. We will only be flaring as nee reported as per BLM requiren. We have previously received location and an updated batter. The Gissler 1 battery is locat T17S, R 30 E, SECTION 11, Approx: 527' FSL, 1950' FEL LEASE: NMNM2746. 4. Thereby certify that the foregoing in Communication and Communication	ally or recomplete horizontally, give subsit in which is the performed or provide the Bond to operations. If the operation results in a repandonment Notices must be filed only affinal inspection. It ion to flare at the Gissler 1 battery ded (i.e during DCP maintenance) nents. approval to install a flare at this ery diagram showing the flare located at: UNIT O, SWSE strue and correct. Electronic Submission #361732 v	urface locations and measur No. on file with BLM/BIA multiple completion or recorder all requirements, including from January through and the second of the	TTACHED FOR APPI Information System (Carlsbad on 12/29/2016 (17JAS0269SE)) ATORY COORDINATOR	ortinent markers and zones. be filed within 30 days 160-4 must be filed once and the operator has OIL CONSERVATI ARTESIA DISTRICT JAN 1 1 2017
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for a Burnett is requesting permiss. We will only be flaring as nee reported as per BLM requiren. We have previously received location and an updated batter. The Gissler 1 battery is locat T17S, R 30 E, SECTION 11, Approx: 527' FSL, 1950' FEL LEASE: NMNM2746 4. Thereby certify that the foregoing in Communication Communication Communication (Printed/Typed) LESLIE (Communication)	ally or recomplete horizontally, give subsirk will be performed or provide the Bond to operations. If the operation results in a rebandonment Notices must be filed only affinal inspection. ion to flare at the Gissler 1 battery ded (i.e during DCP maintenance) nents. approval to install a flare at this approval to install a flare at this approval to install a flare at this approval to SWSE where the structure of the structure	urface locations and measur No. on file with BLM/BIA multiple completion or recorder all requirements, including from January through and the second of the	TTACHED FOR APPI Information System (Carlsbad on 12/29/2016 (17JAS0269SE)) ATORY COORDINATOR	criment markers and zones. be filed within 30 days 1160-4 must be filed once and and the operator has OIL CONSERVATI ARTESIA DISTRICT JAN 1 1 2017 RECEIVED ROVAL

(Instructions on page 2)
** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

Additional data for EC transaction #361732 that would not fit on the form

32. Additional remarks, continued

The following wells are associated with this battery: Gissler 1 - API #30-015-25539 Gissler 2 - API #30-015-36003 Gissler 3 - API #30-015-42046

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Pursuant to **NTL-4A III**, Lessees or operators are hereby authorized to vent or flare gas on a short-term basis <u>without incurring a royalty</u> obligation in the following circumstances:

- A. <u>Emergencies.</u> During temporary emergency situations, such as compressor or other equipment failures, relief of abnormal system pressures, or other conditions which result in the unavoidable short-term venting or flaring of gas. However, this authorization to vent or flare gas in such circumstances without incurring a royalty obligation is limited to 24 hours per incident and to 144 hours cumulative for the lease during any calendar month, except with the prior authorization, approval, ratification, or acceptance of the Supervisor.
- B. <u>Well Purging and Evaluation Tests.</u> During the unloading or cleaning up of a well during drillstem, producing, routine purging, or evaluation tests, not exceeding a period of 24 hours.
- C. <u>Initial Production Tests.</u> During initial well evaluation tests, not exceeding a period of 30 days or the production of 50 MMcf of gas, whichever occurs first, unless a longer test period has been authorized by the appropriate State regulatory agency and ratified or accepted by the Supervisor.
- D. <u>Routine or Special Well Tests.</u> During routine or special well tests, other than those cited in NTL-4A III.B and C above, only after approval by the Supervisor.

If a flaring event conforms with the requirements listed above as per NTL-4A III., the flared volumes are not royalty bearing and the operator does not need to submit a Sundry Notice. Report flared volumes as unavoidably lost on OGOR B.

Condition of Approval to Flare Gas

- 1. The first 24 hours of a <u>temporary emergency flare*</u> is considered "unavoidably lost" and is therefore royalty free. Flared volumes that are considered unavoidably lost are not to be included in Sundry Notice (Form 3160-5). NTL-4A specifies no more than 24 hours per incident and no more 144 hours cumulative for the lease during any calendar month. These Volumes are not royalty bearing and shall be reported on OGOR "B" as either disposition code "21" or "22".".
- 2. Flared volumes considered to be "avoidably lost":
 - Exceeding the first 24 hours for each temporary emergency flare event (144 hours cumulative for the lease per month), well purging and evaluation test.
 - During initial well evaluation tests, exceeding a period of 30 days or the production of 50 MMcf of gas, whichever occurs first
 - Scheduled flaring operations

These flare events will require prior approval via Notice of Intent- Sundry Notice (Form 3160-5). Volumes flared beyond limits defined in NTL-4A are considered "avoidably lost" and will require payment of royalties, unless an exception is granted in accordance with NTL-4A.IV.B.. <u>Volumes for avoidably lost gas shall be reported on OGOR "B" reports as disposition code "08"</u>. If the operator believes that the flared volumes were "unavoidably lost" and the BLM determines them to be "avoidably lost", the operator can submit a more detailed request via Sundry Notice (Form 3160-5) for an exception in accordance with NTL-4A.IV.B.. As an alternative to producing oil and flaring gas the operator may choose to shut the well in and avoid paying royalties on otherwise avoidably lost gas.

- 3. Approval not to exceed 90 days, if flaring is still required past 90 days submit new request for approval.
- 4. Submit Subsequent Report with actual volumes of gas flared for each month gas is flared on a Sundry Notice (Form 3160-5). Include method for volume determination and duration. Report unavoidably lost (first 24 hrs of unexpected event) and avoidably lost (exceeding the first 24 hrs or flared gas that has been approved as avoidably lost by the Authorized Officer) volumes and durations on the Subsequent Report.

- 5. In determining the volumes of gas to be reported in accordance with NTL-4A the BLM CFO requires Vent/flare gas metering to meet all requirements for a sales meter as per Federal Regulations, Onshore Order #5 and NTL 2008-01. Include meter serial number on Sundry Notice (Form 3160-5).
 - If installation of an approved gas meter is not economically feasible for continued operations. Submit Notice of Intent Sundry Notice (Form 3160-5) to request an alternate method of determining gas volumes with a valid justification. Alternate methods are listed in NTL-4A. The Authorized Officer may require the installation of additional measurement equipment whenever it is determined that the present methods are inadequate to meet the purposes of this Notice.
- 6. An updated facility diagram is required within 60 days of modifications to existing facilities per Onshore Order #3.
- 7. This approval does not authorize any additional surface disturbance.
- 8. Subject to like approval from NMOCD

Regulations and Definitions

Definition: As per **NTL-4A II. A.** "Avoidably lost" production shall mean the venting or flaring of produced gas without the prior authorization, approval, ratification, or acceptance of the Supervisor and the loss of produced oil or gas when the Supervisor determines that such loss occurred as a result of (1) negligence on the part of the lessee or operator, or (2) the failure of the lessee or operator to take all reasonable measures to prevent and/or to control the loss, or (3) the failure of the lessee or operator to comply fully with the applicable lease terms and regulations, appropriate provisions of the approved operating plan, or the prior written orders of the Supervisor, or (4) and combination of the foregoing.

NTL-4A.IV.B. Oil Well Gas. Except as provided in II.C and III above, oil well gas may not be vented or flared unless approved in writing by the Supervisor. The Supervisor may approve an application for the venting or flaring of oil well gas if justified either by the submittal of (1) an evaluation report supported by engineering, geologic, and economic data which demonstrates to the satisfaction of the Supervisor that the expenditures necessary to market or beneficially use such gas are not economically justified and that conservation of the gas, if required, would lead to the premature abandonment of recoverable oil reserves and ultimately to a greater loss of equivalent energy than would be recovered if the venting or flaring were permitted to continue or (2) an action plan that will eliminate venting or flaring of the gas within 1 year from the date of application.

*<u>Temporary Emergency Flaring</u> is defined as an unexpected situation requiring immediate action. A flaring event is considered an emergency if the occurrence is out of the operators control and the operator had less than 24 hrs notification of the event. Scheduled or routine flare events will not be considered an emergency.