Submit 1 Copy To Appropriate District MM OIL CONSERVATION Office District 1 – (575) 393-6161	Form C-103 Revised July 18, 2013
$\frac{District II}{District II} = (575)748-1283$ $\frac{MAR}{2} \frac{2}{2} \frac{2}{2} \frac{2}{2} \frac{17}{10} \frac{1}{10} \frac$	WELL API NO. 30-015-44043
	5. Indicate Type of Lease
District III – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	STATE S FEE
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> - (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM 87505	6. State Oil & Gas Lease No.
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH	7. Lease Name or Unit Agreement Name
PROPOSALS.) 1. Type of Well: Oil Well 🖾 Gas Well 🗌 Other	PALMILLO 14-15 STATE 8. Well Number #2H
2. Name of Operator	9. OGRID Number 873
APACHE CORPORATION	
3. Address of Operator 303 VETERANS AIRPARK LN #1000 MIDLAND, TX 79705	10. Pool name or Wildcat PALMILLO;BONE SPRING, SW
4. Well Location	
Unit Letter P : 285 feet from the SOUTH line and 315	feet from the EAST line
Section 15 Township 19S Range 28E	NMPM County EDDY
11. Elevation (Show whether DR, RKB, RT, GR,	etc.)
GL: 3420'	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING	
TEMPORARILY ABANDON 🗍 CHANGE PLANS 🛛 COMMENCE	DRILLING OPNS. P AND A
PULL OR ALTER CASING 🔲 MULTIPLE COMPL 🔲 CASING/CEI	MENT JOB
DOWNHOLE COMMINGLE	
CLOSED-LOOP SYSTEM	
OTHER: OTHER:	
 Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 	
Apache request approval to use spudder rig to drill surface in order to minimize cost and improve efficiency. Rig contractor, Pro Oilfield Services, will drill, set csg & cmt to approx 400'. Apache will have top plug in FC and circ cmt to surf. WOC. Apache will cut csg & weld on wellhead. In addition, a flanged cap will be installed over wellhead. A 2" ball valve with tapped bull plug fitted with a 1000psi pressure gauge will be installed to monitor well.	
	NIM OIL CONSERVATION ARTESIA DISTRICT
	MAR 2 4 2017
Spud Date: Rig Release Date:	RECEIVED
I hereby certify that the information above is true and complete to the best of my know	ladge and balief
Thereby certify that the information above is true and complete to the best of my know	ledge and benef.
SIGNATURE Sorina L Flores	SERVICES
Type or print nameSORINA L. FLORES E-mail address:sorina.flores@apachecorp.com PHONE: _432-818-1167 For State Use Only	
APPROVED BY: Conditions of Approval (if any):	DATE 3-24-17